



Creating for
Life Science

Ladies and Gentlemen,

Abdos group guided by its vision, mission, value system and purpose is moving swiftly on a stable, aggressive, innovative, relationship driven path of growth and success. Over the past two years, we have grown considerably in all our business through green field expansion in capacities at existing and new plants, new product lines, geography expansion, distribution reach and acquisitions. Abdos group is a diversified business group into distribution, FMCG, contract manufacturing, packaging and life sciences. Please connect with us through our websites and various social media platforms to know more about Abdos.

The Life Sciences vertical of Abdos began in the year 2010 with state of the art manufacturing and distribution centre in Roorkee (India) with global headquarters in New Delhi (India), sales office in Kolkata (India) and its logistics subsidiary for Europe in Venlo (Netherlands). Our products add value and improve the lives of people around us. Our products ensure and empower health and hygiene for the society.

Over the past two years our Lifesciences division has gone through massive expansion with new manufacturing area of 2,00,000 square feet at our Roorkee plant in India. This addition makes our total capacity of well over 4,00,000 square feet at Roorkee, India making us one of the largest manufacturing plants in South East Asia. Abdos Life Sciences products are available in India and over 75 countries worldwide.

This is our 9th edition of the product catalog with 30 new products added in our portfolio. In the consumables category we have added more ranges in Liquid Handling, entire range of Screw cap Tubes, new ranges in Microbiology, expansion in the PCR family of products, launch of our entire range of Media Bottles and relaunch of Biofill™ Vacuum Filtration System. In the equipment category we have launched Elegant pipettes which is one of the world's lightest micro pipettes. In line with our vision of innovation we have launched our patented Gen-2 Pipette Tips and Filter Pipette Tips category with anti-warpage and anti-shrink technology. Four more patents will be filed over the next one year. On the accreditation area we are the first in Asia to get IVD, IVDR, UKCA, ISO 14001 and ISO 18385 certification. These certifications are a testament on the high-quality products and plant infrastructure we have at Abdos Lifesciences. We continue to work on sustainability by ensuring minimal wastage of plastics through technology and recycle methods. As always, we are continually evaluating new products, keeping in mind new areas of growth and research in the field of life sciences.

With the covid pandemic mostly past us (hopefully) and we are very happy to connect with all stakeholders personally. During the tough times of the covid pandemic, Abdos team in all our verticals continued to work tirelessly and relentlessly and have emerged more reliable than ever before. We are further expanding our sales, marketing and business intelligence skills through CRM, DMS and Analytics to give us the correct information to grow strategically. Our company's core values of relationship, integrity, consistency, long-term vision and aggressive growth continue to guide us in everything we do. Abdos Life Sciences continues to invest in products, infrastructure, distribution centres, customer services and after-sales. In 2022 we participated in global tradeshow like Achema (Frankfurt), Analytica (Hyderabad), Medica (Dusseldorf) and CPHI (New Delhi). We will continue to do all these shows and many more in 2023 and 2024. Our team continue to do localized shows around India and worldwide. Looking at the future which is 'digital,' and embracing the future we look forward to connecting on our digital platforms like LinkedIn, Facebook, Instagram, our mobile app, and at our fantastic new look website: www.abdoslifesciences.com. These platforms serve as a knowledge centre on products, services, the latest events, technical support, data sheets, COAs, and certifications.

We thank all our stakeholders for their continuous support towards the growth of Abdos.

JAI HIND.



Shrey Agarwal
CEO & Member Board of Directors
Abdos Labtech Pvt Ltd.

ABDOS MANUFACTURING PLANT

SPREAD OVER 40,000 SQUARE METERS



Facility validated from ISO CLASS 8 & equipped with latest robotics & automation machines

430+

**PRODUCTS & DELIVERING
ACROSS**

75+

COUNTRIES

● Venlo, Netherland



● Roorkee, India



**Robust warehouse infrastructure
helping customers across the globe**






ASSURED QUALITY

Abdos is investing into the future with cutting-edge robotics and automation platforms to provide consistent and high-performance products. We have initiated “manufacturing happiness” at all our production locations and automation continues to be an integral strategy to achieve it.

QUALITY OBJECTIVE

We are committed to provide the best quality products to our consumers at best possible prices. We will strive to innovate and respond creatively and competitively to changes in external environment and technological advancement. We believe our strength lies in our employees and we are ever so willing to give them training, equipment and tools to empower them to be confident of quality. We conduct periodic reviews to ensure our plant and maintenance systems run effectively and efficiently so that there is no compromise on quality.



QUALITY MANAGEMENT

Abdos quality standards are certified according to ISO 9001:2015 through its state of the art production processes, quality inspections, process parameters, SOP and automations. Since 2015 Abdos has received NS-EN ISO 13485:2016 to establish itself as a high quality manufacturer of medical devices. Abdos believes in using the latest technologies with stringent quality control measures and periodic reviews to ensure our plants and warehouses run efficiently and effectively. We believe in the qualification and development of people in our organization and provide them with training, equipment and resources to empower them to be confident of quality.

MARKING

Products that fall under the scope of European Directive 98/79/EC on In Vitro Diagnostic Device have been specified as CE IVD in the catalogue. This helps us to comply with the general requirements and safety regulations of CE. Find CE IVD logo on the inside pages as shown here.

MARKING

ABDOS Life Sciences is proud to announce that it has achieved the EU IVDR Certification fulfilling the applicable requirements of the Regulation (EU) 2017/746 for its Product range.

We are among the “first” manufacturers of Life Sciences products to have IVDR certification and are able to anticipate the demands of our customers. Additionally, we are also able to demonstrate our commitment to providing quality of our Products, services, and timely delivery. In spite of our certifications, we will continually review our quality management system and quality policies. Moreover, we will continue to serve each customer to the best of our ability. With IVDR Certification, we intend to provide high-quality and consistent service to our end users. Moreover, we are going to keep investing in technology, development, processes, and product quality.

We, at Abdos, promise to provide complete consumer satisfaction by emphasizing strongly on continual improvement through lean business processes, with the engagement of employees at all levels.

Quality Control Process

01

Check Incoming Products

Incoming products like raw materials, packaging materials and consumables are checked for contaminants, strength and aesthetics according to the agreed specifications with the supplier.

03

Application Tests in Laboratory

Each product is checked for physical, chemical and biological functions. Our in-house labs perform the necessary application tests as an end-user, to certify the products are fit to be dispatched to customers.

02


On-line Quality Inspection

During the manufacturing process, the product quality is checked in every shift based on Standard Testing Protocols. If any deviations arise, the required improvements are done during manufacturing.

04

Final Pre-Dispatch Audit

Products are finally tested for proper verification of labels, packaging and documents. Traceability of products is verified at this stage for lot number, expiry date, manufacturing date, etc.



Quality Certifications

Products from Abdos Life Sciences provide the following certifications and application dependent features.

Scan QR Code for All Certificates



IVDR (EU 2017/746),
E.A.R – CERTIFICATE
GPSD 2001/95/EC
& IVD 98/79/EC



UK RP CERTIFICATE REGULATION 19(3)
(C) UK MDR 2002



CE CERTIFICATE
(CERTIFICATE OF COMPLIANCE)



GOOD MANUFACTURING
PRACTICE, WHO – GMP



QUALITY
MANAGEMENT SYSTEM
ISO 9001



MEDICAL DEVICES
(Quality Management System)
EN ISO 13485



ISO 18385 : 2016
CERTIFICATE OF COMPLIANCE
FORENSIC DNA



ENVIRONMENT
MANAGEMENT SYSTEM
ISO 14001

Abdos Knowledge Center

Abdos is more than just products. Our endeavour has always been to provide information on our products and services to optimize the daily work flow. Visit our knowledge center below.




Mobile App

Featuring Data Comparisons, FAQs & More. Download Now from:




Website

Everything you need to know about Abdos Life Sciences.



COA Online

Visit ABDOS website and access all the latest COA files online.



Connecting with Scientific community through Select Science

ABDOS is advancing knowledge via select Science by connecting with Scientific communities.



Building – Long Term Trust

High Quality Products

Abdos Life Sciences one of Asia's leading laboratory Lifesciences manufacturer offers industry-leading products, through efficient machines, precise moulds, virgin medical grade resins, ISO Class 8 clean room and latest robotics technology. Our products solve customer needs while performing in all aspects of functional, aesthetics, and packaging. Our product specifications are in-line with the expectations of our end-users. Technical Data Sheets and COA's on our website is a testament on our high quality. We follow a strong, robust, and strict quality management system to ensure no compromise in quality is served to the end users. We are well accredited with world class and comprehensive certificates like ISO 9001, ISO 13485, ISO 14001, UKCA, IVD and IVDR.

Stable & Reliable Service

Stable, reliable, and consistent service is key to our vision and mission statement at Abdos Life Sciences. Even during the Covid pandemic with all the volatility of supply chain we were able to deliver products to our channel partners and end-users within reasonable lead times. Our modern warehouses equipped with latest technology, warehouse management system and SAP ERP made us forecast, manufacture, stock and deliver products in over 75 countries worldwide on-time. We are constantly reviewing our delivery performance and strive to improve them over time.

Sustainability

Waste be it in any form – plastic, paper, glass, or metal is harmful for the environment. At Abdos Life Sciences we are taking various steps in the direction of sustainability, reduction of industrial waste and harmful pollutants. Use of efficient, optimized machines and moulds, automatic production techniques and use of green logistics channels makes us one of the most sustainable responsible manufacturers in Asia. We take all steps to recycle, reduce and reuse all type of industrial waste at all our factories, warehouses, and offices. Use of digital marketing and electronic communication channels reduces the wastages of paper. At Abdos Life Sciences we aim to reduce our industrial waste by 10% per annum and contribute to a sustainable and brighter future.

Innovation

Abdos Life Sciences is constantly thriving to offer its end-users innovative products and services. Our constant endeavor is to improve the performance of our products compared to competitors' products being used currently by our end users. We have made notable innovations in products, packaging, services, supply chain, customer engagements and marketing communications. One such example is our patented Generation II Racked Filter Pipette Tips powered by Anti-warpage and Anti-Shrink technology. Life Sciences industry is ever growing and its dynamics requires innovation which is a core value system at Abdos Life Sciences. Our dedicated R&D team is working to introduce new products and improve existing products through efficiency, precision, consistency, sustainability, and innovation.

Consistency

At Abdos Life Sciences we believe consistency is the most important factor for a great user experience. We have made globally recognized products that are used by end-users in pharmaceutical, academic, diagnostics and research laboratories worldwide. Every product that is manufactured at our plants are consistently tested in our in-house world class testing laboratories before being dispatched to the end-users. Over time and experience we have made the right recipes and processes to offer consistent products to our end users. We do have periodic customer reviews and evaluate on how we could further improve our overall customer offering.

GO GREEN



GREEN LOGISTICS

Goods are transported by rail or sea whenever possible



PLASTIC OPTIMISATION

Hot runner mould ensures optimal plastic usage



ENERGY SAVER

Closed water cycle cooling process saves energy



LESS CARBON FOOTPRINT

The use of robotic & automation reduces human interference

AS A YOUNG AND INNOVATIVE COMPANY, ABDOS IS SETTING THE ENVIRONMENTAL STANDARDS FOR OTHERS TO FOLLOW.

ABDOS works towards creating a brighter, more sustainable future for our planet.

ABDOS is committed to contributing towards the "Go Green Initiative" by making sustainability the core of its business model. The ecological dimensions of operations are focused on Energy Efficiency, Water Efficiency, Waste/pollution management and Biodiversity.

ABDOS is integrating sustainability into business practices through employee engagement, customer stewardship, procurement, supply chain & its industry bodies.



Royal Society of Chemistry



Institutes

1. Bhabha Atomic Research Centre, Department of Atomic Energy, Hyderabad.
2. Nuclear Fuel Complex, Department of Atomic Energy, Hyderabad.
3. Analytical Chemistry Division, Bhabha Atomic Research Centre, Department of Atomic Energy, Mumbai.

Topic

Development of a microwave-assisted digestion method for the rapid determination of chloride and fluoride in nuclear-grade boron carbide powders.

Product

ABDOS Centrifuge tubes of 15 mL and 50 mL capacity (Product code: P10402 & P10404)



Research Square



Institutes

Sri Dharmasthala Manjunatheshwara College of Dental Sciences and Hospital, A Constituent Unit of Sri Dharmasthala Manjunatheshwara (SDM) University.

Topic

Human Salivary Concentrations of Brain Derived Neurotrophic Factor Correlates with Subjective Pain Intensity Associated With Initial Orthodontic Therapy.

Product

Abdos - Freezing Tubes PP, Sterile



Springer



Institutes

Nanof ormulation Research Laboratory, Faculty of Pharmacy, Jamia Hamdard (Hamdard University), New Delhi,

Topic

Transungual Delivery of Ketoconazole Nanoemulgel for the Effective Management of Onychomycosis

Product

ABDOS vortex mixer (Product code : E11190)



Bio protocol



Institutes

Microbiology, School of Natural Sciences, National University of Ireland, Galway, Ireland.

Topic

Determination of Survival of Wildtype and Mutant Escherichia coli in Soil.

Product

1. ABDOS Sterile micropipette tips (100-1,000 µl) (Product code: P10102)
2. ABDOS Sterile micropipette tips (2-200 µl) Product code: P10101
3. ABDOS Microcentrifuge tube (1.5 ml) (Product code: P10202)
4. ABDOS Centrifuge tube (15 ml graduated) (Product code: P10402) 90mm
5. ABDOS Petri dishes (Product code: P10901)



Science Direct



Institutes

Sant Longowal Institute of Engineering & Technology, Longowal, Punjab 148106, India.

Topic

Structural modification of quinoa seed protein isolates (QPIs) by variable time sonification for improving its physicochemical and functional characteristics.

Product

ABDOS Swirllex-Vortex Shaker (Product code : E11190)



Elsevier



Institutes

Sher-e-Kashmir University of Agricultural Sciences and Technology of Jammu, Main Campus, Chatha, Jammu (J&K), India.

Topic

Chitosan augments bioactive properties and drought resilience in drought-induced red kidney beans.

Product

ABDOS Swirllex-Vortex Shaker (Product code : E11190)



spiedigitallibrary.org



Institutes

Wojskowa Akademia Techniczna

Topic

Application of graphene paper laser ablation for separation of cancer cells.

Product

ABDOS Centrifuge tube (15 ml graduated) (Product code: P10402)



pubmed.ncbi.nlm.nih.gov



Institutes

College of Veterinary Medicine, University of Qadisiyah



































Topic

mRNA expression of the severe acute respiratory syndrome-coronavirus 2 angiotensin-converting enzyme 2 receptor in the lung tissue of Wistar rats according to age

Product

ABDOS Micro Centrifuge tube

NOMENCLATURE

	CE certified
	Quality management system
	Quality management system - Medical Devices
	Environment Management System
	Petridish Standard
	Gamma sterilization (Sterile R)
	Forensic DNA Grade
    	Accuracy Standards
 	IVD CERTIFIED IVD 98/79/EC IVDR CERTIFIED Regulation EU 2017/746
	DNase Rnase Free
	Endotoxin Free
	Human DNA free
	ATP & Pyrogen free
	PCR Inhibitor Free
	Heavy Metal Free
	Leak-proof Tested 635 mm/Hg
  	Sterile (Gamma Irridiation / Ethylene oxide/ E Beam)
	SAL 10 ⁻⁶ – Sterility Assurance Level
	GC/MS (Gas chromatography & Mass Spectrophotometry Test)
	95 kPa pressure Test
  	Autoclave / Non Autoclave
	New Product
	Alphanumeric Identification
	Product Suitable for food use
	Product Suitable for Real-time PCR
	Do not expose to flame
	Recyclable

The technical data (dimensions, capacities, resistances & icons) specified in this catalogue are approximated and for representation purposes only.
The resistances (to chemical products, temperature, centrifugation) may suffer variations depending on external conditions.
We recommend to test the product under the forecasted conditions of use. Please do not hesitate to ask for samples if necessary.

TABLE OF CONTENTS

CENTRIFUGE TECHNIQUES

15 – 33

MICRO CENTRIFUGE TUBES
SCREW CAP TUBES
CENTRIFUGE TUBES
RACKS FOR MICRO CENTRIFUGE TUBE
RACKS FOR CENTRIFUGE TUBE
EQUIPMENTS & MORE

CRYO TECHNIQUES

34 – 41

CRYO VIALS
STORAGE VIALS
CRYO BOXES & MORE

LIQUID HANDLING

42 – 85

SINGLE & MULTICHANNEL PIPETTES
TIPS: MICRO & LARGE TIPS, FILTER TIPS, LOW RETENTION TIPS
SAMPLE CONTAINERS
PASTEUR & SEROLOGICAL PIPETTES
RIA VIALS & MORE

MICROBIOLOGY

86 – 93

PETRI DISH PS: 60, 90 & 140 MM
SOFT INOCULATION LOOPS
DUO LOOPS
CELL SPREADERS
EQUIPMENTS & MORE

CELL CULTURE

94 – 99

CELL CULTURE FLASKS, PS
TISSUE CULTURE TREATED PLATES, PS
CELL CULTURE DISHES, PS
BIO REACTION TUBES, PP
MEDIA BOTTLES , PET & PETG
ROLLER BOTTLE
BIOFILL BOTTLE TOP FILTRATION SYSTEM & MORE

PCR TECHNIQUES

100 – 105

PCR TUBES
PCR PLATES
PCR 8 STRIP TUBES WITHOUT CAP
PCR 8 STRIP CLEAR CAPS- FLAT & DOMED
PCR 8 STRIP TUBES AND OPTICALLY CLEAR FLAT CAP
PCR SEALING FILMS & MORE

ELECTROPHORESIS SYSTEM

106 – 118

MINI HORIZONTAL UNITS
MIDI HORIZONTAL UNITS
MAXI HORIZONTAL ELECTROPHORESIS SYSTEMS
VERTICAL DUAL MINI ELECTROPHORESIS SYSTEMS
POWER SUPPLIES & UV TRANSILLUMINATOR

MULTIPURPOSE RACKS & BOXES

119 – 125

ROTATOR WORKSTATION
MULTI COMBINATION RACKS
REVERSIBLE RACKS
POLYGRID TEST TUBE RACKS & MORE

BOTTLES & CARBOYS

126 – 132

NARROW & WIDE MOUTH BOTTLES
ASPIRATOR BOTTLES
CARBOYS & MORE

GENERAL LABORATORY PRODUCTS

133 – 147

BEAKERS & MEASURING CYLINDERS
VOLUMETRIC FLASKS DESICATORS
SCOOPS & SPATULA
STIRRER BARS & MORE

UTILITIES

148 – 157

BIOHAZARD & AUTOCLAVE DISPOSABLE BAGS
GLOVES & SAFETY GOGGLES
SHARP CONTAINERS
N95 MASKS & MORE

EQUIPMENTS

158 – 183

MAGNETIC STIRRERS & HOTPLATES
DIGITAL DRY BATH & THERMO MIX
ROTATING MIXERS & SHAKERS
DIGITAL INCUBATORS
OIL FREE VACUUM PUMPS & MORE

GENERAL INFORMATION

184 – 202

CONVERSION TABLE – A GUIDE TO BASIC METRIC ESSENTIALS
TECHNICAL PROPERTIES OF ABDOS LABWARE
INDEX
TERMS & CONDITIONS

A photograph of a laboratory setting featuring several blue and white centrifuge racks filled with various tubes. Some tubes contain liquids of different colors (orange, red, white). The background is slightly blurred, showing more laboratory equipment. The image is overlaid with a large purple and pink geometric design on the left side.

01 Centrifuge Techniques

MICRO CENTRIFUGE TUBES

SCREW CAP TUBES WITH EPDM O-RING

CENTRIFUGE TUBES

RACKS FOR MICRO CENTRIFUGE TUBE

RACKS FOR CENTRIFUGE TUBE

EQUIPMENTS & MORE

#CommittedtotheEarth

01 | Micro Centrifuge Tubes, PP

- Abdos Micro Centrifuge tubes are manufactured using high purity virgin USP Class VI Medical grade polypropylene (PP) conforming to US FDA 21 CFR, free from natural rubber & heavy metal.
- These tubes can be used between -80°C to 121°C & with various organic solvents.
- These tubes are boil proof.
- These tubes come with integral snap cap.
- Frosting on the surface of the tubes makes writing easier.
- Large moulded-in graduations make identification easy.
- Can withstand up to 20000 xg RCF*.
- Amber coloured micro centrifuge tubes are suitable for light-sensitive samples. do not allow any light to pass through the tubes.



P10201



P10202



Micro Centrifuges Tube, PP

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)	Price/144 case (₹)
P10201	0.5 ml	10 mm	31.5 mm	1000	759	102738
P10202	1.5 ml	13 mm	41 mm	500	543	7350
P10203	2.0 ml	13 mm	41 mm	500	605	81892

Micro Centrifuges Tubes, PP (Coloured & Amber)

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
P10207	0.5 ml Coloured	10 mm	31.5 mm	1000	861
P10201A	0.5 ml Amber	10 mm	31.5 mm	1000	953
P10204	1.5 ml Coloured	13 mm	41 mm	500	625
P10204A	1.5 ml Amber	13 mm	41 mm	500	707
P10205	2.0 ml Coloured	13 mm	41 mm	500	674
P10203A	2.0 ml Amber	13 mm	41 mm	500	771

P10207, P10204 & P10205 are available in Red, Blue, Yellow and Green colour.



P10203



P10204A

02 | LAST DROP™, Low Retention Micro Centrifuge Tubes, PP

- Abdos Micro Centrifuge tubes are manufactured using high purity virgin USP Class VI Medical grade polypropylene (PP) conforming to US FDA 21 CFR, free from natural rubber & heavy metal.
- These tubes can be used between -80°C to 121°C & with various organic solvents.
- Abdos low binding technology provides 10 times lesser retention level with highly viscous samples & saves costly reagents.
- These tubes are boil proof.
- These tubes come with integral snap cap.
- Frosting on the surface of the tubes makes writing easier.
- Large moulded-in graduations make identification easy.
- Can withstand up to 20000 xg RCF*.



P10208



P10209



Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
P10208	0.5 ml	10 mm	31.5 mm	1000	1568
P10209	1.5 ml	13 mm	41 mm	500	1133
P10210	2 ml	13 mm	41 mm	500	1245

*Depending on the quality of Centrifuge and compatibility of Rotor.



P10210

ABDOS Screw Cap Tubes

An expert in Safe Sample Preparation

Standard & Looped cap, available in various colors (Red, Green, Yellow, Blue, Orange, Purple & White).

Manufactured using high purity virgin USP Class VI medical grade Polypropylene (PP) conforming to US FDA 21 CFR

Withstand RCF up to 20,000xg

Last Drop Screw Cap Tubes offer the Lowest retention with improved sample recovery.



The EPDM 'O' ring ensures maximum sealability, prevents evaporation & leakage.

Knurl Tubes feature the ability to lock tubes into ABDOS Screw Cap Tube racks for single-hand operations

Fully Autoclavable, operating temperature Range up from -196°C to +121°C

Screw Cap Tubes are available in Printed, Non-Printed formats with Assembled cap option as well.



FREE



FREE



FREE



LEAK TEST



FREE



FREE



121°C



FREE



GC/MS Tested



CERTIFIED



STERILE R



SAL 10⁻⁶

Non- Sterile Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
PI0223	0.5 ml Self- standing	10.2 mm	43.85 mm	1000	5565
PI0227	1.5 ml Self- standing	10.2 mm	44 mm	1000	5565
PI0231	1.5 ml conical	10.2 mm	43.1 mm	1000	5565
PI0235	2.0 ml Self- standing	10.2 mm	45.1 mm	1000	5565
PI0239	2.0 ml conical	10.2 mm	44.3 mm	1000	5565
PI0223A	0.5 ml amber Self-standing	10.2 mm	43.85 mm	1000	6227
PI0223A1	0.5 ml transparent amber Self-standing	10.2 mm	43.85 mm	1000	6169
PI0225	0.5 ml coloured Self-standing	10.2 mm	43.85 mm	1000	6169
PI0260A	1.5 ml amber Self- standing	10.2 mm	44 mm	1000	6227
PI0260A1	1.5 ml transparent amber Self-standing	10.2 mm	44 mm	1000	6169
PI0229	1.5 ml coloured Self- standing	10.2 mm	44 mm	1000	6169
PI0270A	1.5 ml amber conical	10.2 mm	43.1 mm	1000	6227
PI0232A1	1.5 ml transparent amber conical	10.2 mm	43.1 mm	1000	6169
PI0233	1.5 ml coloured conical	10.2 mm	43.1 mm	1000	6169

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
PI0272A	2.0 ml amber self-stand	10.2 mm	45.1 mm	1000	6227
PI0236A1	2.0 ml transparent amber self-stand	10.2 mm	45.1 mm	1000	6169
PI0237	2.0 ml coloured self-stand	10.2 mm	45.1 mm	1000	6169
PI0274A	2.0 ml amber conical	10.2 mm	44.3 mm	1000	6227
PI0240A1	2.0 ml transparent amber conical	10.2 mm	44.3 mm	1000	6169
PI0241	2.0 ml coloured conical	10.2 mm	44.3 mm	1000	6169

Last Drop Low Retention Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
PI0222	0.5 ml Self- standing	10.2 mm	43.85 mm	1000	8138
PI0243	1.5 ml Self- standing	10.2 mm	44 mm	1000	8138
PI0244	1.5 ml conical	10.2 mm	43.1 mm	1000	8138
PI0245	2.0 ml Self- standing	10.2 mm	45.1 mm	1000	8138
PI0246	2.0 ml conical	10.2 mm	44.3 mm	1000	8138

** PI0225, PI0229, PI0233, PI0237, PI0241 are available with red, blue, green, yellow, orange, purple & white color cap options for color coding

Sterile Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
PI0224	0.5 ml Self- standing	10.2 mm	43.85 mm	1000	6195
PI0228	1.5 ml Self- standing	10.2 mm	44 mm	1000	6195
PI0232	1.5 ml Conical	10.2 mm	43.1 mm	1000	6195
PI0236	2.0 ml self- standing	10.2 mm	45.1 mm	1000	6195
PI0240	2.0 ml Conical	10.2 mm	44.3 mm	1000	6195
PI0224A	0.5 ml amber Self- standing	10.2 mm	43.85 mm	1000	6930
PI0224A1	0.5 ml transparent amber Self- standing	10.2 mm	43.85 mm	1000	6930
PI0226	0.5 ml coloured Self- standing	10.2 mm	43.85 mm	1000	6930
PI0228A	1.5 ml amber Self- standing	10.2 mm	43.95 mm	1000	6930
PI0228A1	1.5 ml transparent amber Self- standing	10.2 mm	44 mm	1000	6865
PI0230	1.5 ml coloured Self- standing	10.2 mm	44 mm	1000	6930
PI0232A	1.5 ml amber conical	10.2 mm	43.1 mm	1000	6930
PI0270A1	1.5 ml transparent amber conical	10.2 mm	43.1 mm	1000	6865
PI0234	1.5 ml coloured conical	10.2 mm	43.1 mm	1000	6930

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
PI0236A	2.0 ml amber	10.2 mm	45.1 mm	1000	6930
PI0272A1	2.0 ml transparent amber	10.2 mm	45.1 mm	1000	6865
PI0238	2.0 ml coloured	10.2 mm	45.1 mm	1000	6930
PI0240A	2.0 ml amber	10.2 mm	44.3 mm	1000	6930
PI0274A1	2.0 ml transparent amber	10.2 mm	44.3 mm	1000	6865
PI0242	2.0 ml coloured	10.2 mm	44.3 mm	1000	6930

Last Drop Low Retention Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
PI0221	0.5 ml Self- standing	10.2 mm	43.85 mm	1000	8715
PI0247	1.5 ml Self- standing	10.2 mm	44 mm	1000	8715
PI0248	1.5 ml conical	10.2 mm	43.1 mm	1000	8715
PI0249	2.0 ml Self- standing	10.2 mm	45.1 mm	1000	8715
PI0250	2.0 ml conical	10.2 mm	44.3 mm	1000	8715

** PI0225, PI0229, PI0233, PI0237, PI0241 are available with red, blue, green, yellow, orange, purple & white color cap options for color coding

Printed and Non-assembled

Non- Sterile Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
P30223	0.5 ml Self- standing	10.2 mm	43.85 mm	1000	5933
P30227	1.5 ml Self- standing	10.2 mm	44 mm	1000	5933
P30231	1.5 ml conical	10.2 mm	43.1 mm	1000	5933
P30235	2.0 ml self- standing	10.2 mm	45.1 mm	1000	5933
P30239	2.0 ml conical	10.2 mm	44.3 mm	1000	5933
P30223A	0.5 ml amber Self- standing	10.2 mm	43.85 mm	1000	6594
P30223A1	0.5 ml transparent amber Self- standing	10.2 mm	43.85 mm	1000	6536
P30225	0.5 ml coloured Self- standing	10.2 mm	43.85 mm	1000	6536
P30260A	1.5 ml amber Self- standing	10.2 mm	44 mm	1000	6594
P30260A1	1.5 ml transparent amber Self- standing	10.2 mm	44 mm	1000	6536
P30229	1.5 ml coloured Self- standing	10.2 mm	44 mm	1000	6536
P30270A	1.5 ml amber conical	10.2 mm	43.1 mm	1000	6594
P30232A1	1.5 ml transparent amber conical	10.2 mm	43.1 mm	1000	6536
P30233	1.5 ml coloured conical	10.2 mm	43.1 mm	1000	6536

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
P30272A	2.0 ml amber self- standing	10.2 mm	45.1 mm	1000	6594
P30236A1	2.0 ml transparent amber self- standing	10.2 mm	45.1 mm	1000	6536
P30237	2.0 ml coloured self- standing	10.2 mm	45.1 mm	1000	6536
P30274A	2.0 ml amber Conical	10.2 mm	44.3 mm	1000	6594
P30240A1	2.0 ml transparent amber Conical	10.2 mm	44.3 mm	1000	6536
P30241	2.0 ml coloured Conical	10.2 mm	44.3 mm	1000	6536

Last Drop Low Retention Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
P30222	0.5 ml Self- standing	10.2 mm	43.85 mm	1000	8505
P30243	1.5 ml Self- standing	10.2 mm	44 mm	1000	8505
P30244	1.5 ml conical	10.2 mm	43.1 mm	1000	8505
P30245	2.0 ml Self- standing	10.2 mm	45.1 mm	1000	8505
P30246	2.0 ml conical	10.2 mm	44.3 mm	1000	8505

***P30225, P30229, P30233, P30237, P30241 are available with red, blue, green, yellow, orange, purple & white color cap options for color coding

Sterile Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
P30224	0.5 ml Self- standing	10.2 mm	43.85 mm	1000	6563
P30228	1.5 ml Self- standing	10.2 mm	44 mm	1000	6563
P30232	1.5 ml Conical	10.2 mm	43.1 mm	1000	6563
P30236	2.0 ml self- standing	10.2 mm	45.1 mm	1000	6563
P30240	2.0 ml Conical	10.2 mm	44.3 mm	1000	6563
P30224A	0.5 ml amber Self- standing	10.2 mm	43.85 mm	1000	7298
P30224A1	0.5 ml transparent amber Self- standing	10.2 mm	43.85 mm	1000	7298
P30226	0.5 ml coloured Self- standing	10.2 mm	43.85 mm	1000	7298
P30228A	1.5 ml amber Self- standing	10.2 mm	43.95 mm	1000	7298
P30228A1	1.5 ml transparent amber Self- standing	10.2 mm	44 mm	1000	7232
P30230	1.5 ml coloured Self- standing	10.2 mm	44 mm	1000	7298
P30232A	1.5 ml amber conical	10.2 mm	43.1 mm	1000	7298
P30270A1	1.5 ml transparent amber conical	10.2 mm	43.1 mm	1000	7232
P30234	1.5 ml coloured conical	10.2 mm	43.1 mm	1000	7298

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
P30236A	2.0 ml amber self- stand	10.2 mm	45.1 mm	1000	7298
P30272A1	2.0 ml transparent amber self- standing	10.2 mm	45.1 mm	1000	7232
P30238	2.0 ml coloured self- standing	10.2 mm	45.1 mm	1000	7298
P30240A	2.0 ml amber Conical	10.2 mm	44.3 mm	1000	7298
P30274A1	2.0 ml transparent amber Conical	10.2 mm	44.3 mm	1000	7232
P30242	2.0 ml coloured Conical	10.2 mm	44.3 mm	1000	7298

Last Drop Low Retention Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
P30221	0.5 ml Self- standing	10.2 mm	43.85 mm	1000	9083
P30247	1.5 ml Self- standing	10.2 mm	44 mm	1000	9083
P30248	1.5 ml conical	10.2 mm	43.1 mm	1000	9083
P30249	2.0 ml Self- standing	10.2 mm	45.1 mm	1000	9083
P30250	2.0 ml conical	10.2 mm	44.3 mm	1000	9083

**P30226, P30230, P30234, P30238, P30242 are available with red, blue, green, yellow, orange, purple & white color cap options for color coding

Non-Printed and Assembled

Non- Sterile Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
P40223	0.5 ml Self-standing	10.2 mm	43.85 mm	1000	5828
P40227	1.5 ml Self-standing	10.2 mm	44 mm	1000	5828
P40231	1.5 ml conical	10.2 mm	43.1 mm	1000	5828
P40235	2.0 ml self-standing	10.2 mm	45.1 mm	1000	5828
P40239	2.0 ml	10.2 mm	44.3 mm	1000	5828
P40223A	0.5 ml amber self-standing	10.2 mm	43.85 mm	1000	6489
P40223A1	0.5 ml transparent amber self-standing	10.2 mm	43.85 mm	1000	6431
P40225	0.5 ml colour self-standing	10.2 mm	43.85 mm	1000	6431
P40260A	1.5 ml amber self-standing	10.2 mm	44 mm	1000	6489
P40260A1	1.5 ml transparent amber self-standing	10.2 mm	44 mm	1000	6431
P40229	1.5 ml colour self-standing	10.2 mm	44 mm	1000	6431
P40270A	1.5 ml amber conical	10.2 mm	43.1 mm	1000	6489
P40232A1	1.5 ml transparent amber conical	10.2 mm	43.1 mm	1000	6431
P40233	1.5 ml coloured conical	10.2 mm	43.1 mm	1000	6431

****P40225, P40229, P40233, P40237, P40241 are available with red, blue, green, yellow, orange, purple & white color cap options for color coding**

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
P40272A	2.0 ml amber Self-standing	10.2 mm	45.1 mm	1000	6489
P40236A1	2.0 ml transparent amber Self-standing	10.2 mm	45.1 mm	1000	6431
P40237	2.0 ml coloured Self-standing	10.2 mm	45.1 mm	1000	6431
P40274A	2.0 ml amber conical	10.2 mm	44.3 mm	1000	6489
P40240A1	2.0 ml transparent amber conical	10.2 mm	44.3 mm	1000	6431
P40241	2.0 ml coloured conical	10.2 mm	44.3 mm	1000	6431

Last Drop Low Retention Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
P40222	0.5 ml Self-standing	10.2 mm	43.85 mm	1000	8400
P40243	1.5 ml Self-standing	10.2 mm	44 mm	1000	8400
P40244	1.5 ml conical	10.2 mm	43.1 mm	1000	8400
P40245	2.0 ml Self-standing	10.2 mm	45.1 mm	1000	8400
P40246	2.0 ml conical	10.2 mm	44.3 mm	1000	8400

Sterile Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
P40224	0.5 ml Self-standing	10.2 mm	43.85 mm	1000	6458
P40228	1.5 ml Self-standing	10.2 mm	44 mm	1000	6458
P40232	1.5 ml Conical	10.2 mm	43.1 mm	1000	6458
P40236	2.0 ml self-standing	10.2 mm	45.1 mm	1000	6458
P40240	2.0 ml Conical	10.2 mm	44.3 mm	1000	6458
P40224A	0.5 ml amber Self-standing	10.2 mm	43.85 mm	1000	7193
P40224A1	0.5 ml transparent amber Self-standing	10.2 mm	43.85 mm	1000	7193
P40226	0.5 ml coloured Self-standing	10.2 mm	43.85 mm	1000	7193
P40228A	1.5 ml amber Self-standing	10.2 mm	43.95 mm	1000	7193
P40228A1	1.5 ml transparent amber Self-standing	10.2 mm	44 mm	1000	7127
P40230	1.5 ml coloured Self-standing	10.2 mm	44 mm	1000	6458
P40232A	1.5 ml amber conical	10.2 mm	43.1 mm	1000	7193
P40270A1	1.5 ml transparent amber conical	10.2 mm	43.1 mm	1000	7127
P40234	1.5 ml coloured conical	10.2 mm	43.1 mm	1000	7193

****P40226, P40230, P40234, P40238, P40242 are available with red, blue, green, yellow, orange, purple & white color cap options for color coding**

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
P40236A	2.0 ml amber	10.2 mm	45.1 mm	1000	7193
P40272A1	2.0 ml transparent amber	10.2 mm	45.1 mm	1000	7127
P40238	2.0 ml coloured	10.2 mm	45.1 mm	1000	7193
P40240A	2.0 ml amber	10.2 mm	44.3 mm	1000	7193
P40274A1	2.0 ml transparent amber	10.2 mm	44.3 mm	1000	7127
P40242	2.0 ml coloured	10.2 mm	44.3 mm	1000	7193

Last Drop Low Retention Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
P40221	0.5 ml Self-standing	10.2 mm	43.85 mm	1000	8978
P40247	1.5 ml Self-standing	10.2 mm	44 mm	1000	8978
P40248	1.5 ml conical	10.2 mm	43.1 mm	1000	8978
P40249	2.0 ml Self-standing	10.2 mm	45.1 mm	1000	8978
P40250	2.0 ml conical	10.2 mm	44.3 mm	1000	8978

Printed and Assembled

Non- Sterile Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
P50223	0.5 ml Self-standing	10.2 mm	43.85 mm	1000	6195
P50227	1.5 ml Self-standing	10.2 mm	44 mm	1000	6195
P50231	1.5 ml conical	10.2 mm	43.1 mm	1000	6195
P50235	2.0 ml self-standing	10.2 mm	45.1 mm	1000	6195
P50239	2.0 ml conical	10.2 mm	44.3 mm	1000	6195
P50223A	0.5 ml amber Self-standing	10.2 mm	43.85 mm	1000	7495
P50223A1	0.5 ml transparent amber Self-standing	10.2 mm	43.85 mm	1000	6799
P50225	0.5 ml coloured Self-standing	10.2 mm	43.85 mm	1000	6799
P50260A	1.5 ml amber Self-standing	10.2 mm	44 mm	1000	7495
P50260A1	1.5 ml transparent amber Self-standing	10.2 mm	44 mm	1000	6799
P50229	1.5 ml coloured Self-standing	10.2 mm	44 mm	1000	6799
P50270A	1.5 ml amber conical	10.2 mm	43.1 mm	1000	7495
P50232A1	1.5 ml transparent amber conical	10.2 mm	43.1 mm	1000	6799
P50233	1.5 ml coloured conical	10.2 mm	43.1 mm	1000	6799

****P50225, P50229, P50233, P50237, P50241 are available with red, blue, green, yellow, orange, purple & white color cap options for color coding**

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
P50272A	2.0 ml amber self-standing	10.2 mm	45.1 mm	1000	7495
P50236A1	2.0 ml transparent amber self-standing	10.2 mm	45.1 mm	1000	6799
P50237	2.0 ml coloured self-standing	10.2 mm	45.1 mm	1000	6799
P50274A	2.0 ml amber Conical	10.2 mm	44.3 mm	1000	7495
P50240A1	2.0 ml transparent amber Conical	10.2 mm	44.3 mm	1000	6799
P50241	2.0 ml coloured Conical	10.2 mm	44.3 mm	1000	6799

Last Drop Low Retention Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
P50222	0.5 ml Self-standing	10.2 mm	43.85 mm	1000	8768
P50243	1.5 ml Self-standing	10.2 mm	44 mm	1000	8768
P50244	1.5 ml conical	10.2 mm	43.1 mm	1000	8768
P50245	2.0 ml Self-standing	10.2 mm	45.1 mm	1000	8768
P50246	2.0 ml conical	10.2 mm	44.3 mm	1000	8768

Sterile Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
P50224	0.5 ml Self-standing	10.2 mm	43.85 mm	1000	6825
P50228	1.5 ml Self-standing	10.2 mm	44 mm	1000	6825
P50232	1.5 ml Conical	10.2 mm	43.1 mm	1000	6825
P50236	2.0 ml self-standing	10.2 mm	45.1 mm	1000	6825
P50240	2.0 ml Conical	10.2 mm	44.3 mm	1000	6825
P50224A	0.5 ml amber Self-standing	10.2 mm	43.85 mm	1000	7560
P50224A1	0.5 ml transparent amber Self-standing	10.2 mm	43.85 mm	1000	7560
P50226	0.5 ml coloured Self-standing	10.2 mm	43.85 mm	1000	7560
P50228A	1.5 ml amber Self-standing	10.2 mm	43.95 mm	1000	7560
P50228A1	1.5 ml transparent amber Self-standing	10.2 mm	44 mm	1000	7495
P50230	1.5 ml coloured Self-standing	10.2 mm	44 mm	1000	7560
P50232A	1.5 ml amber conical	10.2 mm	43.1 mm	1000	7560
P50270A1	1.5 ml transparent amber conical	10.2 mm	43.1 mm	1000	7495
P50234	1.5 ml coloured conical	10.2 mm	43.1 mm	1000	7560

****P50226, P50230, P50234, P50238, P50242 are available with red, blue, green, yellow, orange, purple & white color cap options for color coding**

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
P50236A	2.0 ml amber self-stand	10.2 mm	45.1 mm	1000	7560
P50272A1	2.0 ml transparent amber self-standing	10.2 mm	45.1 mm	1000	7495
P50238	2.0 ml coloured self-standing	10.2 mm	45.1 mm	1000	7560
P50240A	2.0 ml amber Conical	10.2 mm	44.3 mm	1000	7560
P50274A1	2.0 ml transparent amber Conical	10.2 mm	44.3 mm	1000	7495
P50242	2.0 ml coloured Conical	10.2 mm	44.3 mm	1000	7560

Last Drop Low Retention Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
P50221	0.5 ml Self-standing	10.2 mm	43.85 mm	1000	9345
P50247	1.5 ml Self-standing	10.2 mm	44 mm	1000	9345
P50248	1.5 ml conical	10.2 mm	43.1 mm	1000	9345
P50249	2.0 ml Self-standing	10.2 mm	45.1 mm	1000	9345
P50250	2.0 ml conical	10.2 mm	44.3 mm	1000	9345

Non-Printed Screw Cap Tube with Looped Cap

Non-Sterile Screw cap tubes with Looped Cap

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
PI0252	0.5 ml Self- standing	10.2 mm	43.85 mm	1000	6400
PI0254	1.5 ml Self- standing	10.2 mm	44 mm	1000	6400
PI0256	1.5 ml conical	10.2 mm	43.1 mm	1000	6400
PI0258	2.0 ml Self- standing	10.2 mm	45.1 mm	1000	6400
PI0260	2.0 ml conical	10.2 mm	44.3 mm	1000	6400
PI0252A	0.5 ml amber Self-standing	10.2 mm	43.85 mm	1000	7161
PI0252A1	0.5 ml transparent amber Self-standing	10.2 mm	43.85 mm	1000	7096
PI0262	0.5 ml coloured Self-standing	10.2 mm	43.85 mm	1000	7096
PI0254A	1.5 ml amber Self- standing	10.2 mm	44 mm	1000	7161
PI0254A1	1.5 ml transparent amber Self-standing	10.2 mm	44 mm	1000	7096
PI0264	1.5 ml coloured Self- standing	10.2 mm	44 mm	1000	7096
PI0256A	1.5 ml amber conical	10.2 mm	43.1 mm	1000	7161
PI0256A1	1.5 ml transparent amber conical	10.2 mm	43.1 mm	1000	7096
PI0266	1.5 ml coloured conical	10.2 mm	43.1 mm	1000	7096

** PI0225, PI0229, PI0233, PI0237, PI0241 are available with red, blue, green, yellow, orange, purple & white color cap options for color coding

Sterile Screw Cap tubes with Looped Cap

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
PI0253	0.5 ml Self- standing	10.2 mm	43.85 mm	1000	7124
PI0255	1.5 ml Self-standing	10.2 mm	44 mm	1000	7124
PI0257	1.5 ml Conical	10.2 mm	43.1 mm	1000	7124
PI0259	2.0 ml Self- standing	10.2 mm	45.1 mm	1000	7124
PI0261	2.0 ml Conical	10.2 mm	44.3 mm	1000	7124
PI0253A	0.5 ml amber Self-standing	10.2 mm	43.85 mm	1000	7970
PI0253A1	0.5 ml transparent amber Self-standing	10.2 mm	43.85 mm	1000	7970
PI0263	0.5 ml coloured Self-standing	10.2 mm	43.85 mm	1000	7970
PI0255A	1.5 ml amber Self-standing	10.2 mm	43.95 mm	1000	7970
PI0255A1	1.5 ml transparent amber Self-standing	10.2 mm	44 mm	1000	7896
PI0265	1.5 ml coloured Self-standing	10.2 mm	44 mm	1000	7970
PI0257A	1.5 ml amber conical	10.2 mm	43.1 mm	1000	7970
PI0257A1	1.5 ml transparent amber conical	10.2 mm	43.1 mm	1000	7896
PI0267	1.5 ml coloured conical	10.2 mm	43.1 mm	1000	7970

PI0263, PI0265, PI0267, PI0269 & PI0271 are available with red, blue, green, yellow, orange, purple & white color looped cap options for color coding

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
PI0258A	2.0 ml amber self-stand	10.2 mm	45.1 mm	1000	7161
PI0258A1	2.0 ml transparent amber self-stand	10.2 mm	45.1 mm	1000	7096
PI0268	2.0 ml coloured self-stand	10.2 mm	45.1 mm	1000	7096
PI0260A	2.0 ml amber conical	10.2 mm	44.3 mm	1000	7161
PI0260A1	2.0 ml transparent amber conical	10.2 mm	44.3 mm	1000	7096
PI0270	2.0 ml coloured conical	10.2 mm	44.3 mm	1000	7096

Last Drop Low Retention Screw cap tubes with Looped Cap

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
PI0272	0.5 ml Self-standing	10.2 mm	43.85 mm	1000	9359
PI0273	1.5 ml Self-standing	10.2 mm	44 mm	1000	9359
PI0274	1.5 ml conical	10.2 mm	43.1 mm	1000	9359
PI0275	2.0 ml Self-standing	10.2 mm	45.1 mm	1000	9359
PI0276	2.0 ml conical	10.2 mm	44.3 mm	1000	9359

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
PI0259A	2.0 ml amber	10.2 mm	45.1 mm	1000	7970
PI0259A1	2.0 ml transparent amber	10.2 mm	45.1 mm	1000	7896
PI0269	2.0 ml coloured	10.2 mm	45.1 mm	1000	7970
PI0261A	2.0 ml amber	10.2 mm	44.3 mm	1000	7970
PI0261A1	2.0 ml transparent amber	10.2 mm	44.3 mm	1000	7896
PI0271	2.0 ml coloured	10.2 mm	44.3 mm	1000	7970

Last Drop Low Retention Screw Cap tubes with Looped Cap

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
PI0277	0.5 ml Self-standing	10.2 mm	43.85 mm	1000	10022
PI0278	1.5 ml Self-standing	10.2 mm	44 mm	1000	10022
PI0279	1.5 ml conical	10.2 mm	43.1 mm	1000	10022
PI0280	2.0 ml Self-standing	10.2 mm	45.1 mm	1000	10022
PI0281	2.0 ml conical	10.2 mm	44.3 mm	1000	10022

Printed Screw Cap Tube with Looped Cap

Non-Sterile Screw cap tubes with Looped Cap

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
PI0340	0.5 ml Self- standing	10.2 mm	43.85 mm	1000	6823
PI0342	1.5 ml Self- standing	10.2 mm	44 mm	1000	6823
PI0344	1.5 ml conical	10.2 mm	43.1 mm	1000	6823
PI0346	2.0 ml self- standing	10.2 mm	45.1 mm	1000	6823
PI0348	2.0 ml conical	10.2 mm	44.3 mm	1000	6823
PI0340A	0.5 ml amber Self- standing	10.2 mm	43.85 mm	1000	7583
PI0340A1	0.5 ml transparent amber Self- standing	10.2 mm	43.85 mm	1000	7518
PI0350	0.5 ml coloured Self- standing	10.2 mm	43.85 mm	1000	7518
PI0342A	1.5 ml amber Self- standing	10.2 mm	44 mm	1000	7583
PI0342A1	1.5 ml transparent amber Self- standing	10.2 mm	44 mm	1000	7518
PI0352	1.5 ml coloured Self- standing	10.2 mm	44 mm	1000	7518
PI0344A	1.5 ml amber conical	10.2 mm	43.1 mm	1000	7583
PI0344A1	1.5 ml transparent amber conical	10.2 mm	43.1 mm	1000	7518
PI0354	1.5 ml coloured conical	10.2 mm	43.1 mm	1000	7518

PI0350, PI0352, PI0354, PI0356, PI0358 are available with red, blue, green, yellow, orange, purple & white color looped cap options for color coding

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
PI0346A	2.0 ml amber self- standing	10.2 mm	45.1 mm	1000	7583
PI0346A1	2.0 ml transparent amber self- standing	10.2 mm	45.1 mm	1000	7518
PI0356	2.0 ml coloured self- standing	10.2 mm	45.1 mm	1000	7518
PI0348A	2.0 ml amber Conical	10.2 mm	44.3 mm	1000	7583
PI0348A1	2.0 ml transparent amber Conical	10.2 mm	44.3 mm	1000	7518
PI0358	2.0 ml coloured Conical	10.2 mm	44.3 mm	1000	7518

Last Drop Low Retention Screw cap tubes with EPDM O-Ring, PP

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
PI0360	0.5 ml Self- standing	10.2 mm	43.85 mm	1000	9781
PI0361	1.5 ml Self- standing	10.2 mm	44 mm	1000	9781
PI0362	1.5 ml conical	10.2 mm	43.1 mm	1000	9781
PI0363	2.0 ml Self- standing	10.2 mm	45.1 mm	1000	9781
PI0364	2.0 ml conical	10.2 mm	44.3 mm	1000	9781

Sterile Screw cap tubes with Looped Cap

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
PI0341	0.5 ml Self- standing	10.2 mm	43.85 mm	1000	7547
PI0343	1.5 ml Self- standing	10.2 mm	44 mm	1000	7547
PI0345	1.5 ml Conical	10.2 mm	43.1 mm	1000	7547
PI0347	2.0 ml self- standing	10.2 mm	45.1 mm	1000	7547
PI0349	2.0 ml Conical	10.2 mm	44.3 mm	1000	7547
PI0341A	0.5 ml amber Self- standing	10.2 mm	43.85 mm	1000	8394
PI0341A1	0.5 ml transparent amber Self- standing	10.2 mm	43.85 mm	1000	8394
PI0351	0.5 ml coloured Self- standing	10.2 mm	43.85 mm	1000	8394
PI0343A	1.5 ml amber Self- standing	10.2 mm	43.95 mm	1000	8394
PI0343A1	1.5 ml transparent amber Self- standing	10.2 mm	44 mm	1000	8318
PI0353	1.5 ml coloured Self- standing	10.2 mm	44 mm	1000	8394
PI0345A	1.5 ml amber conical	10.2 mm	43.1 mm	1000	8394
PI0345A1	1.5 ml transparent amber conical	10.2 mm	43.1 mm	1000	8318
PI0355	1.5 ml coloured conical	10.2 mm	43.1 mm	1000	8394

PI0351, PI0353, PI0355, PI0357 & PI0359 are available with red, blue, green, yellow, orange, purple & white color looped cap options for color coding

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
PI0347A	2.0 ml amber self- standing	10.2 mm	45.1 mm	1000	8394
PI0347A1	2.0 ml transparent amber self- standing	10.2 mm	45.1 mm	1000	8318
PI0357	2.0 ml coloured self- standing	10.2 mm	45.1 mm	1000	8394
PI0349A	2.0 ml amber Conical	10.2 mm	44.3 mm	1000	8394
PI0349A1	2.0 ml transparent amber Conical	10.2 mm	44.3 mm	1000	8318
PI0359	2.0 ml coloured Conical	10.2 mm	44.3 mm	1000	8394

Last Drop Low Retention Screw cap tubes with EPDM O-Ring,PP

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
PI0365	0.5 ml Self- standing	10.2 mm	43.85 mm	1000	10445
PI0366	1.5 ml Self- standing	10.2 mm	44 mm	1000	10445
PI0367	1.5 ml conical	10.2 mm	43.1 mm	1000	10445
PI0368	2.0 ml Self- standing	10.2 mm	45.1 mm	1000	10445
PI0369	2.0 ml conical	10.2 mm	44.3 mm	1000	10445

Centrifuge Tube Techniques

Features

Abdos centrifuge tubes are manufactured from ultra pure USP class VI certified virgin medical grade polypropylene to ensure the highest quality & confirming to US FDA 21 CFR.

Unique printing technology makes the surface chemical resistant & scratch proof.

Perfect grip on screw cap provides secure control on the cap in wet conditions.

Even wall thickness to withstand maximum G-force, 18000*g RCF. Suitable for temperatures between -80°C and +121°C.

Sterile tubes have been validated according to ISO 11137 SAL 10⁻⁶. The large white frosted portion for easy writing. Highly transparent, 5% less haze than competitor.

Hydrodynamic conical bottom for perfect pelleting of sediments.

Free from heavy metals, natural rubber & inhibitory plasticizers.

Gas chromatography/ Mass spectrometry (GC/MS) tests ensure purity of the products.



The Cap


Specially designed flat thread confirms perfect vacuum tight closure, makes it leak proof & prevents override of cap.

Unique plug seal ensures perfect sealing & makes it leak proof.



04 | Centrifuge Tubes Conical Bottom, PP/HDPE

- Abdos Centrifuge tubes are manufactured using high purity virgin USP Class VI Medical grade polypropylene (PP) conforming to US FDA 21 CFR, free from natural rubber & heavy metal.
- The large white frosted portion for easy writing.
- Silk-Screen graduation makes identification easy.
- Amber colour option for light-sensitive samples.
- Built-in plug in the cap makes it leak proof.
- Sterile Tubes have been validated according to ISO 11137 for SAL 10⁻⁶.
- Can withstand up to 18000 xg RCF*.



Centrifuge Tube Conical Bottom, PP/HDPE

Code	Capacity	Cap Colour	Outer Diameter	Height	No./case	Price/case (₹)	Price/ 20 case (₹)
PI0430	15 ml (Bulk)	Blue	16.5 mm	121 mm	500	4196	78890
PI0401	15 ml	Blue	16.5 mm	121 mm	500	4615	86758
PI0441	15 ml	Red	16.5 mm	121 mm	500	4615	86758
PI0402	15 ml, Sterile	Blue	16.5 mm	121 mm	500	4994	93887
PI0442	15 ml, Sterile	Red	16.5 mm	121 mm	500	4994	93887
PI0431	50 ml (Bulk)	Blue	29.2 mm	116 mm	500	5688	106932
PI0403	50 ml	Blue	29.2 mm	116 mm	500	5949	111845
PI0443	50 ml	Red	29.2 mm	116 mm	500	5949	111845
PI0404	50 ml, Sterile	Blue	29.2 mm	116 mm	500	7368	138522
PI0444	50 ml, Sterile	Red	29.2 mm	116 mm	500	7368	138522

Centrifuge Tube Conical Bottom, PP AMBER

Code	Capacity	Cap Colour	Outer Diameter	Height	No./case	Price/case (₹)
PI0405	15 ml, Amber	Blue	16.5 mm	121 mm	500	5708
PI0406	15 ml, Sterile Amber	Blue	16.5 mm	121 mm	500	6188
PI0407	50 ml, Amber	Blue	29.2 mm	116 mm	500	7323
PI0408	50 ml, Sterile Amber	Blue	29.2 mm	116 mm	500	9045
PI0405T	15 ml, Transparent Amber	Blue	16.5 mm	121 mm	500	5708
PI0406T	15 ml, Transparent Amber, Sterile	Blue	16.5 mm	121 mm	500	6188
PI0407T	50 ml, Transparent Amber	Blue	29.2 mm	116 mm	500	7323
PI0408T	50 ml, Transparent Amber, Sterile	Blue	29.2 mm	116 mm	500	9045


*Depending on the quality of Centrifuge and compatibility of Rotor.

*Transparent Amber Centrifuge tubes can be supplied upon request.



05 | Centrifuge Tubes Conical Bottom, PS/HDPE

- Abdos Centrifuge tubes are manufactured using high purity virgin USP Class VI Polystyrene (PS) conforming to US FDA 21 CFR, free from natural rubber and heavy metal.
- Polystyrene centrifuge tube are hydrophobic & its biologically inert surface is good for cell and protein recovery.
- Perform well with animal cell culture handling.
- The large white frosted portion for easy writing.
- Silk-Screen graduation makes identification easy.
- Amber colour option for light-sensitive samples.
- Built-in plug in the cap makes it leak proof.
- Sterile Tubes have been validated according to ISO 11137 for SAL 10⁻⁶.
- Can withstand up to 2500 xg RCF*.



Code	Capacity	Cap Colour	Outer Diameter	Height	No./case	Price/case (₹)
PI0419	15 ml, Sterile	Blue	16.5 mm	121 mm	500	6102
PI0421	15 ml, Racked Sterile	Blue	16.5 mm	121 mm	500 (25 pcs x 20 racks)	7436


*Depending on the quality of Centrifuge and compatibility of Rotor.



06 | LAST DROP™, Low Retention Centrifuge Tube Conical Bottom, PP/HDPE

NEW

- Abdos Centrifuge tubes are manufactured using high purity virgin USP Class VI Medical grade polypropylene (PP) conforming to US FDA 21 CFR, free from natural rubber & heavy metal.
- The large white frosted portion for easy writing.
- Silk-Screen graduation makes identification easy.
- Amber colour option for light-sensitive samples.
- Built-in plug in the cap makes it leak proof.
- Sterile Tubes have been validated according to ISO 11137 for SAL 10⁻⁶
- Can withstand up to 18000 xg RCF*.
- Abdos low binding technology provides 10 times lesser retention level with highly viscous samples & saves costly reagents.
- Super homogenous surface free sites prevent non-specific binding.



Centrifuge Tube Conical Bottom, PP/HDPE

Code	Capacity	Cap Colour	Outer Diameter	Height	No./case	Price/case (₹)
PI0525	15ml, Non-Sterile	Natural	16.5 mm	121 mm	500	6672
PI0526	15ml, Sterile	Natural	16.5 mm	121 mm	500	7228
PI0527	50ml, Non-Sterile	Natural	29.2 mm	116 mm	500	8566
PI0528	50ml, Sterile	Natural	29.2 mm	116 mm	500	10610

07 | Centrifuge Tubes Self Standing, PP/HDPE

- Abdos Centrifuge tubes are manufactured using high purity virgin USP Class VI Medical grade polypropylene (PP) conforming to US FDA 21 CFR, free from natural rubber & heavy metal.
- Skirted bottom makes it easier to use without any rack.
- The large white frosted portion for easy writing.
- Silk-Screen graduation makes identification easy.
- Amber colour option for light-sensitive samples.
- Built-in plug in the cap makes it leak proof.
- Sterile Tubes have been validated according to ISO 11137 for SAL 10⁻⁶.
- Can withstand up to 7000 xg RCF*.



Code	Capacity	Cap Colour	Outer Diameter	Height	No./case	Price/case (₹)
PI0432	50 ml (Bulk)	Blue	29.2 mm	117.3 mm	500	6579
PI0423	50 ml	Blue	29.2 mm	117.3 mm	500	6854
PI0449	50 ml	Red	29.2 mm	117.3 mm	500	6854
PI0424	50 ml, Sterile	Blue	29.2 mm	117.3 mm	500	8492
PI0450	50 ml, Sterile	Red	29.2 mm	117.3 mm	500	8492

*Depending on the quality of Centrifuge and compatibility of Rotor.



08 | PureRight™ Individually Wrapped Centrifuge Tube Conical Bottom, PP/HDPE

- Abdos Centrifuge tubes are manufactured using high purity virgin USP Class VI Medical grade polypropylene (PP) conforming to US FDA 21 CFR, free from natural rubber & heavy metal.
- Best suited for less number of samples.
- The large white frosted portion for easy writing.
- Silk-Screen graduation makes identification easy.
- Built-in plug in the cap makes it leak proof.
- Sterile Tubes have been validated according to ISO 11137 for SAL 10⁻⁶.
- Can withstand upto 18,000 xg RCF* & 7000 xg RCF* for Conical & Self-standing centrifuge tubes respectively.



Code	Capacity	Cap Colour	Outer Diameter	Height	No./case	Price/case (₹)
P10425	15 ml, Sterile	Blue	16.5 mm	121 mm	600	6710
P10451	15 ml, Sterile	Red	16.5 mm	121 mm	600	6710
P10426	50 ml, Sterile	Blue	29.2 mm	116 mm	350	7706
P10452	50 ml, Sterile	Red	29.2 mm	116 mm	350	7706
P10427	50 ml Self Standing, Sterile	Blue	29.2 mm	117.3 mm	350	7769
P10453	50 ml Self Standing, Sterile	Red	29.2 mm	117.3 mm	350	7769

*Depending on the quality of Centrifuge and compatibility of Rotor.



09 | Racked Centrifuge Tubes Conical Bottom, Paper

- These racks are made of eco-friendly paper to hold 25 Abdos 15 ml & 50 ml Conical Bottom Centrifuge Tubes.



Code	Capacity	Height	Colour	No./case	Price/case (₹)
P10409	15 ml, Rack Only	47 mm	-	10	924
P10410	50 ml, Rack Only	48 mm	-	10	924
P10411	15 ml, Racked	121 mm	Blue	500 (25 pcs x 20 racks)	6227
P10412	15 ml, Racked, Sterile	121 mm	Blue	500 (25 pcs x 20 racks)	6976
P10462	15 ml, Racked, Sterile	121 mm	White	500 (25 pcs x 20 racks)	6976
P10413	15 ml, Amber, Racked	121 mm	Blue	500 (25 pcs x 20 racks)	7316
P10414	15 ml, Amber, Racked, Sterile	121 mm	Blue	500 (25 pcs x 20 racks)	8006
P10465	15 ml, Amber, Racked, Sterile	121 mm	White	500 (25 pcs x 20 racks)	6976
P10415	50 ml, Racked	116 mm	Blue	500 (25 pcs x 20 racks)	8931
P10416	50 ml, Racked, Sterile	116 mm	Blue	500 (25 pcs x 20 racks)	10337
P10417	50 ml, Amber, Racked	116 mm	Blue	500 (25 pcs x 20 racks)	10258
P10418	50 ml, Amber, Racked, Sterile	116 mm	Blue	500 (25 pcs x 20 racks)	11885
P10463	50 ml, Amber, Racked	116 mm	White	500 (25 pcs x 20 racks)	10337



10 | Screw Cap Tube Rack, PC 20 places (10 x 2 format)

NEW

- Abdos screw cap tube rack suitable for placing 20 screw cap tubes.
- Knurl locking for one handed operation.
- Dimensions (L x B x H) : 256 x 61 x 41 mm

Code	Capacity	Length	Breadth	Height	No./case	Price/Case
P20235	0.5/1.5/2.0 ml	256 mm	61 mm	41 mm	1	1800



11 | MaxiRCF™ Trace Metal Free Centrifuge Tubes


- Abdos MaxiRCF™ Trace Metal Free centrifuge tubes are manufactured using high purity virgin USP Class VI Medical grade polypropylene conforming to US FDA 21 CFR, free from natural rubber & heavy metal.
- Abdos MaxiRCF™ Trace Metal Free Centrifuge Tubes withstands 20,000xg RCF.
- Pure, Additive Free Natural Colour Cap for easy labelling and Trace Metal free.
- Abdos MaxiRCF™ Trace Metal Free Centrifuge Tubes works excellently in high density gradient separation of sample.
- Large white frosted area for easy writing.
- Sterile tubes are validated according to ISO 11137 for SAL 10⁻⁶.

Abdos MaxiRCF™ Trace Metal Free centrifuge tubes are specifically manufactured to ensure that common trace metals and elements that can interfere with experiments are below an ICP-MS detection level of one part per billion (< 1ppb).

Metals included in testing are: Zinc, Iron, Copper, Manganese, Aluminum, Silicon, Nickel, Vanadium, Phosphorous, Cobalt, Chromium, Lithium, Selenium, Cadmium, Mercury, Arsenic, Lead and Boron.

***Note :** MaxiRCF™ Trace Metal Free centrifuge tubes:


- 50 ml CT (Conical Bottom) with 20000*g RCF
- 50 ml CT (Self Standing) with 7000*g RCF
- 15 ml CT (Conical Bottom) with 20000*g RCF



Code	Capacity	Cap Colour	Outer Diameter	Height	No./case	Price/case (₹)
PI0480	15 ml (Bulk)	Natural	16.5 mm	121 mm	500	5062
PI0481	15 ml	Natural	16.5 mm	121 mm	500	5569
PI0482	15 ml, Sterile	Natural	16.5 mm	121 mm	500	6075
PI0483	50 ml (Bulk)	Natural	29.2 mm	116 mm	500	6834
PI0484	50 ml	Natural	29.2 mm	116 mm	500	7059
PI0485	50 ml, Sterile	Natural	29.2 mm	116 mm	500	8641
PI0486	50 ml, Self Standing (Bulk)	Natural	29.2 mm	117.3 mm	500	8048
PI0487	50 ml, Self Standing	Natural	29.2 mm	117.3 mm	500	8496
PI0488	50 ml, Self Standing (Sterile)	Natural	29.2 mm	117.3 mm	500	10517

12 | Rack for Micro Centrifuge Tube, RPP


- Sturdy rack with rubber support at the bottom for stability.
- Racks lock together on each side to allow the user to attach several racks for larger experiments.
- Compatible with both 1.5 ml and 2.0 ml Micro Centrifuge Tube.
- Easy removal and insertion of tubes.
- Each hole has moulded-in numbers for easy sample identification.



Code	Capacity	Places	Colour	L x W x H	No./case	Price/case (₹)
P20205	1.5 & 2.0 ml	20 Places (10x2 Array)	White	215 x 70 x 40 mm	8	1763

13 | Rack For Micro Centrifuge Tube, PC

- Easy to hold ergonomic design.
- Each hole has moulded-in numbers and letters for easy sample identification.
- Racks are stackable when empty or full.
- Easy removal and insertion of tubes.
- Compatible with both 1.5 ml and 2.0 ml Micro Centrifuge Tubes.



Code	Capacity	Places	Colour	L x W x H	No./case	Price/case (₹)
P20201	1.5 & 2.0 ml	24 Places (6x4 Array)	White	164 x 100 x 59 mm	8	2995
P20202	1.5 & 2.0 ml	24 Places (6x4 Array)	Yellow	164 x 100 x 59 mm	8	2995
P20203	1.5 & 2.0 ml	48 Places (12x4 Array)	White	293 x 100 x 59 mm	8	5487
P20204	1.5 & 2.0 ml	48 Places (12x4 Array)	Yellow	293 x 100 x 59 mm	8	5487

14 | Centrifuge Tube Box, PP

- Abdos Centrifuge tube box provides a more durable and rugged alternative to cardboard or foam racks.
- The distinctive green colour on the 15 ml and blue colour on the 50 ml makes these racks easy to distinguish.
- These racks can withstand a temperature of -80°C to 121°C.
- All grids are properly indexed with a clear lid that provides easy tube identification.




Code	Tube Capacity	Colour	Places	L x W x H	No./case	Price/case (₹)
P20604	15 ml	Green	36 Places (6 x 6 Array)	147 x 147 x 126 mm	4	2344
P20605	50 ml	Blue	16 Places (4 x 4 Array)	147 x 147 x 126 mm	4	2344

15 | Click Together Conical Tube Racks, ABS

- Shipped flat, they are easy to assemble and snap together securely.
- Designed for stable use in a water bath.
- Alphanumeric index aids for tube identification.



Code	Tube Capacity	Colour	Places	L x W x H	No./case	Price/case (₹)
P20218	15 ml & 50 ml	Blue	15 ml Tube - 30 (6 x 5 Array) 50 ml Tube - 20 (5 x 4 Array)	209 x 171 x 63 mm	4	3623
P20219	15 ml & 50 ml	Blue	15 ml Tube - 18 (6 x 3 Array) 50 ml Tube - 10 (5 x 2 Array)	209 x 98 x 63 mm	4	3214



16 | Universal Centrifuge Tube Rack, PP

- Ideal for firmly holding a wide range of tubes and vessels.
- Accepts tubes and vessels from 16-30 mm.
- Moulded indexing for easy identification of tubes and vials.
- Quickly change the tube with this adaptable polypropylene rack. Open the well with a turn of the knob or directly insert a tube into the opening.
- Generous handles for easy transport.



Code	Tube Capacity	Colour	Places	L x W x H	No./case	Price/case (₹)
P20212	15 ml & 50 ml	Blue	12 (4 x 3 Array)	194 X 140 X 51 mm	4	6896



17 | Foldable Space Saving Rack, PP

- Simple to open and close, expand and collapse when racks are needed.
- Designed to help recognize 15 and 50 ml tubes.
- Moulded indexing for easy identification of tubes and vials.
- Racks can be stacked in open or closed position.
- Save space when racks are not in use.
- Available in individual 17 mm hole diameter for 15 ml tubes & 30 mm hole diameter for 50 ml tubes or combination of both 17 mm & 30 mm hole diameter for 15 ml & 50 ml centrifuge tubes.



Code	Tube Capacity	Colour	Places	L x W x H	No./case	Price/case (₹)
P20213	15 ml	Purple	45 (9 x 5 Array)	255 x 137 x 72 mm	2	4410
P20214	50 ml	Green	18 (6 x 3 Array)	255 x 137 x 72 mm	2	4410
P20215	15 ml & 50 ml	Blue	15 ml Tube - 21 (7 x 3 Array) 50 ml Tube - 12 (6 x 2 Array)	255 x 137 x 72 mm	2	4410
P20216	15 ml & 50 ml	Pink	15 ml Tube - 21 (7 x 3 Array) 50 ml Tube - 12 (6 x 2 Array)	255 x 137 x 72 mm	2	4410



18 | Floating Rack for Micro Centrifuge Tube, PP

- Use on the bench, with water bath or ice containers.
- Polypropylene racks keep micro tubes afloat in water bath or can be pushed into crushed ice – perfect for controlling sample temperature.
- Not recommended for autoclaving.
- Detachable legs provide two options:
 - a. Attach legs so rack stands upright on bench top.
 - b. Detach legs so samples can be quickly popped out by pushing down onto any surface.



Code	Tube Capacity	Colour	Places	L x W x H	No./case	Price/case (₹)
P20225	1.5 ml & 2 ml	White	16	102 x 102 x 60 mm	4	1616
P20226	1.5 ml & 2 ml	White	20	98 x 60 (Ø x h) mm	4	2199



19 | Swirl Mini Micro Centrifuge

- Swirl is a small, compact and reliable centrifuge for spin-down and microfiltration procedures.
- Swirl is supplied with 8 place angular rotor of 1.5 ml and a PCR rotor that admit four strips of 0.2 mL PCR strip.
- It has a maximum speed of 7000 rpm/2680 xg RCF.
- It uses minimal bench-top space.
- Rotor can change without tools and the machine accelerates and brakes in seconds.
- Swirl adapts a Brushless DC Motor.
- CE explosion proof safe test IEC/EN61010-2-20.



Code	Product	No./case	Price/case (₹)
E11501	Swirl Mini Micro Centrifuge Including 8 Place Rotor for 1.5 & 2.0 ml Tube & 4 Place Rotor for 8 x 0.2 ml Tube Strip	1	16478

Spare Accessories:

Code	Product	No./case	Price/case (₹)
E11502	8 Place Rotor for 1.5 & 2.0 ml	1	4328
E11503	32 (8 x 4) Strips Place Rotor for 0.2 ml PCR & 32 Place Rotor for 0.2 ml PCR tubes	2	3215

SPECIFICATIONS :

Voltage	220-240 V
Frequency	50-60 Hz
Max Speed	7000 rpm
Max RCF	2680 xg
Run Time	Continuous operation
Rotor Capacity	0.2/0.5/1.5/2.0 mL x 8 0.2 mL x 32 PCR Strips 2.0 mL x 4 PCR 8 Strips
Noise Level	≤45 dB
Dimensions	160 x 170 x 122 mm
Weight	0.5 kg
Permissible ambient temperature	4 to 45°C
Permissible relative humidity	80%



20 | Swirl Maxi Micro Centrifuge

- Swirl Maxi is a personal micro centrifuge used for sedimentation of cells and virus, separation of sub-cellular organelles and isolation of macromolecules such as DNA, RNA, proteins or lipids.
- Swirl Maxi is used in physical and chemical analysis, biochemistry, cellular biology, clinical labs, blood donation centre and high-end research.
- Swirl Maxi has a large ergonomic design with easy to read display and sound.
- Both RPM and G-force can be displayed.
- Swirl Maxi is stable and silent during operation. It also delivers fast acceleration and deceleration.
- Swirl Maxi conforms to international safety standards and regulations. It has also passed the explosion proof test from CE, TUV and FCC.
- Swirl Maxi adapts a Brushless DC Motor.
- Automatic lid-lock release prevents sample warming and allows easy access to samples.
- The short spin function is used for quick spins by pressing and holding PULSE key. The centrifuge speed can be accelerated and held at the target speed.
- High strength aluminium alloy rotors are fully autoclavable, and can withstand stream sterilizing at 121°C for 20 minutes.



Code	Product	No./case	Price/case (₹)
E11510	Swirl Maxi Micro Centrifuge with 12 Place Rotor for 0.2, 0.5, 1.5 & 2.0 ml	1	100644

Spare Accessories:

Code	Product	No./case	Price/case (₹)
E11511	12 Place Rotor for 0.2, 0.5, 1.5 & 2.0 ml	1	32935
E11512	Rotor Adapter for 0.2 ml – 2.0 ml used with E11511	24	7428
E11513	Rotor Adapter for 0.5 ml – 2.0 ml used with E11511	24	7442

SPECIFICATIONS :

Voltage	220-240 V
Frequency	50-60 Hz
Current	3 A
Max Speed	15000 rpm (500-15000 rpm) with increment of 100 rpm
Max. RCF [xg]	15100 xg with increment of 100 xg
Speed Accuracy	±20 rpm
Rotor Capacity	0.2mL, 0.5mL, 1.5 mL & 2mL x 12 places.
Run Time	30 sec – 99 min & HOLD (Continuous operation)
Driving Motor	Brushless DC motor
Safety Devices	Dual door interlock
	Over-speed detection
	Over temperature detection
	Automatic internal diagnosis
	≤54 dB
Noise Level	Speed/RCF switch
Additional Features	Short-time run function
	Sound-alert function
Acceleration /Braking time	11 sec for Acceleration & 9 sec for Breaking
Dimensions	255 x 245 x 140 mm
Weight	6 kg
Permissible Ambient Temperature	4°C to 40°C
Permissible Relative Humidity	80%



21 | Swirl Pro High Speed Micro Centrifuge

- Swirl Pro is a micro centrifuge used for sedimentation of cells and virus, separation of sub-cellular organelles and isolation of macromolecules such as DNA, RNA, proteins or lipids.
- Swirl Pro is used in physical and chemical analysis, biochemistry, cellular biology, clinical labs, blood donation centre and high-end research.
- Swirl Pro has a large ergonomic design with easy to read display and sound alert.
- Automatic lid opening when run is complete prevents sample warming and allow easy access of samples.
- Both RPM and G-force can be displayed.
- Swirl Pro is stable and silent during operation. It also delivers fast acceleration and deceleration.
- Swirl Pro conforms to international safety standards and regulations. It has also passed the explosion proof test and CE, TUV and FCC marked.
- Special multi-flow air-cooling design helps to keep lower rotor temperature.
- Bio-safe rotor and anti-sample overflow prevents sample does not leak in centrifugal process causing microbial contamination.
- Robust aluminum alloy rotor can be fully autoclaved.
- Swirl Pro adapts a Brushless DC Motor.



Code	Product	No./case	Price/case (₹)
E11520	Swirl Pro High Speed Micro Centrifuge	1	199647

Spare Accessories:

Code	Product	No./case	Price/case (₹)
E11521	24 Place Rotor for 0.2, 0.5, 1.5 & 2.0 ml	1	29501
E11522	18 Place Rotor for 5.0 ml	1	29501
E11528	12 Place Rotor for 5.0 ml (Eppendorf Tube)	1	29501
E11523	36 Place Rotor for 0.2 & 0.5 ml	1	29501
E11524	32 (8 x 4) Place Rotor for 0.2 ml PCR	1	74096
E11525	Rotor Adapter for 2.0 ml - 0.2 ml used with E11521	24	7546
E11526	Rotor Adapter for 2.0 ml - 0.5 ml used with E11521	24	7546
E11527	Rotor Adapter for 0.5 ml - 0.2 ml used with E11523	36	10291

SPECIFICATIONS :

Voltage	220-240 V
Frequency	50-60 Hz
Current	5 A
Max Speed	15000 rpm (200-15000rpm) with increment of 10 rpm
Max. RCF [xg]	21380 x g with increment of 10 xg
Speed Accuracy	±20 rpm
Rotor Capacity	5 mL x 18 places. 0.2mL/0.5mL/ 1.5 ml/2mL x 24 places. 0.5mL x 36 places PCR 8 x 4 places
Run Time	30sec-99min-HOLD (Continuous operation)
Driving Motor	Brushless DC motor Dual door interlock
Safety Devices	Over-speed detection Over temperature detection Automatic internal diagnosis
Noise Level	≤64 Db
Additional Features	Speed/RCF switch Short-time run function Sound-alert function
Acceleration /Braking time	25 sec for both Acceleration and Braking
Dimensions [mm]	280 x 364 x 266
Weight	12 kg
Permissible ambient temperature & Humidity	+4-45° C, 80%



22 | Swirl Clinical Centrifuge

- Swirl Clinical Centrifuge is used for separation of serum, plasma, urea, urine, blood samples and other routine applications in hospital and research. They are also used in environmental analysis for clarification of water and soil samples and in schools as a teaching aid.
- Swirl Clinical Centrifuge has a large ergonomic design with easy to read display and sound alert.
- Automatic lid opening when run is complete prevents sample warming and allow easy access of samples.
- Both RPM and G-force can be displayed.
- Digital LCD display can show real time parameters and has symbol showing experimental process.
- Swirl Clinical is used for quick spins by pressing and holding the pulse key.
- It has precise control, high accuracy of speed and has gentle breaking at low speeds with efficient separation.
- Swirl Clinical conforms to international safety standards and regulations. It has also passed the explosion proof test from CE, TUV and FCC.
- Bio-safe rotor and anti-sample overflow prevents sample leakage in the centrifugal process causing microbial contamination.
- Swirl Clinical adapts a Brushless DC Motor.
- Passed EN61010-2-101:2002 for invitro diagnostic (IVD) medical equipment.
- Goes into a self-diagnostic check when switched on and then displays accumulative time & last running parameter.



Code	Product	No./case	Price/case (₹)
E11540	Swirl Clinical Clinical Centrifuge with 8 Place Rotor for 15 ml & 12 Place Rotor for 5, 7 & 10 ml centrifuge tube & Rotor Adapter for 10 ml centrifuge tube	1	82500

Spare Accessories:

Code	Product	No./case	Price/case (₹)
E11541	8 Place Rotor for 15 ml & 12 Place Rotor for 5, 7 & 10 ml	1	19256
E11542	Rotor Adapter for 10 ml used with E11541	12	3438

SPECIFICATIONS :

Voltage	220-240 V
Frequency	50-60 Hz
Current	3 A
Max Speed	300-4500 rpm with increment of 100 rpm
Max. RCF [xg]	2490 xg with increment of 100 xg
Speed Accuracy	±20 rpm
Rotor Capacity	5 mL/7 mL/10 mL x 12 places. 15 mL x 8 places
Run Time	30 sec-99 min-HOLD (Continuous operation) Brushless DC motor
Driving Motor	Dual door interlock
Safety Devices	Over-speed detection Over temperature detection Automatic internal diagnosis
Noise Level	≤56 dB
Additional Features	Speed/RCF switch Short-time run function Sound-alert function
Acceleration /Braking time	20 sec for both Acceleration & Breaking
Dimensions	354 x 304 x 215 mm
Weight	6 kg
Permissible Ambient Temperature	+4 to +40°C
Permissible Relative Humidity	80%



23 | Swirl Micro Plate Centrifuge

- Less than half the size of conventional centrifuge (9 x 10 inches).
- The easily reachable rotor chamber includes two plate carriers that rest at a 75° angle, thus allowing plates to be inserted confidently without seal in tapes or caps.
- Upon closing the lid of the centrifuge, the rotor accelerates and the centrifugal force swings the plates into a horizontal position. Any droplets on the walls of the plate quickly concentrate into the well bottoms.
- With a G-force of 600 xg, most samples can be spun.
- Just open the lid and the automatic electric brake brings the rotor to a quick & smooth stop in just 4.0 seconds.



Code	Product	No./case	Price/case (₹)
E11550	Swirl Micro Plate Centrifuge	1	121337

Spare Accessories:

Code	Product	No./case	Price/case (₹)
E11551	Adapter, 96 x 0.2 ml or 8 and 12 x PCR strips.	2	9659
E11552	Rotor with carriers for deepwell plates upto 35mm tall (max speed 1500 rpm)	1	31548

SPECIFICATIONS :

Voltage	220-230 V
Frequency	50-60 Hz
Max Speed	2550 rpm/600 xg
Rotor Capacity	2 x 2 PCR Plates 2 x Microtiter plates 24 x 0.2 mL PCR Strips
Deceleration	4 seconds
Dimensions	230 x 260 x 197 mm
Weight	4.0 kg
Permissible Ambient Temperature	4 to +40°C
Permissible Relative Humidity	80%



**When stacking skirted PCR plates, max capacity is 4 plates.*



Before & after centrifugation
(angled position)



During centrifugation
(Horizontal position)

24 | Swirl Mini Plate Centrifuge

NEW

- Unique design for the horizontal rotor centrifuge.
- Short-spin and timing of two operations make the tests more convenient.
- Braking time from max. speed: less than 30sec.
- Timer can be set up to 10 minutes.
- Streamline design with more compact shape and transparent PC lid.
- It can accept below formats:
 - PCR standard plates with skirted, non-skirted
 - Elisa Plates
 - 8x0.2ml PCR strip tubes
 - 0.2ml PCR tubes



Code	Product	No./case	Price/case (₹)
E11560	SwirlMini Plate Centrifuge, 2200rpm	1	87000

Spare Accessories:

Code	Product	No./case	Price/case (₹)
E11561	Adaptor for PCR plates with skirt and without skirt	2	1500
E11562	Adaptor for 8x0.2ml strip or 0.2ml PCR tubes	2	1500

SPECIFICATIONS :

Voltage	220V/120V
Frequency	50/60Hz
Max. Speed	2200rpm/480xg
Rotor Capacity	2 x 2 PCR Plates 2 x Microtiter Plates 24 x 0.2ml 8 strip PCR Tubes 96 x 0.2ml tubes
Deceleration	Less than 30 seconds
Dimensions (WxDxH)	290 x 360 x 140mm
Weight	3.6 kg





02

Cryo Techniques

FREEZING TUBES

CRYO VIALS

STORAGE VIALS

CRYO BOXES & MORE

#CommittedtotheEarth

25 | Freezing Tubes, PP

- Abdos Freezing tubes are manufactured using high purity virgin polypropylene (PP) conforming to US FDA 21 CFR free from natural rubber, heavy metal.
- Manufactured to be used at a temperature between -80° C to 121° C.
- Large white frosted portion for easy writing.
- Silk-Screen graduation makes identification easy.
- Built in plug in the cap makes it leak proof.
- Sterile Tubes have been validated according to EN ISO 11137 for SAL 10⁻⁶



Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)	Price/20 case (₹)
P60102	1.8 ml Sterile Skirted Foot	11.80 mm	45.7 mm	1000	7252	136338
P60103	4.5 ml Sterile Skirted Foot	11.80 mm	86.5 mm	500	5801	109059



P60102



P60103

27 | Cryo Vial External Thread, PP

- Abdos Cryo Vial external thread are manufactured using high purity virgin USP Class VI Medical grade polypropylene (PP) conforming to US FDA 21 CFR, free from natural rubber & heavy metal.
- Abdos Cryo Vial is designed for long-term cryogenic storage of biological samples, all type of cells and any enzymes or reagents.
- It's leak-proof cap design and strong wall thickness makes it an ideal product for transporting samples and specimens.
- These cryo vials are designed for mechanical freezing and it's a screw cap reduces the risk of contamination due to handling.
- Manufactured to be used at a temperature between -196°C to 121°C.
- The large white frosted portion for easy writing.
- Graduation in silk-screen printing makes identification easy.
- Unique Star Foot design allows for single hand operation and grooves into Abdos P20616 single hand cryo holder rack.
- Best suited for IVD use (an IVDR Certified product).
- Sterile Tubes have been validated according to ISO 11137 for SAL 10⁻⁶.




Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)	Price/20 Case (₹)
P60115	1.0 ml Sterile Star Foot	12.00 mm	41.0 mm	1000	7293	137108
P60116	1.8 ml Sterile Star Foot	12.00 mm	48.5 mm	1000	8048	151293
P60117	1.8 ml Sterile Round Bottom	12.00 mm	47.5 mm	1000	8048	151293
P60118	4.5 ml Sterile Skirted Foot	11.80 mm	86.5 mm	500	5763	108344
P60122	4.5 ml Sterile Star Foot	11.80 mm	86.5 mm	500	5763	108344
P60123	4.5 ml Sterile Round Bottom	11.80 mm	86.5 mm	500	5763	108344

* Please note compatible coders for P60118 Cryo Vial 4.5 ml Skirted Foot is P60104.



LEECHING PERFORMANCE REPORT WITH DMSO



The graph demonstrates no absorbants & confirms no traceable leeching with DMSO (Dimethyl sulfoxide).

* Caution: Do not use Abdos Cryogenic vial in the liquid phase of liquid nitrogen. Improper use may cause liquefied nitrogen to be trapped inside the vial and lead to pressure build up resulting in possible explosion or biohazard release. Can be used in vapour phase of liquid nitrogen.

Abdos Cryo Vial being taken out of Liquid Nitrogen Canister.


28 | Cryo Vial Internal Thread, PP

- Abdos Cryo Vial internal thread are manufactured using high purity virgin USP Class VI Medical grade polypropylene (PP) conforming to US FDA 21 CFR, free from natural rubber & heavy metal.
- Abdos Cryo Vial is designed for long-term cryogenic storage of biological samples, all type of cells and any enzymes or reagents.
- It's leak-proof cap design with Silicon Seal and strong wall thickness makes it an ideal product for transporting samples and specimens.
- These cryo vials are designed for vapour phase LN₂ freezing and also incorporate a silicone seal to enhance cap sealing.
- Manufactured to be used at a temperature between -196°C to 121°C.
- The large white frosted portion for easy writing.
- Graduation in silk-screen printing makes identification easy.
- Unique Star Foot design allows for single hand operation and grooves into Abdos P20616 single hand cryo holder rack.
- The silicon ring used in Abdos Cryo Vial for Sealing effects is made up of the material & ingredient under the code of federal regulation 21, as per 21 CFR 177.2600 (G) & meets USP – Class VI Regularities under plastic vial & Cap.
- Best suited for IVD use (an IVDR Certified product).
- Sterile Tubes have been validated according to ISO 11137 for SAL 10⁻⁶.



Code	Capacity	Outer Diameter	Height	No./case	Price/Case (₹)	Price/20 Case (₹)
P60108	1.0 ml Sterile Star Foot	12.3 mm	41.2 mm	1000	11500	216200
P60109	1.8 ml Sterile Star Foot	12.3 mm	47.5 mm	1000	12018	225929
P60110	1.8 ml Round Bottom	12.3 mm	46.2 mm	1000	12018	225929
P60112	4.5 ml Sterile Star Foot	12.3 mm	90.3 mm	500	8151	153239
P60113	4.5 ml Sterile Round Bottom	12.3 mm	89.0 mm	500	8151	153239

LEECHING PERFORMANCE REPORT WITH DMSO



The graph demonstrates no absorbants & confirms no traceable leeching with DMSO (Dimethyl sulfoxide).

* Caution: Do not use Abdos Cryogenic vial in the liquid phase of liquid nitrogen. Improper use may cause liquefied nitrogen to be trapped inside the vial and lead to pressure build up resulting in possible explosion or biohazard release. Can be used in vapour phase of liquid nitrogen.



29 | Cryo Coders for External & Internal Threaded Vials, HDPE

- These coders fit onto the top of 'Abdos' skirted foot externally threaded cryogenic vial closures.
- These provide quick visual identification of specific vials to simplify inventory maintenance.
- Available in a wide range of colours.

Code	Colour of Cap	No./case	Price/piece (₹)	Price/Case (₹)
P60114W	White	100	1.93	193
P60114B	Blue	100	1.93	193
P60114R	Red	100	1.93	193
P60114Y	Yellow	100	1.93	193
P60114G	Green	100	1.93	193



30 | Storage Vial, PP

- Abdos Storage Vial are manufactured using high purity virgin USP Class VI Medical grade polypropylene (PP) conforming to US FDA 21 CFR, free from natural rubber & heavy metal.
- Used for storage of PCR reagents, enzymes and other diagnostics & biochemical reagents or samples.
- HDPE screw closure is leak proof.
- Can be used at low temperature.
- Amber Storage Vial can be used for light-sensitive samples.



Storage Vial Natural, PP

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)	Price/ 20 case (₹)
P60119	1.0 ml	12.0 mm	41 mm	1000	3674	69071
P60106	2.0 ml	11.8 mm	47.2 mm	1000	3824	71891
P60107	5.0 ml	11.8 mm	88.0 mm	1000	4553	85596

Storage Vial Amber, PP

Code	Capacity	Outer Diameter	Height	No./case	Price/case (₹)
P60119A	1.0 ml Amber	12.0 mm	41 mm	1000	4775
P60119A1	1.0 ml Transparent Amber	12.0 mm	41 mm	1000	4775
P60106A	2.0 ml Amber	11.80 mm	45.7 mm	1000	4969
P60106A1	2.0 ml Transparent Amber	11.80 mm	45.7 mm	1000	4969
P60107A	5.0 ml Amber	11.80 mm	86.5 mm	1000	5967
P60107A1	5.0 ml Transparent Amber	11.80 mm	86.5 mm	1000	5967



P60107 P60106

31 | Single Hand Cryo Holder Rack, PC

- Designed for use with Cryogenic Vial, Freezer Tubes, Storage Vial and Micro Tubes.
- It has unique innovative locking system allowing the user to unlock star foot Cryo Vial with one hand.
- The rack has a secure locking system in each well that will not allow the Cryo Vial to turn on either side.
- Inbuilt numbered and letters grid for sample identification.
- Anti-skid rubber feet support the rack.



Code	Tube Capacity	Places	Colors	L x W x H	No./case	Price/case (₹)
P20616	1 - 2 ml	40 (10 x 4 Array)	White, Yellow, Blue	201 x 105 x 22 mm	4	2333



32 | Cryo Box, PC

- Made of strong polycarbonate and designed to be used at a temperature between -196°C to 121°C.
- Can be used in gas phase of liquid nitrogen with appropriate safety procedure in place.
- Transparent lids permit viewing of contents.
- These boxes create small, space-efficient storage system within a large mechanical freezer.
- Lids have numbered grid for sample identification. The surface of the lid has a frosted area suitable for writing with markers, facilitating inventory control.
- The dimensions of the cryo box are compatible with vertical, horizontal and drawer style freezer racks.
- Specially Designed venting in base & lid ensures a smooth flow for vapours for consistency in cooling.



Code	Tube Capacity	Places	Colors	L x W x H	No./case	Price/case (₹)
P20601	1 - 2 ml	25 (5 x 5 Array)	White, Yellow, Blue	75 x 75 x 54 mm	8	1830
P20601 Assorted	1 - 2 ml	25 (5 x 5 Array)	White, Yellow, Blue	75 x 75 x 54 mm	8	1830
P20602	1 - 2 ml	81 (9 x 9 Array)	White, Yellow, Blue	133 x 132 x 54 mm	4	2296
P20602 Assorted	1 - 2 ml	81 (9 x 9 Array)	White, Yellow, Blue	133 x 132 x 54 mm	4	2296
P20603	5 ml	81 (9 x 9 Array)	White, Yellow, Blue	133 x 132 x 97 mm	4	3229
P20603 Assorted	5 ml	81 (9 x 9 Array)	White, Yellow, Blue	133 x 132 x 97 mm	4	3229

* Add colour code of your choice- White (W), Yellow (Y), Blue (B).

33 | Cryo Box, System 100 places, PC

- Made of strong polycarbonate and designed to be used at a temperature between -196°C to 121°C.
- Can be used in gas phase of liquid nitrogen with appropriate safety procedure in place.
- These boxes have 10x10 array (100 places) that can optimize the storage volume of the end user.
- These boxes create small, space-efficient storage system within a large mechanical freezer.
- Transparent lids permit viewing of contents.
- Lids have numbered grid for sample identification. The surface of the lid has a frosted area suitable for writing with markers, facilitating inventory control.
- The dimensions of the P20615 Cryo Box are compatible with vertical, horizontal and drawer style freezer racks.



Code	Tube Capacity	Places	Colors	L x W x H	No./case	Price/case (₹)
P20615	1 - 2 ml (Freezer Compatible)	100 (10 x 10 Array)	White, Yellow, Blue	133 x 133 x 54 mm	4	2691
P20611	1 - 2 ml	100 (10 x 10 Array)	White, Yellow, Blue	140 x 140 x 54 mm	4	2691

* Add colour code of your choice- White (W), Yellow (Y), Blue (B).

34 | Cryo Cube Box / Storage Cube Box, PP

- Manufactured in state of the art moulding facility using high purity polypropylene.
- These boxes are stackable, versatile and designed for sample storage up to -80°C.
- These boxes help you to meet storage requirements of 1.5 - 2.0 ml microtubes & 1.0-2.0 ml cryogenic vials.
- The dimension of P20614 Cryo Cube Box is compatible with vertical, horizontal & drawer style freezer racks.
- These boxes have hinged lid connected to the base and the ultra smooth locking system ensures secure closure preventing accidental opening of these boxes in deep freezers.
- Inbuilt numbered and letters grid for sample identification.



Code	Tube Capacity	Places	Colors	L x W x H	No./case	Price/case (₹)
P20612	1.5 - 2 ml Micro Tube & 1- 2 ml Cryo Tube	50 (10 x 5 Array)	Green, Yellow, Blue	142 x 85 x 59 mm	8	1890
P20614	1.5 - 2 ml Micro Tube & 1- 2 ml Cryo Tube	81 (9 x 9 Array)	Green, Yellow, Blue	130 x 130 x 55 mm	4	1639
P20607	1.5 - 2 ml Micro Tube & 1- 2 ml Cryo Tube	100 (10 x 10 Array)	Green, Yellow, Blue	140 x 140 x 55 mm	4	1782

35 | Freezing Cardboard Cryo Boxes, CARDBOARD

- Designed for storage and preservation of frozen samples.
- Can withstand ultra-low temperature in deep freezer.
- The removable top lid makes it easy to open and close.
- These boxes can be used for upright freezers, drawers & chest freezers with dividers.
- Lamination on these boxes does not allow moisture to soak or liquid to stick on these boxes.



Code	Tube Capacity	Places	L x W x H	No./case	Price/case (₹)
P20606	1.5 - 2 ml Micro Tube & 1- 2 ml Cryo Tube	81 (9 x 9 Array)	132 x 132 x 50 mm	8	2244
P20613	1.5 - 2 ml Micro Tube & 1- 2 ml Cryo Tube	100 (10 x 10 Array)	132 x 132 x 50 mm	8	2244

36 | Cryo Apron

- These Cryo aprons provide a high level of thermal protection to the torso and upper legs in harsh cryogenic atmospheres.
- Multi-layered construction allows for the maximum level of thermal protection and waterproof nylon outer shell protects you from cryogenic splashes and keeps you safe and comfortable.
- These Cryogenic aprons have quick-release buckles at the neck & waist for added safety and function.
- Not for immersion in liquid nitrogen.

Code	Tube Capacity	No./case	Price/case (₹)
U20331	36 inch or 91.4 cm	1	24824
U20332	42 inch or 106.7 cm	1	27030
U20333	48 inch or 121.9 cm	1	29788
U20334	54 inch or 137.2 cm	1	31988

Application	Environment
Cold room / walking freezer	Cryo preservation facilities
Blast freezers	Cryogenic liquid producers
Delivery and filling of cryogenic liquid	Clinical lab Bio medical Blood banks Frozen food processing



37 | Cryo Gloves

- These cryogenic gloves protect your hands and arms when working in hazardous, ultra-cold environments.
- These gloves have an innovative design that offers superior thermal protection allowing for a maximum level of flexibility and dexterity.
- These cryo gloves are made from state-of-the-art fabrics and use a flexible, multi-layered insulated construction that provides maximum thermal protection to perform tasks effectively and safely.
- High performance, thermal inner lining wicks moisture away from hands, maintaining comfort over extended periods.
- Not for immersion in liquid nitrogen.

Code	Size	No./case	Price/case (₹)
U20307	Wrist S	1 Pair	18883
U20308	Wrist M	1 Pair	18883
U20309	Wrist L	1 Pair	18883
U20310	Wrist XL	1 Pair	18883
U20311	Mid Arm S	1 Pair	19890
U20312	Mid Arm M	1 Pair	19890
U20313	Mid Arm L	1 Pair	19890
U20314	Mid Arm XL	1 Pair	19890
U20315	Elbow S	1 Pair	25167
U20316	Elbow M	1 Pair	25167
U20317	Elbow L	1 Pair	25167
U20318	Elbow XL	1 Pair	25167

Application	Environment
Ultra low blast freezers	Clinical laboratory
Cold rooms	Bio medical
Dry ice handling	Blood banks Pharmaceutical Frozen food processing



38 | Water Proof Cryo Gloves

- These cryogenic gloves protect your hands and arms when working in hazardous, ultra-cold environments.
- These gloves are designed to provide a high level of thermal protection where the exposure to cryogenic fluids might exist.
- These gloves are multi-layered and allow for a maximum level of thermal protection, flexibility and dexterity essential feature when the function is important and safety is critical.
- Not for immersion in liquid nitrogen.

Code	Size	No./case	Price/case (₹)
U20319	Wrist S	1 Pair	24824
U20320	Wrist M	1 Pair	24824
U20321	Wrist L	1 Pair	24824
U20322	Wrist XL	1 Pair	24824
U20323	Mid Arm S	1 Pair	26752
U20324	Mid Arm M	1 Pair	26752
U20325	Mid Arm L	1 Pair	26752
U20326	Mid Arm XL	1 Pair	26752
U20327	Elbow S	1 Pair	33093
U20328	Elbow M	1 Pair	33093
U20329	Elbow L	1 Pair	33093
U20330	Elbow XL	1 Pair	33093

Application	Environment
LN2 atmosphere and environment	Fertility clinic
Refrigerated liquid baths	Bio medical
Cryo freezers	Genetic and bio technology
Cryogenic grinding	Pharmaceutical





03

Liquid Handling

SINGLE & MULTICHANNEL PIPETTES

TIPS: MICRO & LARGE TIPS, FILTER TIPS, LOW RETENTION TIPS

SAMPLE CONTAINERS

PASTEUR & SEROLOGICAL PIPETTES

RIA VIALS & MORE

#CommittedtotheEarth

Elegant

Fully Autoclavable Micropipettes

Abdos introduces fully autoclavable, ergonomically designed Elegant micropipettes which offers high level of accuracy and precision. All Elegant Pipettes have Chemical & UV Resistant Body.

One of The
World's
Lightest
Pipette



Lightweight, Ergonomic,
Low force design



Volume Lock



4 Digit Counter



Filter Element

39 | Elegant Single-Channel Adjustable Volume Pipettes

				Maximum Permissible Systematic Error		Maximum Permissible Random Error			
Code	Volume Range	Increment	Test Volume	Inaccuracy		Imprecision		No./case	Price/case (₹)
E11150	0.1–2.5 µl	0.002 µl	2.5 µl	1.40%	0.04 µl	0.70%	0.02 µl	1	13000
			1.25 µl	2.50%	0.03 µl	1.50%	0.02 µl		
			0.25 µl	12.00%	0.03 µl	6.00%	0.02 µl		
E11151	0.5–10 µl	0.1 µl	10 µl	1.00%	0.1 µl	0.40%	0.04 µl	1	13000
			5 µl	1.50%	0.08 µl	0.80%	0.04 µl		
			1 µl	2.50%	0.03 µl	1.80%	0.04 µl		
E11152	2–20 µl	0.02 µl	20 µl	1.00%	0.2 µl	0.30%	0.06 µl	1	13000
			10 µl	1.20%	0.12 µl	0.60%	0.06 µl		
			2 µl	5.00%	0.1 µl	1.50%	0.03 µl		
E11153	10–100 µl	0.1 µl	100 µl	0.80%	0.8 µl	0.20%	0.2 µl	1	13000
			50 µl	1.00%	0.5 µl	0.30%	0.15 µl		
			10 µl	3.00%	0.3 µl	1.00%	0.1 µl		
E11154	20–200 µl	0.2 µl	200 µl	0.60%	1.2 µl	0.20%	0.4 µl	1	13000
			100 µl	1.00%	1 µl	0.30%	0.3 µl		
			20 µl	2.50%	0.5 µl	0.70%	0.14 µl		
E11155	30–300 µl	0.2 µl	300 µl	0.60%	1.8 µl	0.20%	0.6 µl	1	13000
			150 µl	1.00%	1.5 µl	0.30%	0.45 µl		
			30 µl	2.50%	0.75 µl	0.70%	0.21 µl		
E11156	100–1000 µl	1 µl	1000 µl	0.60%	6 µl	0.20%	2 µl	1	13000
			500 µl	1.00%	5 µl	0.20%	1 µl		
			100 µl	3.00%	3 µl	0.60%	0.6 µl		
E11157	1000–5000 µl	5 µl	5000 µl	0.60%	30 µl	0.20%	10 µl	1	13000
			2500 µl	0.60%	15 µl	0.30%	7.5 µl		
			1000 µl	1.20%	12 µl	0.30%	3 µl		
E11158	2000–10000 µl	10 µl	10000 µl	0.60%	60 µl	0.20%	20 µl	1	13000
			5000 µl	0.80%	40 µl	0.20%	10 µl		
			2000 µl	1.50%	30 µl	0.30%	6 µl		

The pack contains, Elegant pipette, Sample pack of Tips, Filter Element (except 2.5 & 10µl), Recalibration/Allen Key, Silicone Grease, Shelf Mounting Pipette Holder, User Manual, Quick Start Guide and QC Certificate.

Avoid Repetitive Strain Injury with Elegant



Abdos Premium Pipettes

ABDOS pipette meets the highest needs in precision and accuracy – combined with ultimate ergonomics and increased flexibility with sophisticated blend of features and functionality.

It is easy to calibrate and maintain with tools supplied.

It is supplied with operator manual that provides complete information on recalibration and maintenance of the pipette.



Comfortable Finger Support: helps in prolonged pipetting operation with less fatigue.

Easy Calibration: Calibrated accordance with ISO8655. Each pipette is supplied with Individual Calibration Certificate.

Display: Clear and easy read display with large numbers and precise increment.

Ejector: Very low operating force and position in such a way that thumb strain is reduced when moving to eject tips.

Fully Autoclavable without disassembly with steam Sterilization at 121°C, 1atm for 20 minutes. Does not require any special preparations.

Premium Plus Pipette with lower part autoclavable to ensure contamination free operations.

Slim Pipette Shaft: Allows Pipetting into narrow vessels.

Tip Cone: Optimized Standard Design. Pipette tips from ABDOS and other manufacturers can be used.



40 | Fixed Premium Pipette, (Non-Autoclavable)



Code	Capacity	Test Volume	Maximum Permissible Systematic Error		Maximum Permissible Random Error		No./case	Price/case (₹)
			Inaccuracy	Inaccuracy	Imprecision	Imprecision		
E10001	5 µl	5 µl	± 1.3 %	± 0.065 µl	± 1.2 %	± 0.06 µl	1	3529
E10002	10 µl	10 µl	± 0.8 %	± 0.08 µl	± 0.8 %	± 0.08 µl	1	3529
E10003	20 µl	20 µl	± 0.6 %	± 0.12 µl	± 0.5 %	± 0.1 µl	1	3529
E10004	25 µl	25 µl	± 0.5 %	± 0.125 µl	± 0.3 %	± 0.075 µl	1	3529
E10005	50 µl	50 µl	± 0.5 %	± 0.25 µl	± 0.3 %	± 0.15 µl	1	3529
E10006	100 µl	100 µl	± 0.5 %	± 0.50 µl	± 0.3 %	± 0.30 µl	1	3529
E10007	200 µl	200 µl	± 0.4 %	± 0.80 µl	± 0.2 %	± 0.40 µl	1	3529
E10008	250 µl	250 µl	± 0.4 %	± 1 µl	± 0.2 %	± 0.50 µl	1	3529
E10009	500 µl	500 µl	± 0.3 %	± 1.5 µl	± 0.2 %	± 1.0 µl	1	3529
E10010	1000 µl	1000 µl	± 0.3 %	± 3 µl	± 0.2 %	± 2.0 µl	1	3529

41 | Premium Pipettes Semi-Autoclavable, (Tip cone is Autoclavable)



Code	Capacity	Test Volume	Maximum Permissible Systematic Error		Maximum Permissible Random Error		No./case	Price/case (₹)
			Inaccuracy	Inaccuracy	Imprecision	Imprecision		
E11100	0.1 – 2.5 µl	2.5 µl	± 2.50 %	± 0.062 µl	± 2.00 %	± 0.05 µl	1	5678
		1.25 µl	± 3.00 %	± 0.037 µl	± 3.00 %	± 0.0375 µl		
		0.25 µl	± 12.00 %	± 0.03 µl	± 6.00 %	± 0.015 µl		
E11101	0.5 – 10 µl	10 µl	± 1.00 %	± 0.1 µl	± 0.80 %	± 0.08 µl	1	5678
		5 µl	± 1.50 %	± 0.075 µl	± 1.50 %	± 0.075 µl		
		1 µl	± 2.50 %	± 0.025 µl	± 1.50 %	± 0.015 µl		
E11102	2 – 20 µl	20 µl	± 0.90 %	± 0.18 µl	± 0.40 %	± 0.08 µl	1	5678
		10 µl	± 1.20 %	± 0.12 µl	± 1.00 %	± 0.10 µl		
		2 µl	± 3.00 %	± 0.06 µl	± 2.00 %	± 0.04 µl		
E11106	5 – 50 µl	50 µl	± 0.60 %	± 0.3 µl	± 0.30 %	± 0.15 µl	1	5678
		25 µl	± 0.90 %	± 0.225 µl	± 0.60 %	± 0.15 µl		
		5 µl	± 2.00 %	± 0.1 µl	± 2.00 %	± 0.1 µl		
E11103	10 – 100 µl	100 µl	± 0.80 %	± 0.80 µl	± 0.15 %	± 0.15 µl	1	5678
		50 µl	± 1.00 %	± 0.50 µl	± 0.40 %	± 0.20 µl		
		10 µl	± 3.00 %	± 0.30 µl	± 1.50 %	± 0.15 µl		
E11104	20 – 200 µl	200 µl	± 0.60 %	± 1.20 µl	± 0.15 %	± 0.30 µl	1	5678
		100 µl	± 0.80 %	± 0.80 µl	± 0.30 %	± 0.30 µl		
		20 µl	± 3.00 %	± 0.60 µl	± 1.00 %	± 0.20 µl		
E11112	50 – 200 µl	200 µl	± 0.60 %	± 1.20 µl	± 0.15 %	± 0.30 µl	1	5678
		100 µl	± 0.80 %	± 0.80 µl	± 0.30 %	± 0.30 µl		
		50 µl	± 1.00 %	± 0.50 µl	± 0.40 %	± 0.2 µl		
E11105	200 – 1000 µl	1000 µl	± 0.60 %	± 6 µl	± 0.20 %	± 2 µl	1	5678
		500 µl	± 0.70 %	± 3.50 µl	± 0.25 %	± 1.25 µl		
		200 µl	± 0.90 %	± 1.8 µl	± 0.30 %	± 0.60 µl		
E11131	1000 – 5000 µl	5000 µl	± 0.50 %	± 25 µl	± 0.15 %	± 7.5 µl	1	5678
		2500 µl	± 0.60 %	± 15 µl	± 0.30 %	± 7.5 µl		
		1000 µl	± 0.70 %	± 7 µl	± 0.30 %	± 3 µl		
E11132	2000 – 10000 µl	10000 µl	± 0.60 %	± 60 µl	± 0.20 %	± 20 µl	1	5678
		5000 µl	± 1.20 %	± 60 µl	± 0.30 %	± 15 µl		
		2000 µl	± 3.00 %	± 60 µl	± 0.60 %	± 12 µl		

42 | Premium Plus Pipettes Fully-Autoclavable



Code	Capacity	Increment	Test Volume	Maximum Permissible Systematic Error		Maximum Permissible Random Error		No./case	Price/case (₹)
				Inaccuracy	Inaccuracy	Imprecision	Imprecision		
E11145	0.1 – 2.5 µl	0.05 µl	2.5 µl	± 2.50 %	± 0.062 µl	± 2.00 %	± 0.05 µl	1	6530
			1.25 µl	± 3.00 %	± 0.037 µl	± 3.00 %	± 0.0375 µl		
			0.25 µl	± 12.00 %	± 0.03 µl	± 6.00 %	± 0.015 µl		
E11107	0.5 – 10 µl	0.1 µl	10 µl	± 1.00 %	± 0.1 µl	± 0.80 %	± 0.08 µl	1	6530
			5 µl	± 1.50 %	± 0.075 µl	± 1.50 %	± 0.075 µl		
			1 µl	± 2.50 %	± 0.025 µl	± 1.50 %	± 0.015 µl		
E11108	2 – 20 µl	0.5 µl	20 µl	± 0.90 %	± 0.18 µl	± 0.40 %	± 0.08 µl	1	6530
			10 µl	± 1.20 %	± 0.12 µl	± 1.00 %	± 0.10 µl		
			2 µl	± 3.00 %	± 0.06 µl	± 2.00 %	± 0.04 µl		
E11146	5 – 50 µl	0.5 µl	50 µl	± 0.60 %	± 0.3 µl	± 0.30 %	± 0.15 µl	1	6530
			25 µl	± 0.90 %	± 0.225 µl	± 0.60 %	± 0.15 µl		
			5 µl	± 2.00 %	± 0.1 µl	± 2.00 %	± 0.1 µl		
E11109	10 – 100 µl	1.0 µl	100 µl	± 0.80 %	± 0.80 µl	± 0.15 %	± 0.15 µl	1	6530
			50 µl	± 1.00 %	± 0.50 µl	± 0.40 %	± 0.20 µl		
			10 µl	± 3.00 %	± 0.30 µl	± 1.50 %	± 0.15 µl		
E11110	20 – 200 µl	1.0 µl	200 µl	± 0.60 %	± 1.20 µl	± 0.15 %	± 0.30 µl	1	6530
			100 µl	± 0.80 %	± 0.80 µl	± 0.30 %	± 0.30 µl		
			20 µl	± 3.00 %	± 0.60 µl	± 1.00 %	± 0.20 µl		
E11147	50 – 200 µl	1.0 µl	200 µl	± 0.60 %	± 1.20 µl	± 0.15 %	± 0.30 µl	1	6530
			100 µl	± 0.80 %	± 0.80 µl	± 0.30 %	± 0.30 µl		
			50 µl	± 1.00 %	± 0.50 µl	± 0.40 %	± 0.2 µl		
E11111	200 – 1000 µl	5.0 µl	1000 µl	± 0.60 %	± 6 µl	± 0.20 %	± 2 µl	1	6530
			500 µl	± 0.70 %	± 3.50 µl	± 0.25 %	± 1.25 µl		
			200 µl	± 0.90 %	± 1.8 µl	± 0.30 %	± 0.60 µl		
E11134	1000 – 5000 µl	50 µl	5000 µl	± 0.50 %	± 25 µl	± 0.15 %	± 7.5 µl	1	6530
			2500 µl	± 0.60 %	± 15 µl	± 0.30 %	± 7.5 µl		
			1000 µl	± 0.70 %	± 7 µl	± 0.30 %	± 3 µl		



Premium Plus Multi Channel Pipettes


ABDOS Premium Plus Multi-Channel Pipette meets the highest needs in precision and accuracy – combined with ultimate ergonomics and increased flexibility with sophisticated blend of features and functionality.

These fully autoclavable 8-channel and 12-multichannel pipette is available for Standard 96-well plates.

Individual piston and Tip cone assemblies allow easy repair and maintenance.

It is easy to calibrate and maintain with tools supplied. Calibrated in accordance with ISO8655. The quality control includes the gravimetric testing with distilled water at 22°C.

It is supplied with operator manual that provides complete information on recalibration and maintenance of the pipette.



43 | Premium Plus 8-Channel Adjustable Multichannel Pipette

- Abdos Premium Plus Multi-channel Pipettes have a unique ergonomic design for comfortable finger support and convenient tip ejector design allows one-handed operation.
- The dispensing head of these pipettes rotate for optimum pipetting.
- The special compound material tip cone design allows visual seal verification and has excellent chemical resistance.
- Individual piston and tip cone assemblies allow easy repair and maintenance.
- Volume settings can be clearly read through digital display.
- Abdos Premium Plus Multi-channel Pipettes are easy to calibrate and maintain with the tools supplied.
- These pipettes are designed to avoid repetitive strain injuries.
- All Abdos pipettes are supplied with operator manual that provides complete information on recalibration and maintenance of the pipettes.



Code	Capacity	Increment	Test Volume	Maximum Permissible Systematic Error		Maximum Permissible Random Error		No./case	Price/case (₹)
				Inaccuracy	Inaccuracy	Imprecision	Imprecision		
EI1136	0.5 – 10 µl	0.1 µl	10 µl	± 1.50 %	± 0.15 µl	± 1.50 %	± 0.15 µl	1	26172
			5 µl	± 2.50 %	± 0.125 µl	± 2.50 %	± 0.125 µl		
			1 µl	± 4.00 %	± 0.04 µl	± 4.00 %	± 0.04 µl		
EI1137	5 – 50 µl	0.5 µl	50 µl	± 1.00 %	± 0.50 µl	± 0.50 %	± 0.25 µl	1	26172
			25 µl	± 1.50 %	± 0.375 µl	± 1.00 %	± 0.25 µl		
			5 µl	± 3.00 %	± 0.15 µl	± 2.00 %	± 0.10 µl		
EI1138	50 – 300 µl	5 µl	300 µl	± 0.70 %	± 2.10 µl	± 0.25 %	± 0.75 µl	1	26172
			150 µl	± 1.00 %	± 1.50 µl	± 0.50 %	± 0.75 µl		
			50 µl	± 1.50 %	± 0.75 µl	± 0.80 %	± 0.40 µl		

44 | Premium Plus 12-Channel Adjustable Multichannel Pipette



Code	Capacity	Increment	Test Volume	Maximum Permissible Systematic Error		Maximum Permissible Random Error		No./case	Price/case (₹)
				Inaccuracy	Inaccuracy	Imprecision	Imprecision		
EI1139	0.5 – 10 µl	0.1 µl	10 µl	± 1.50 %	± 0.15 µl	± 1.50 %	± 0.15 µl	1	27958
			5 µl	± 2.50 %	± 0.125 µl	± 2.50 %	± 0.125 µl		
			1 µl	± 4.00 %	± 0.04 µl	± 4.00 %	± 0.04 µl		
EI1140	5 – 50 µl	0.5 µl	50 µl	± 1.00 %	± 0.50 µl	± 0.50 %	± 0.25 µl	1	27958
			25 µl	± 1.50 %	± 0.375 µl	± 1.00 %	± 0.25 µl		
			5 µl	± 3.00 %	± 0.15 µl	± 2.00 %	± 0.10 µl		
EI1141	50 – 300 µl	5 µl	300 µl	± 0.70 %	± 2.10 µl	± 0.25 %	± 0.75 µl	1	27958
			150 µl	± 1.00 %	± 1.50 µl	± 0.50 %	± 0.75 µl		
			50 µl	± 1.50 %	± 0.75 µl	± 0.80 %	± 0.40 µl		

45 | Pipette Rack Stand, ACRYLIC

- Holds five standard size pipettes.
- Racks are mounted on their own stand.
- Keeps working area or desk free from clutter.



Code	No. of Places	L x W x H	No./case	Price/case (₹)
P70201	5	190 x 135 x 265 mm	1	3214



46 | Pipette Rack Stand (Carousel Type), PP

- Holds Six standard size pipettes.
- The Carousel Stand rotates smoothly and comfortably.
- Keeps working area or desk free from clutter.



Code	No. of Places	No./case	Price/case (₹)
P70203	6	1	7495



47 | Premium Electronic Pipette

- Abdos Premium electronic pipette is fast, precise with an ergonomic design that is easy to use in laboratories.
- High accuracy, high performance stepper motor ensures accuracy and repeatability, eliminating manual pipetting errors. A motor driven digital control pipette with multi-function Pipetting, Mixing, Stepper and Dilution.
- 2 buttons handle all operational settings.
- Light weight, ergonomic design, small body dimension for easy handling that guarantees fatigue free pipetting.
- Adjustable speeds for aspiration and dispensing.
- Comprehensive range with easy programming.
- Motor driven with build-in-error control improving pipetting precision and providing reliable results.
- Highly efficient lithium-ion battery offering long running time with each charge makes the Premium Electronic Pipette a work-horse during busy times in the laboratories.
- Lower part is autoclavable.
- Reduces workload and improves the accuracy and precision.
- A bright LED display makes setting and reading easy, thus reducing or eliminating errors.
- User can Self-calibrate by limiting the pipette to a PC via USB connector.





Code	Capacity	Increment	Test Volume	Inaccuracy	Inaccuracy	Imprecision	Imprecision	No./case	Price/case (₹)
E11161	0.5 - 10 µl	0.01 µl	10 µl	± 1.0 %	± 0.10 µl	0.05 *s.d µl	0.5 CV%	1	44613
			1 µl	± 3.5 %	± 0.035 µl	0.03 *s.d µl	3.0 CV%		
E11162	5 - 50 µl	0.1 µl	50 µl	± 0.8 %	± 0.40 µl	0.15 *s.d µl	0.3 CV %	1	44613
			5 µl	± 3.0 %	± 0.15 µl	0.125 *s.d µl	2.5 CV %		
E11163	30 - 300 µl	1 µl	300 µl	± 0.6 %	± 1.8 µl	0.6 *s.d µl	0.2 CV %	1	44613
			30 µl	± 3.0 %	± 0.9 µl	0.21 *s.d µl	0.7 CV %		
E11164	100 - 1000 µl	5 µl	1000 µl	± 0.6 %	± 6.0 µl	2.0 *s.d µl	0.2 CV %	1	44613
			100 µl	± 3.0 %	± 3.0 µl	0.6 *s.d µl	0.6 CV %		



PIPETTE TIPS, PP

WAFER VALUE ADDITIONS

Each wafer of the rack is printed with effective Volume Range and Lot Number with Product Code, making it easy to keep your work organized and ensure supplies are traceable.



Pipette Tips

Features

All Tips are manufactured from ultra pure USP Class VI certified virgin polypropylene to ensure the highest quality & confirming to US FDA 21 CFR. Free from heavy metals, natural rubber & inhibitory plasticizers.

Free from Bacteriostatic & Fungistatic property.

Superior leeching performance in its class assures contamination free results.

DNase, RNase & Pyrogen free.

Precise Graduation mark for error free pipetting.

Tips with High clarity for better visibility of samples.


Diamond polished moulds for an extremely hydrophobic & smooth surface to ensure lowest retention in its class.





ABDOS BEVELLED TIPS

Precise diamond polished with special treatment on bevelled orifice prevents smooth working & sample hold-up. Bevelled orifice prevents sample hang up and makes it easier to pipette-off the last drop of sample. Bevelled tips prevent accidental damage of gel rupture during loading. Perfect airlock grip on pipette by inner radial rings for accurate pipetting.



THE ABDOS EDGE

The Universal Tip collar fits all popular pipettes.

The use of multiple cavity tools guarantees high conformity within one batch. The automated moulding and assembling procedures carried out under validated clean-room conditons to eliminate contamination.

Thin-wall technology ensures perfect seal while reducing the loading and ejection forces.



ABDOS ULTRA-POINT TIPS

Ultra point orifice for precise work like gel loading & careful pipetting between space as small as 1 mm as in PAGE, AGE & IEF.

Ultra clear transparency for two phase pipetting.




48 | Pipette Tips, Bulk in Resealable Bags, PP

- Bulk Micro Tips are offered in resealable zip lock bag.
- The micro Tips can be manually accumulated in empty boxes.
- The product is free from contamination and dust.
- Abdos polyethylene pouches are recyclable.



Code	Capacity	Colour	No./case	Price/case (₹)	Price/192 case (₹)
P10115	0.1 – 10 µl (Graduated)	Natural	1000	576	103956
P10137	0.1 – 10 µl Extended (Graduated)	Natural	1000	576	103956
P10129	1 – 200 µl (Bevelled Graduated)	Yellow	1000	469	84645
P10130	1 – 200 µl (Bevelled Graduated)	Natural	1000	469	84645
P10101	1 – 200 µl (Ultra Point Tip Orifice)	Yellow	1000	482	86991
P10105	1 – 200 µl (Ultra Point Tip Orifice)	Natural	1000	482	86991
P10138	1 – 300 µl (Graduated)	Natural	1000	587	105941
P10102	100 – 1000 µl (Graduated)	Blue	500	346	62446
P10106	100 – 1000 µl (Graduated)	Natural	500	346	62446
P10174	100 – 1000 µl XL (Graduated)	Natural	500	409	73816
P10175	100 – 1250 µl (Graduated)	Natural	500	404	72914



49 | Large Volume Pipette Tips, Bulk in Resealable Bags, PP

- The ergonomically optimized cone geometry provides the optimal pipette fit on the models from other manufacturers.
- Fine Graduations make visual checks of the pipetting volume even easier.



Code	Capacity	Colour	No./case	Price/case (₹)
P10144	1 – 5 ml (Graduated)	Natural	100	512
P10145	1 – 10 ml (Graduated)	Natural	100	1023



50 | PureRight™ Pipette Tips, Individually Wrapped, Sterile, PP

- Individually wrapped pipette tips are manufactured as per the sterile purity level.
- Sterile individually wrapped tips have been validated according to ISO 11137 SAL 10⁻⁶.



Code	Capacity	Colour	No./case	Price/case (₹)
P10164	0.1 – 10 µl (Graduated)	Natural	350	1149
P10165	0.1 – 10 µl (Extended Graduated)	Natural	350	1149
P10161	1 – 200 µl (Bevelled Graduated)	Natural	350	1149
P10166	1 – 300 µl (Graduated)	Natural	350	1149
P10163	100 – 1000 µl (Graduated)	Natural	350	1246
P10167	100 – 1000 µl XL (Graduated)	Natural	100	382
P10168	100 – 1250 µl (Graduated)	Natural	100	378
P10169	100 – 5000 µl (Graduated)	Natural	60	893
P10170	500 – 10000 µl (Graduated)	Natural	50	1112



51 | Pipette Tips, Gen 2, Racked, PP

- Gen 2 Racked Micro Tips are offered in prefilled racks that don't require manual accumulation in empty boxes.
- Polypropylene racks are very robust, sturdy with consistent and thick wall thickness.
- Gen 2 Racks are hinged with transparent lid & base providing excellent view inside the box.
- Gen 2 Racks are stackable. Reusable once empty.



Code	Capacity	Colour	No./case	Price/case (₹)
PI0116	0.1 – 10 µl (Graduated)	Natural	10 Racks x 96 pcs	2107
PI0139	0.1 – 10 µl Extended (Graduated)	Natural	10 Racks x 96 pcs	2107
PI0140	1 – 200 µl (Bevelled Graduated)	Yellow	10 Racks x 96 pcs	2146
PI0141	1 – 200 µl (Bevelled Graduated)	Natural	10 Racks x 96 pcs	2146
PI0107	1 – 200 µl (Ultra Point Tip Orifice)	Yellow	10 Racks x 96 pcs	2210
PI0108	1 – 200 µl (Ultra Point Tip Orifice)	Natural	10 Racks x 96 pcs	2210
PI0142	1 – 300 µl (Graduated)	Natural	10 Racks x 96 pcs	2146
PI0109	100 – 1000 µl (Graduated)	Blue	10 Racks x 96 pcs	2334
PI0110	100 – 1000 µl (Graduated)	Natural	10 Racks x 96 pcs	2334
PI0155	100 – 1000 µl XL (Graduated)	Natural	10 Racks x 96 pcs	2429
PI0157	100 – 1250 µl (Graduated)	Natural	10 Racks x 96 pcs	2517
PI0159	100 – 5000 µl (Graduated)	Natural	6 Racks x 24 pcs	2121
PI0160	500 – 10000 µl (Graduated)	Natural	6 Racks x 24 pcs	3175



52 | Pipette Tips, Gen 2, Sterile Racked, PP



Code	Capacity	Colour	No./case	Price/case (₹)
PI0117	0.1 – 10 µl (Graduated)	Natural	10 Racks x 96 pcs	2592
PI0147	0.1 – 10 µl Extended (Graduated)	Natural	10 Racks x 96 pcs	2547
PI0148	1 – 200 µl (Bevelled Graduated)	Natural	10 Racks x 96 pcs	2581
PI0149	1 – 200 µl (Bevelled Graduated)	Yellow	10 Racks x 96 pcs	2581
PI0111	1 – 200 µl (Ultra Point Tip Orifice)	Yellow	10 Racks x 96 pcs	2643
PI0112	1 – 200 µl (Ultra Point Tip Orifice)	Natural	10 Racks x 96 pcs	2643
PI0150	1 – 300 µl (Graduated)	Natural	10 Racks x 96 pcs	2581
PI0113	100–1000 µl (Graduated)	Blue	10 Racks x 96 pcs	2865
PI0114	100 – 1000 µl (Graduated)	Natural	10 Racks x 96 pcs	2865
PI0156	100 – 1000 µl XL (Graduated)	Natural	10 Racks x 96 pcs	2823
PI0158	100 – 1250 µl (Graduated)	Natural	10 Racks x 96 pcs	2879
PI0171	100 – 5000 µl (Graduated)	Natural	6 Racks x 24 pcs	2370
PI0178	500 – 10000 µl (Graduated)	Natural	6 Racks x 24 pcs	3429



53 | Pipette Tips, Refill Pack, PP

- Racked Micro Tips are offered in prefilled trays that can be directly loaded in the box.
- Easy to load and remove into boxes.
- Saves time and costs of manual accumulation in empty boxes.
- More Cost effective and economical than racked micro tips.
- Fits Perfectly onto Abdos Gen 2 Boxes.
- 12 x 8 Array to align the contents in the box.
- Can be autoclaved when racked.



Code	Capacity	Colour	No./case	Price/case (₹)
PI0118	0.1 – 10 µl (Graduated)	Natural	12 Refill Racks x 96 Pcs	1644
PI0152	1 – 200 µl (Bevelled Graduated)	Natural	10 Refill Racks x 96 Pcs	1435
PI0153	1 – 200 µl (Bevelled Graduated)	Yellow	10 Refill Racks x 96 Pcs	1435
PI0119	1 – 200 µl (Ultra Point Tip Orifice)	Yellow	10 Refill Racks x 96 Pcs	1479
PI0120	1 – 200 µl (Ultra Point Tip Orifice)	Natural	10 Refill Racks x 96 Pcs	1479
PI0154	1 – 300 µl (Graduated)	Natural	10 Refill Racks x 96 Pcs	1435
PI0176	100 – 1000 XL µl (Graduated)	Natural	6 Refill Racks x 96 Pcs	979
PI0177	100 – 1250 µl (Graduated)	Natural	6 Refill Racks x 96 Pcs	979



LAST DROP™ Low Retention

Pipette Tips Features



The Retention level is 10 times lesser with viscous samples than standard pipette tips.

Super homogenous surface free sites prevent non-specific binding.

DNase, RNase and Pyrogen free.

Tips are also free from Bacteriostatic & Fungistatic property that gives tips a unique feature to work in microbiological lab.

Optimal surface for enhanced dispensing behaviour & minimal sample loss of highly viscous liquids or samples containing detergents.

The use of the latest injection moulding process produce high precision, thin wall tips with high clarity for better visibility of sample.


Reduce Sample retention for precision & to save on costly reagents.

All tips are manufactured from ultrapure USP Class VI certified, Virgin PP (Polypropylene) to ensure the highest quality. Free from heavy metals, natural rubber and inhibitory plasticizers.

MATERIAL & METHOD

- 200µl Last Drop pipette tips were compared with other low retention tips in combination with an electronic pipette, were used to aspirate & dispense 100µl of Malachite Green, Methylene Blue, Glycerol & Titron-X (liquid detergent) at a constant pipetting speed.
- Residual in the pipette were washed out by repeated rinsing with 200µl water into cuvette and compared photometrically. The average values established are shown in the table.

COMPARISON CHART



Result: Abdos Last Drop Pipette Tips clearly reduce sample loss. As seen above in the graph, it clearly indicates that Abdos Tips retained least amount of residue and saves on costly reagents.

54 | Last Drop™ Low Retention Pipette Tips, Bulk in Resealable Bags, PP

- Bulk Last Drop™ Micro Tips are offered in resealable zip lock bag.
- Tips can be manually accumulated in empty boxes.
- The product is free from contamination and dust.
- Abdos polyethylene pouches are recyclable.



Code	Capacity	Colour	No./case	Price/case (₹)
PI0001	0.1 – 10 µl (Graduated)	Natural	1000	997
PI0002	0.1 – 10 µl Extended (Graduated)	Natural	1000	997
PI0003	1 – 200 µl (Bevelled Graduated)	Natural	1000	1234
PI0004	1 – 200 µl (Ultra Point Tip Orifice)	Natural	1000	1296
PI0005	1 – 300 µl (Graduated)	Natural	1000	1120
PI0006	100 – 1000 µl (Graduated)	Natural	500	772
PI0007	100 – 1000 µl XL (Graduated)	Natural	500	778
PI0008	100 – 1250 µl (Graduated)	Natural	500	772



55 | PureRight™ Last Drop Low Retention Pipette Tips, Individually Wrapped, Sterile, PP

- Individually wrapped pipette tips are manufactured as per the sterile purity level
- Sterile individually wrapped tips have been validated according to ISO 11137 SAL 10⁻⁶



Code	Capacity	Colour	No./case	Price/case (₹)
PI0010	0.1 – 10 µl (Graduated)	Natural	350	1335
PI0011	0.1 – 10 µl Extended (Graduated)	Natural	350	1335
PI0012	1 – 200 µl (Bevelled Graduated)	Natural	350	1335
PI0013	1 – 300 µl (Graduated)	Natural	350	1335
PI0014	100 – 1000 µl (Graduated)	Natural	350	1534
PI0015	100 – 1000 µl XL (Graduated)	Natural	100	458
PI0016	100 – 1250 µl (Graduated)	Natural	100	453



56 | Last Drop™ Low Retention Pipette Tips, Gen 2, Racked, PP

- Gen 2 Racked Last Drop™ Micro Tips are offered in prefilled racks that do not require manual accumulation in empty boxes.
- Polypropylene racks are very robust, sturdy with consistent and thick wall thickness.
- Can be used for repeat autoclaving.
- Gen 2 Racks are hinged with transparent lid & base providing excellent view inside the box.
- Gen 2 Racks are stackable and reusable once empty.



Code	Capacity	Colour	No./case	Price/case (₹)
PI0020	0.1 – 10 µl (Graduated)	Natural	10 Racks x 96 pcs	2864
PI0021	0.1 – 10 µl Extended (Graduated)	Natural	10 Racks x 96 pcs	2864
PI0022	1 – 200 µl (Bevelled Graduated)	Natural	10 Racks x 96 pcs	2921
PI0023	1 – 200 µl (Ultra Point Tip Orifice)	Natural	10 Racks x 96 pcs	3017
PI0024	1 – 300 µl (Graduated)	Natural	10 Racks x 96 pcs	2921
PI0025	100 – 1000 µl (Graduated)	Natural	10 Racks x 96 pcs	3290
PI0026	100 – 1000 µl XL (Graduated)	Natural	10 Racks x 96 pcs	3304
PI0027	100 – 1250 µl (Graduated)	Natural	10 Racks x 96 pcs	3290



57 | Last Drop™ Low Retention Pipette Tips, Gen 2, Sterile Racked, PP



Code	Capacity	Colour	No./case	Price/case (₹)
PI0040	0.1 – 10 µl (Graduated)	Natural	10 Racks x 96 pcs	3322
PI0041	0.1 – 10 µl Extended (Graduated)	Natural	10 Racks x 96 pcs	3322
PI0042	1 – 200 µl (Bevelled Graduated)	Natural	10 Racks x 96 pcs	3383
PI0043	1 – 200 µl (Ultra Point Tip Orifice)	Natural	10 Racks x 96 pcs	3473
PI0044	1 – 300 µl (Graduated)	Natural	10 Racks x 96 pcs	3383
PI0045	100 – 1000 µl	Natural	10 Racks x 96 pcs	3886
PI0046	100 – 1000 µl XL (Graduated)	Natural	10 Racks x 96 pcs	3899
PI0047	100 – 1250 µl (Graduated)	Natural	10 Racks x 96 pcs	3886



58 | Last Drop™ Low Retention Pipette Tips, Refill Pack, PP

- Racked Micro Tips are offered in prefilled trays that can be directly loaded in the box.
- Easy to load and remove into boxes.
- Saves time and costs of manual accumulation in empty boxes.
- Fits Perfectly onto Abdos Gen2 Boxes.
- 12 x 8 Array to align the contents in the box.
- Can be autoclaved when racked.




Code	Capacity	Colour	No./case	Price/case (₹)
PI0060	0.1 – 10 µl (Graduated)	Natural	12 Refill Racks x 96 pcs	2345
PI0061	1 – 200 µl (Bevelled Graduated)	Natural	10 Refill Racks x 96 pcs	1957
PI0062	1 – 200 µl (Ultra Point Tip Orifice)	Natural	10 Refill Racks x 96 pcs	2036
PI0063	1 – 300 µl (Graduated)	Natural	10 Refill Racks x 96 pcs	1957
PI0064	100 – 1000 µl XL (Graduated)	Natural	6 Refill Racks x 96 pcs	2216
PI0065	100 – 1250 µl (Graduated)	Natural	6 Refill Racks x 96 pcs	2205



Abdos Life Science successfully filed **PATENT** in Pipette Tip Box Category

Anti-Warpage Technology offers strength & security at liquid handling


Transparent top cover & bottom provides an excellent view of the Micro Tips inside the box



Design with consistent wall thickness for repetitive use in single and multi-channel pipettes

Hinged lid provides fast, safe pipette tip access

Green Manufacturing & Reusable once empty, saves plastics



Anti-Warpage Technology




Anti-Shrink Technology



Robust Design & Strength

SUPER™ Filter Tips

Features



Best Suited for Biological application.

Abdos Filter is 100% pure porous PE. It makes Recovery of Samples from Wetted, Filtered without Contamination.

Non Cytotoxic (ISO 10993-5 MRM, Minimal Essential Media Elution, GLP Compliant).

99.9% Bacterial Aerosol Filtration Efficiency (BFE), (ASTM F21012).

Non Hemolytic (Modified ASTM F 756-08 Hemolysis Direct Contact GLP with Human Blood).


Inert, Hydrophobic Filter does not trap or block the liquid.

ABDOS SUPER™ FILTER PREVENTS BOTH LIQUID & AEROSOL PASSING THROUGH THE FILTER


Case Study:

Contamination is one of the major issue we faced while working in our labs. Majorly contamination is been carried out while pipetting the samples from one source to the other; therefore Abdos offers Super filter that prevents both Liquid & Aerosol passing through the filter, thus making pipette shaft contamination free.

**Non filter
Pipette Tips**



**Selective Barrier
Pipette Tips**



**Abdos Super
Filter Tip**



May lead to contamination of the pipette as there is no barrier for Liquid or Aerosol to prevent entering into the shaft. Thus can affect the experiment & samples can be contaminated.

Most filter pipette tips do not act as a barrier to both liquid and Aerosol. The Pores of the filter act as a selective barrier thereby contaminating the pipette. While in other filter pipette tips, the liquid touches the filter, the filter becomes wet and locks. Hence, possibility of sample recovery is not possible.

Abdos Super filter prevents Aerosol passing through & aqueous liquid by-pass prevention in over-pipetting. Thus makes it unique in preventing the contamination.


Proprietary Pure Porous Hydrophobic PE filter helps us to recover contamination free samples from wetted filter and does not trap or block the liquid into the filter.

59 | Filter Pipette Tips, Bulk in Resealable Bags, PP

- Bulk Filter Pipette Tips are offered in resealable zip lock bag.
- Tips can be manually accumulated in empty boxes.
- The product is free from contamination and dust.
- Abdos polyethylene pouches are recyclable.



Code	Capacity	Colour	No./case	Price/case (₹)
P11001	0.1 – 10 µl (Graduated)	Natural	1000	2388
P11002	0.1 – 10 µl Extended (Graduated)	Natural	1000	2388
P11003	1 – 20 µl (Bevelled Graduated)	Natural	1000	2580
P11004	1 – 100 µl (Bevelled Graduated)	Natural	1000	2580
P11005	1 – 200 µl (Bevelled Graduated)	Natural	1000	2580
P11006	1 – 300 µl (Graduated)	Natural	1000	2580
P11007	100 – 1000 µl (Graduated)	Natural	500	1648
P11015	100 – 1000 µl XL (Graduated)	Natural	500	2102
P11016	100 – 1250 µl (Graduated)	Natural	500	2092




60 | Large Volume Filter Pipette Tips, Bulk in Resealable Bags, PP

- The ergonomically optimized cone geometry provides the optimal pipette fit on the models from other manufacturers.
- Fine Graduations make visual checks of the pipetting volume even easier.



Code	Capacity	Colour	No./case	Price/case (₹)
P11017	100 – 5000 µl (Graduated)	Natural	100	1461
P11018	500 – 10000 µl (Graduated)	Natural	100	2006



61 | PureRight™ Filter Pipette Tips, Individually Wrapped, Sterile, PP

- PureRight™ Individually wrapped Filter Tips are offered in sealed proof packaging.
- These tips are gamma radiated.
- The product is free from contamination and dust.
- Every piece comes with infographics of Lot & Expiry details.
- Abdos polyethylene pouches are recyclable.



Code	Capacity	Colour	No./case	Price/case (₹)
P11008	0.1 – 10 µl (Graduated)	Natural	350	1792
P11009	0.1 – 10 µl Extended (Graduated)	Natural	350	1792
P11010	1 – 20 µl (Graduated)	Natural	350	1792
P11011	1 – 100 µl (Graduated)	Natural	350	1792
P11012	1 – 200 µl (Graduated)	Natural	350	1792
P11013	1 – 300 µl (Graduated)	Natural	350	1792
P11014	100 – 1000 µl (Graduated)	Natural	350	2139
P11019	100 – 1000 µl XL (Graduated)	Natural	100	637
P11049	100 – 1250 µl (Graduated)	Natural	100	637
P10099	100 – 5000 µl (Graduated)	Natural	60	1210
P10100	500 – 10000 µl (Graduated)	Natural	50	2106



62 | Filter Pipette Tips – Gen 2, Racked, PP

- Gen 2 Racked Filter Tips are offered in prefilled racks that do not require manual accumulation in empty boxes.
- Polypropylene racks are very robust, sturdy with consistent and thick wall thickness.
- Gen 2 Racks are hinged with transparent lid & base providing excellent view inside the box.
- Gen 2 Racks are stackable and reusable once empty.



Code	Capacity	Colour	No./case	Price/case (₹)
PII020	0.1 – 10 µl (Graduated)	Natural	10 Racks x 96 pcs	3996
PII022	0.1 – 10 µl Extended (Graduated)	Natural	10 Racks x 96 pcs	4104
PII024	1 – 20 µl (Bevelled Graduated)	Natural	10 Racks x 96 pcs	3996
PII026	1 – 50 µl (Bevelled Graduated)	Natural	10 Racks x 96 pcs	3996
PII028	1 – 100 µl (Bevelled Graduated)	Natural	10 Racks x 96 pcs	3996
PII032	1 – 200 µl (Bevelled Graduated)	Natural	10 Racks x 96 pcs	3996
PII034	1 – 300 µl (Graduated)	Natural	10 Racks x 96 pcs	3996
PII036	100–1000 µl (Graduated)	Natural	10 Racks x 96 pcs	4595
PII038	100 – 1000 µl (Graduated)	Natural	10 Racks x 96 pcs	4871
PII039	100 – 1250 µl (Graduated)	Natural	10 Racks x 96 pcs	4860
PII030	100 – 5000 µl (Graduated)	Natural	6 Racks x 24 pcs	2781
PII031	500 – 10000 µl (Graduated)	Natural	6 Racks x 24 pcs	4012



63 | Filter Pipette Tips, Sterile Gen 2 Racked, PP



Code	Capacity	Colour	No./case	Price/case (₹)	No./Bulk Case	Price/Bulk Case (₹)
PII021	0.1 – 10 µl (Graduated)	Natural	10 Racks x 96 pcs	4155	20	78116
PII023	0.1 – 10 µl Extended (Graduated)	Natural	10 Racks x 96 pcs	4266	20	80206
PII025	1–20 µl (Bevelled Graduated)	Natural	10 Racks x 96 pcs	4155	20	78116
PII027	1–50 µl (Bevelled Graduated)	Natural	10 Racks x 96 pcs	4155	20	78116
PII029	1–100 µl (Bevelled Graduated)	Natural	10 Racks x 96 pcs	4155	20	78116
PII033	1 – 200 µl (Bevelled Graduated)	Natural	10 Racks x 96 pcs	4155	20	78116
PII035	1 – 300 µl (Graduated)	Natural	10 Racks x 96 pcs	4155	20	78116
PII037	100–1000 µl (Graduated)	Natural	10 Racks x 96 pcs	4786	20	89980
PII047	100 – 1000 µl (Graduated)	Natural	10 Racks x 96 pcs	5120	20	96251
PII048	100 – 1250 µl (Graduated)	Natural	10 Racks x 96 pcs	5109	20	96046
PII072	100 – 5000 µl (Graduated)	Natural	6 Racks x 24 pcs	3025	20	56865
PII073	500 – 10000 µl (Graduated)	Natural	6 Racks x 24 pcs	4278	20	80431



Trusted By Scientist

Status: Reviewer ★

Member since: 2022

Organization: University of Hyderabad

Ease of use ★★★★★
After sales service ★★★★★
Value for money ★★★★★



“Good products”


Rating: 5.0 ★★★★★

Application Area: Cancer biology

"We are using this products (filter tips) since 4 years, they were good and easy to use and highly recommend for using in common labs to sophisticated labs"

LAST DROP™ Filter Tips

Features



Best Suited for Biological application.

Abdos Filter is 100% pure porous PE. It makes Recovery of Samples from Wetted, Filtered without Contamination.

Non Cytotoxic (ISO 10993-5 MRM, Minimal Essential Media Elution, GLP Compliant).

99.9% Bacterial Aerosol Filtration Efficiency (BFE), (ASTM F21012).

Non Hemolytic (Modified ASTM F 756-08 Hemolysis Direct Contact GLP with Human Blood).


Inert, Hydrophobic Filter does not trap or block the liquid.

64 | Last Drop™, Low Retention Filter Pipette Tips, Bulk in Resealable Bags, PP

- Bulk Last Drop™ Filter Tips are offered in resealable zip lock bag.
- The micro Tips can be manually accumulated in empty boxes.
- The product is free from contamination and dust.
- Abdos polyethylene pouches are recyclable.



Code	Capacity	Colour	No./case	Price/case (₹)
PI1050	0.1 – 10 µl (Graduated)	Natural	1000	3099
PI1051	0.1 – 10 µl (Extended Graduated)	Natural	1000	3210
PI1052	1 – 20 µl (Bevelled Graduated)	Natural	1000	3316
PI1053	1 – 100 µl (Bevelled Graduated)	Natural	1000	3316
PI1054	1 – 200 µl (Bevelled Graduated)	Natural	1000	3316
PI1055	1 – 300 µl (Graduated)	Natural	1000	3316
PI1056	100–1000 µl (Graduated)	Natural	500	2018
PI1057	100 – 1000 µl (Graduated)	Natural	500	2165
PI1058	100 – 1250 µl (Graduated)	Natural	500	2154



65 | PureRight™ Last Drop Low Retention Filter Pipette Tips, Individually Wrapped, Sterile, PP

- Individually wrapped Filter Tips are offered in sealed proof packaging.
- These tips are gamma radiated.
- The product is free from contamination and dust.
- Every piece comes with infographics of Lot and Expiry details.
- Abdos polyethylene pouches are recyclable.



Code	Capacity	Colour	No./case	Price/case (₹)
PI1040	0.1 – 10 µl (Graduated)	Natural	350	2121
PI1041	0.1 – 10 µl Extended (Graduated)	Natural	350	2121
PI1042	1 – 20 µl (Graduated)	Natural	350	2121
PI1043	1 – 100 µl (Graduated)	Natural	350	2121
PI1044	1 – 200 µl (Graduated)	Natural	350	2121
PI1045	1 – 300 µl (Graduated)	Natural	350	2121
PI1046	100 – 1000 µl (Graduated)	Natural	350	2533
PI1070	100 – 1000 µl XL (Graduated)	Natural	100	767
PI1071	100 – 1250 µL (Graduated)	Natural	100	761



Trusted By Scientist

Status: Reviewer ★

Member since: 2022

Organization: NCCS

Ease of use ★★★★★

After sales service ★★★★★

Value for money ★★★★★



“Excellent product to reduce pipetting errors in crucial experiments”

Rating: 5.0 ★★★★★

Application Area: Used for Real Time PCR

"It's effortless to use and works efficiently. Using low retention tips from Abdos one can minimize the errors in the experiments. It is highly recommended for experiments that require pipetting of viscous buffers. It's very difficult to aspirate the viscous buffers with regular tips and that may lead to pipetting error. It is an excellent product."

66 | Last Drop™, Low Retention Filter Pipette Tips – Gen 2 Racked, PP

- Gen 2 Racked Last Drop™ Filter Tips are offered in prefilled racks that do not require manual accumulation in empty boxes.
- Polypropylene racks are very robust, sturdy with consistent and thick wall thickness.
- Gen 2 Racks are hinged with transparent lid & base providing excellent view inside the box.
- Gen 2 Racks are stackable. Reusable once empty.



Code	Capacity	Colour	No./case	Price/case (₹)
PII060	0.1 – 10 µl (Graduated)	Natural	10 Racks x 96 pcs	5130
PII062	0.1 – 10 µl Extended (Graduated)	Natural	10 Racks x 96 pcs	5238
PII064	1 – 20 µl (Bevelled Graduated)	Natural	10 Racks x 96 pcs	5130
PII066	1 – 50 µl (Bevelled Graduated)	Natural	10 Racks x 96 pcs	5130
PII068	1 – 100 µl (Bevelled Graduated)	Natural	10 Racks x 96 pcs	5130
PII072	1 – 200 µl (Bevelled Graduated)	Natural	10 Racks x 96 pcs	5130
PII074	1 – 300 µl (Graduated)	Natural	10 Racks x 96 pcs	5130
PII076	100–1000 µl (Graduated)	Natural	10 Racks x 96 pcs	5778
PII078	100 – 1000 µl (XL) (Graduated)	Natural	10 Racks x 96 pcs	6043
PII080	100 – 1250 µl (Graduated)	Natural	10 Racks x 96 pcs	6032



67 | Last Drop™, Low Retention Filter Pipette Tips – Sterile Gen 2 Racked, PP



Code	Capacity	Colour	No./case	Price/case (₹)	No./ Bulk Case	Price/Bulk case (₹)
PII061	0.1 – 10 µl (Graduated)	Natural	10 Racks x 96 pcs	5431	20	102112
PII063	0.1 – 10 µl Extended (Graduated)	Natural	10 Racks x 96 pcs	5544	20	104222
PII065	1 – 20 µl (Bevelled Graduated)	Natural	10 Racks x 96 pcs	5431	20	102112
PII067	1 – 50 µl (Bevelled Graduated)	Natural	10 Racks x 96 pcs	5431	20	102112
PII069	1 – 100 µl (Bevelled Graduated)	Natural	10 Racks x 96 pcs	5431	20	102112
PII073	1 – 200 µl (Bevelled Graduated)	Natural	10 Racks x 96 pcs	5431	20	102112
PII075	1 – 300 µl (Graduated)	Natural	10 Racks x 96 pcs	5431	20	102112
PII077	100–1000 µl (Graduated)	Natural	10 Racks x 96 pcs	6033	20	113423
PII079	100 – 1000 µl (XL) (Graduated)	Natural	10 Racks x 96 pcs	6824	20	128300
PII081	100 – 1250 µl (Graduated)	Natural	10 Racks x 96 pcs	6814	20	128095



Trusted By Scientist

Status: Reviewer ★

Member since: 2022

Organization: CSIR-IMTECH,
Chandigarh

Ease of use ★★★★★

After sales service ★★★★★

Value for money ★★★★★



“Good products, thanks for holding our research”

Rating: 5.0 ★★★★★

Application Area: filter tips play major role in our daily research in lab. they are easy to use and helpful in many a

"the product is effective, yes! why one cannot trust the products from the Abdos. We use many products from Abdos, and they are trustworthy among other competing companies, by providing highly efficient products. Thanks for the good service."

68 | Empty Micro Tip Gen 2 Boxes, PP

- Abdos Micro Tip Gen 2 Boxes are robust with consistent wall thickness for repetitive use in single and multi channel pipette.
- Abdos Micro Tip Gen 2 Box can accommodate Abdos Micro Tips and the tip holding spaces are uniformly placed to facilitate easy use in multi channel pipette.
- These boxes are stackable.
- Transparent top cover provides an excellent view of the Micro Tips inside the box
- Manufactured in high quality polypropylene.
- Can be autoclaved.



Code	Tip Capacity	Places	L x W x H	No./case	Price/case (₹)
P20101	0.1 – 10 µl	96	126 x 93 x 70 mm	6	993
P20102	1 – 200 µl	96	127 x 93 x 70 mm	6	993
P20104	1 – 300 µl	96	146 x 101 x 75 mm	6	1035
P20103	100 – 1000 µl	96	146 x 99 x 97 mm	6	1299
P20105	100 – 1000 µl (XL) / 1250 µl	96	146 x 99 x 120 mm	6	1318
P20106	100 – 5000 µl	24	125 x 92 x 134 mm	6	3069
P20107	500 – 10000 µl	24	125 x 92 x 172 mm	6	3069

69 | Reagent Reservoir, HIPS

- Unique “trough within a trough” maximizes reagent recovery.
- Convenient pour-off spouts on all four corners.
- A wide base provides stability and avoids spills.
- Graduated marks on inside wall.
- Superior design provides stronger sidewalls.
- 100ml reagent reservoir has capacity for extended multi-channel pipetting into microtiter plates.
- This design allows ample clearance for all types of pipettes.



Code	Capacity	No./case	Price/case (₹)
PI0501	25 ml	10	1417
PI0503	100 ml	10	1657



Trusted By Scientist

Status: Reviewer ★

Member since: 2022

Organization: CSIR-IHBT
PALAMPUR

Ease of use ★★★★★

After sales service ★★★★★

Value for money ★★★★★



“Sequencing can't be imagined without you; you keep less I will get more.”

Rating: 5.0 ★★★★★

Application Area: Molecular Biology, NGS, PCR, qPCR.

"Low retention inside out both, accuracy, nice user friendly packaging, reusability after washing, autoclaving for general lab use."

ABDOS TIPS & LAST DROP PIPETTE TIPS

COMPATIBILITY CHART

Pipettor Brand/ Make			Elegant Pipettes								
			Single channel								
Abdos Code for Filter Pipette Tips	Abdos Code for Last Drop Filter Pipette Tips	Volume	0.1-2.5ul	0.5-10ul	2-20ul	10-100ul	20-200ul	30-300ul	100-1000ul	1000-5000ul	2000-10000ul
P10115	P10001	0.1-10ul	✓	✓							
P10137	P10002	0.1-10ul	✓	✓							
P10129		1-200ul			✓	✓	✓				
P10130	P10003	1-200ul			✓	✓	✓				
P10101		1-200ul			✓	✓	✓				
P10105	P10004	1-200ul			✓	✓	✓				
P10138	P10005	1-300ul			✓	✓	✓	✓			
P10102		100-1000ul							✓		
P10106	P10006	100-1000ul							✓		
P10174	P10007	100-1000ul							✓		
P10175	P10008	100-1250ul							✓		
P10144		1-5ml								✓	✓
P10145		1-10ml								✓	✓

Pipettor Brand / Make			Abdos Premium (Single Channel)					Abdos Premium Plus (Single Channel)					Abdos Fixed (Single Channel)										Abdos Premium (Multi Channel)			Abdos Premium Plus (Multi Channel)		
			0.5 - 10 µl	2-20 µl	10-100 µl	20-200µl	100-1000 µl	0.5 - 10 µl	2-20 µl	10-100 µl	20-200 µl	100-1000 µl	5 µl	10 µl	20 µl	25 µl	50 µl	100 µl	200 µl	250 µl	500 µl	1000 µl	0.5 - 10 µl	5 - 50 µl	50-300 µl	0.5 - 10 µl	5 - 50 µl	50-300 µl
P10115	P10001	0.2 - 10 µl	✓					✓					✓	✓									✓			✓		
P10137	P10002	0.2 - 10 µl	✓					✓					✓	✓									✓			✓		
P10129	-	2 - 200 µl		✓	✓	✓			✓	✓	✓				✓	✓	✓	✓	✓	✓				✓	✓		✓	✓
P10130	P10003	2 - 200 µl		✓	✓	✓			✓	✓	✓				✓	✓	✓	✓	✓	✓				✓	✓		✓	✓
P10101	-	2 - 200 µl		✓	✓	✓			✓	✓	✓				✓	✓	✓	✓	✓	✓				✓	✓		✓	✓
P10105	P10004	2 - 200 µl		✓	✓	✓			✓	✓	✓				✓	✓	✓	✓	✓	✓				✓	✓		✓	✓
P10138	P10005	2 - 300 µl		✓	✓	✓			✓	✓	✓				✓	✓	✓	✓	✓	✓				✓	✓		✓	✓
P10102	-	100 - 1000 µl					✓					✓									✓	✓						
P10106	P10006	100 - 1000 µl					✓					✓									✓	✓						

Pipettor Brand/ Make			Biohit eLine (Single channel)				Biohit eLine (multi channel)			Biohit m- Line® (Single channel)				Biohit m- Line® (multi channel)			Biohit Proline (Single channel)					Biohit Proline (Multi channel)			Biohit ePet (Single channel)			
Abdos Code for Pipette Tips	Abdos Code for Last Drop Pipette Tips	Volume	0.2-10µl	5-120µl	10-300µl	50-1000µl	0.2-10µl	5-120µl	10-300µl	0.5-10µl	2-20µl	10-100µl	20-200µl	100-1000µl	0.5-10µl	5-100µl	30-300µl	0.2-10µl	5-100µl	10-250µl	10-500µl	50-1000µl	0.2-10µl	5-100µl	25-250µl	0.2-10µl	5-100µl	50-1200µl
P10115	P10001	0.2 - 10 µl	✓				✓			✓					✓			✓					✓			✓		
P10137	P10002	0.2 - 10 µl	✓				✓			✓					✓			✓					✓			✓		
P10129	-	2 - 200 µl		✓								✓	✓			✓		✓						✓			✓	
P10130	P10003	2 - 200 µl		✓								✓	✓			✓		✓						✓			✓	
P10101	-	2 - 200 µl		✓								✓	✓			✓		✓						✓			✓	
P10105	P10004	2 - 200 µl		✓								✓	✓			✓		✓						✓			✓	
P10138	P10005	2 - 300 µl		✓	✓				✓			✓	✓			✓	✓	✓	✓					✓	✓		✓	
P10102	-	100 - 1000 µl				✓								✓								✓						
P10106	P10006	100 - 1000 µl				✓								✓								✓						

Pipettor Brand/ Make			Brand Transferpette													Brand Electronics													
			Single Channel									Multi Channel				Single Channel				Multi Channel									
Abdos Code for Pipette Tips	Abdos Code for Last Drop Pipette Tips	Volume	0.1-1µl	0.5-10µl	2-20µl "ULTRA MICRO"	2-20µl	5-50µl	10-100µl	20-200µl	25-250µl	100-1000µl	0.5-10µl	2-20µl	2.5-25µl	5-50µl	10-100µl	20-200µl		0.5-10µl	10-100µl	20-200µl	30-300µl	100-1000µl	0.5-10µl	5-100µl	10-200µl	15-300µl		
			P10115	P10001	0.2 - 10 µl		✓							✓							✓					✓			
			P10137	P10002	0.2 - 10 µl		✓							✓							✓					✓			
			P10129	-	2 - 200 µl					✓	✓	✓					✓	✓	✓			✓	✓				✓	✓	
			P10130	P10003	2 - 200 µl					✓	✓	✓					✓	✓	✓			✓	✓				✓	✓	
			P10101	-	2 - 200 µl					✓	✓	✓					✓	✓	✓			✓	✓				✓	✓	
			P10105	P10004	2 - 200 µl					✓	✓	✓					✓	✓	✓			✓	✓				✓	✓	
			P10138	P10005	2 - 300 µl					✓	✓	✓	✓				✓	✓	✓	✓		✓	✓	✓			✓	✓	✓
			P10102	-	100 - 1000 µl								✓												✓				
			P10106	P10006	100 - 1000 µl								✓												✓				

Pipettor Brand/ Make			Brand Transferpette S										Capp Aero						Gilson Pipetman					Gilson Pipetman Ultra			
			Single Channel				Multi Channel				Single Channel /Multi Channel						Single Channel					Multi Channel					
Abdos Code for Pipette Tips	Abdos Code for Last Drop Pipette Tips	Volume	0.1-1µl	0.5-10µl	2-20µl 'ULTRA MICRO'	10-100µl	20-200µl	100-1000µl	0.5-10µl	10-100µl	20-200µl	30-300µl	0.2-2µl	0.5-10µl	5-50µl	10-100µl	25-200µl	50-300µl	100-1000µl	0.2-2µl	1-10µl	2-20µl	20-100µl	50-200µl	200-1000µl	1-20µl	20-300µl
P10115	P10001	0.2 - 10 µl		√					√				√	√						√	√						
P10137	P10002	0.2 - 10 µl		√					√				√	√						√	√						
P10129	-	2 - 200 µl				√	√			√	√					√	√						√	√			
P10130	P10003	2 - 200 µl				√	√			√	√					√	√						√	√			
P10101	-	2 - 200 µl				√	√			√	√					√	√						√	√			
P10105	P10004	2 - 200 µl				√	√			√	√					√	√						√	√			
P10138	P10005	2 - 300 µl				√	√			√	√	√				√	√	√					√	√			√
P10102	-	100 - 1000 µl						√											√						√		
P10106	P10006	100 - 1000 µl						√											√						√		

Pipettor Brand / Make			Gilson Pipetman Ultra						Gilson Concept			Gilson Concept			Gilson Neo			
			Single Channel						Single Channel			Multi Channel			Single Channel			
Abdos Code for Pipette Tips	Abdos Code for Last Drop Pipette Tips	Volume	0.2-2µl	1-10µl	2-20µl	20-100µl	20-200µl	200-1000µl	0.5-10µl	5-100µl	20-300µl	1-10µl	10-100µl	30-300µl	0.2-2µl	1-10µl	20-100µl	100-1000µl
P10115	P10001	0.2 - 10 µl		✓					✓			✓				✓		
P10137	P10002	0.2 - 10 µl		✓					✓			✓				✓		
P10129	-	2 - 200 µl				✓	✓			✓			✓				✓	
P10130	P10003	2 - 200 µl				✓	✓			✓			✓				✓	
P10101	-	2 - 200 µl				✓	✓			✓			✓				✓	
P10105	P10004	2 - 200 µl				✓	✓			✓			✓				✓	
P10138	P10005	2 - 300 µl				✓	✓			✓	✓		✓	✓			✓	
P10102	-	100 - 1000 µl						✓										✓
P10106	P10006	100 - 1000 µl						✓										✓

Pipettor Brand/ Make			Vistalab Ovation QS						Vistalab Ovation M						Vistalab Ovation E				Eppendorf Reference						"Eppendorf Electronic"				
			Single Channel						Single Channel						Multi Channel				Single Channel										
Abdos Code for Pipette Tips	Abdos Code for Last Drop Pipette Tips	Volume	0.2-2µL	1-10µL	2-20µL	10-100µL	20-200µL	100-1000µL	0.2-2µL	1-10µL	2-20µL	10-100µL	20-200µL	100-1000µL	0.5-20µL	5-250µL	2-125µL	25-1250µL	0.1-10µL "0.1-10µL 'ULTRA MICRO'"	2-20µL	10-100µL	20-200µL	100-1000µL	0.5-10µL	5-100µL	2-200µL	50-1000µL		
			P10115	P10001	0.2 - 10 µl	✓	✓	✓			✓	✓	✓			✓				✓		✓							
			P10137	P10002	0.2 - 10 µl	✓	✓	✓			✓	✓	✓			✓				✓		✓							
			P10129	-	2 - 200 µl				✓	✓				✓	✓			✓	✓				✓	✓			✓	✓	
			P10101	-	2 - 200 µl				✓	✓				✓	✓			✓	✓				✓	✓			✓	✓	
			P10105	P10004	2 - 200 µl				✓	✓				✓	✓			✓	✓				✓	✓			✓	✓	
			P10138	P10005	2 - 300 µl				✓	✓				✓	✓			✓	✓				✓	✓			✓	✓	
			P10102	-	100 - 1000 µl					✓						✓				✓					✓				✓
			P10106	P10006	100 - 1000 µl					✓						✓				✓					✓				✓

Pipettor Brand/ Make			Eppendorf Research						"Eppendorf "						"Thermo Finnpiptette"						"Thermo Finnpiptette"			"Matrix Impact/Impact2"		
			Single Channel						Multi Channel						Single Channel						Multi Channel			s /mc		
Abdos Code for Pipette Tips	Abdos Code for Last Drop Pipette Tips	Volume	0.1-2.5µl	0.5-10µl	2-20µl	10-100µl	20-200µl	100-1000µl	0.5-10µl	5-100µl	50-100µl	0-300µl	30-300µl	50-1200µl	0.2-10µl	0.5-10µl	5-40µl	40-200µl	100-1000µl	200-1000µl	0.1-10µl	10-100µl	30-300µl	2-125µl	2-20µl	15-1250µl
P10115	P10001	0.2 - 10 µl		✓	✓				✓						✓	✓					✓					
P10137	P10002	0.2 - 10 µl		✓	✓				✓						✓	✓					✓					
P10129	-	2 - 200 µl				✓	✓			✓	✓							✓				✓		✓		
P10101	-	2 - 200 µl				✓	✓			✓	✓							✓				✓		✓		
P10105	P10004	2 - 200 µl				✓	✓			✓	✓							✓				✓		✓		
P10138	P10005	2 - 300 µl				✓	✓			✓	✓	✓	✓					✓				✓	✓	✓		
P10102	-	100 - 1000 µl						✓						✓*					✓	✓						
P10106	P10006	100 - 1000 µl						✓						✓*					✓	✓						

Pipettor Brand/ Make			Labnet Labpette						Labnet Labpette				Labnet BioPette E								"Nichiryo / Oxford Benchmate"					
			Single Channel						Multi Channel				Single Channel				Multi Channel				Single Channel & Multi Channel					
Abdos Code for Pipette Tips	Abdos Code for Last Drop Pipette Tips	Volume	0.1-2µl	0.5-10µl	2-20µl	10-100µl	20-200µl	100-1000µl	1-10µl	5-50µl	20-200µl	50-300µl	0.5-10µl	2-20µl	10-200µl	100-1000µl	0.5-10µl	2-20µl	10-200µl	100-1000µl	0.5-10µl	2-20µl	10-50µl	10-100µl	20-200µl	100-1000µl
P10115	P10001	0.2 - 10 µl	✓	✓					✓				✓				✓				✓					
P10137	P10002	0.2 - 10 µl	✓	✓					✓				✓				✓				✓					
P10129	-	2 - 200 µl				✓	✓				✓				✓				✓					✓	✓	
P10101	-	2 - 200 µl				✓	✓				✓				✓				✓					✓	✓	
P10105	P10004	2 - 200 µl				✓	✓				✓	✓			✓				✓					✓	✓	
P10138	P10005	2 - 300 µl				✓	✓				✓	✓			✓				✓					✓	✓	
P10102	-	100 - 1000 µl						✓								✓				✓						✓
P10106	P10006	100 - 1000 µl						✓								✓				✓						✓

Pipettor Brand/ Make			Socorex Calibra /Accura													Axygen Axyjet												
			Single Channel								Multi Channel					Single Channel							Multi Channel					
Abdos Code for Pipette Tips	Abdos Code for Last Drop Pipette Tips	Volume	0.1-20µl	0.2-20µl	0.5-10µl	1-10µl	2-20µl	10-100µl	20-200µl	100-1000µl	1-10µl	5-50µl	10-100µl	20-200µl	50-200µl	0.1-2µl	0.5-10µl	2-20µl	5-50µl	10-100µl	20-200µl	50-250µl	100-1000µl	1-10µl	5-50µl	20-200µl	50-300µl	
P10115	P10001	0.2 - 10 µl			✓	✓					✓						✓								✓			
P10137	P10002	0.2 - 10 µl			✓	✓					✓						✓								✓			
P10129	-	2 - 200 µl						✓	✓			✓	✓	✓	✓				✓	✓	✓					✓	✓	✓
P10130	P10003	2 - 200 µl						✓	✓			✓	✓	✓	✓				✓	✓	✓					✓	✓	✓
P10101	-	2 - 200 µl						✓	✓			✓	✓	✓	✓				✓	✓	✓					✓	✓	✓
P10105	P10004	2 - 200 µl						✓	✓			✓	✓	✓	✓				✓	✓	✓					✓	✓	✓
P10138	P10005	2 - 300 µl						✓	✓			✓	✓	✓	✓				✓	✓	✓	✓				✓	✓	✓
P10102	-	100 - 1000 µl								✓														✓				
P10106	P10006	100 - 1000 µl								✓														✓				

Pipettor Brand/ Make		BRAND		Eppendorf		Biohit Proline plus		Gilson		Thermo		Abdos	
Abdos Code for Pipette Tips	Volume	1-5 ml	1-10 ml	1-5 ml	1-10 ml	1-5 ml	1-10 ml	1-5 ml	1-10 ml	1-5 ml	1-10 ml	1-5 ml	1-10 ml
P10144	1 - 5 ml			✓		✓		✓				✓	
P10145	1 - 10 ml		✓		✓		✓		✓				✓

Pipettor Brand/ Make			Abdos premium	Abdos premium Plus	ABDOS D. Pipette (Electronic)	Brand Transferpette S	Gilson Pipetman	Eppendorf Research
			Single channel			Single channel		
Abdos Code for Pipette Tips	Abdos Code for Last Drop Pipette Tips	Volume	100-1000µl	100-1000µl	100-1000µl	100-1000µl	100-1000µl	100-1000µl
P10174	P10026	100 - 1000 µl	✓	✓	✓	✓	✓	✓
P10175	P10027	100 - 1250 µl	✓	✓	✓	✓	✓	✓

Pipettor Brand/ Make			THERMO (Electronic) Finnpiptette	Thermo Finnpiptette F3	Nichiryo NICHIPET EX	SOCOREX ACURA 825	BIOHIT Proline	ErgoOne Star Lab
			Multi channel	Single channel				
Abdos Code for Pipette Tips	Abdos Code for Last Drop Pipette Tips	Volume	100-1200µl	100-1000µl	100-1000µl	100-1000µl	100-1000µl	100-1000µl
P10174	P10026	100 - 1000 µl	✓	✓	✓	✓	✓	✓
P10175	P10027	100 - 1250 µl	✓	✓	✓	✓	✓	✓

ABDOS FILTER TIPS & LAST DROP FILTER PIPETTE TIPS

COMPATIBILITY CHART

Pipettor Brand/ Make			Elegant Pipettes								
			Single channel								
Abdos Code for Filter Pipette Tips	Abdos Code for Last Drop Filter Pipette Tips	Volume	0.1-2.5ul	0.5-10ul	2-20ul	10-100ul	20-200ul	30-300ul	100-1000ul	1000-5000ul	2000-10000ul
P11001	P11050	0.1-10ul	✓	✓							
P11002	P11051	0.1-10ul	✓	✓							
P11003	P11052	1-20ul			✓	✓	✓				
P11026	P11066	1-50ul				✓	✓				
P11004	P11053	1-100ul				✓	✓				
P11005	P11054	1-200ul				✓	✓				
P11006	P110055	1-300ul					✓	✓			
P11007	P11056	100-1000ul							✓		
P11015	P11057	100-1000ul							✓		
P11016	P11058	100-1250ul							✓		
P11017		100-5000ul								✓	✓
P11018		500-10000ul								✓	✓

Pipettor Brand/ Make			Abdos Premium (Single Channel)					Abdos Premium Plus (Single Channel)					Abdos Fixed (Single Channel)										Abdos Premium (Multi Channel)			Abdos Premium Plus (Multi Channel)		
			0.5 - 10 µl	2-20 µl	10-100 µl	20-200µl	100-1000 µl	0.5 - 10 µl	2-20 µl	10-100 µl	20-200 µl	100-1000 µl	5 µl	10 µl	20 µl	25 µl	50 µl	100 µl	200 µl	250 µl	500 µl	1000 µl	0.5 - 10 µl	5 - 50 µl	50-300 µl	0.5 - 10 µl	5 - 50 µl	50-300 µl
P11001	P11050	0.2 - 10 µl	✓					✓					✓	✓									✓			✓		
P11002	P11051	0.2 - 10 µl	✓					✓					✓	✓									✓			✓		
P11003	P11052	2 - 20 µl		✓	✓	✓			✓	✓	✓				✓	✓	✓	✓	✓	✓				✓	✓		✓	✓
P11026	P11066	2 - 50 µl		✓	✓	✓			✓	✓	✓				✓	✓	✓	✓	✓	✓				✓	✓		✓	✓
P11004	P11053	2 - 100 µl		✓	✓	✓			✓	✓	✓				✓	✓	✓	✓	✓	✓				✓	✓		✓	✓
P11005	P11054	2 - 200 µl		✓	✓	✓			✓	✓	✓				✓	✓	✓	✓	✓	✓				✓	✓		✓	✓
P11006	P11055	2 - 300 µl		✓	✓	✓			✓	✓	✓				✓	✓	✓	✓	✓	✓				✓	✓		✓	✓
P11007	P11056	100 - 1000 µl					✓					✓									✓	✓						

Pipettor Brand / Make			Biohit eLine (Single Channel)				Biohit eLine (Multi Channel)			Biohit m- Line® (Single channel)					Biohit m-Line® (Multi Channel)			Biohit Proline (Single Channel)					Biohit Proline (Multi Channel)			Biohit ePet (Single Channel)		
Abdos Code for Filter Pipette Tips	Abdos Code for Last Drop Filter Pipette Tips	Volume	0.2-10µl	5-120µl	10-300µl	50-1000µl	0.2-10µl	5-120µl	10-300µl	0.5-10µl	2-20µl	10-100µl	20-200µl	100-1000µl	0.5-10µl	5-100µl	30-300µl	0.2-10µl	5-100µl	10-250µl	10-500µl	50-1000µl	0.2-10µl	5-100µl	25-250µl	0.2-10µl	5-100µl	50-1200µl
P11001	P11050	0.2 - 10 µl	✓				✓			✓					✓			✓					✓			✓		
P11002	P11051	0.2 - 10 µl	✓				✓			✓					✓			✓					✓			✓		
P11003	P11052	2 - 20 µl		✓								✓	✓				✓			✓					✓			✓
P11026	P11066	2 - 50 µl		✓								✓	✓			✓			✓						✓			✓
P11004	P11053	2 - 100 µl		✓								✓	✓			✓			✓						✓			✓
P11005	P11054	2 - 200 µl		✓								✓	✓			✓			✓						✓			✓
P11006	P11055	2 - 300 µl		✓	✓				✓			✓	✓			✓	✓		✓	✓					✓	✓		✓
P11007	P11056	100 - 1000 µl				✓								✓								✓						

Pipettor Brand/ Make			Brand Transferpette														Brand Electronics											
			Single Channel								Multi Channel						Single Channel				Multi Channel							
Abdos Code for Filter Pipette Tips	Abdos Code for Last Drop Filter Pipette Tips	Volume	0.1-1µl	0.5-10µl	2-20µl 'ULTRA MICRO'	2-20µl	5-50µl	10-100µl	20-200µl	25-250µl	100-1000µl	0.5-10µl	2-20µl	2.5-25µl	5-50µl	10-100µl	20-200µl	30-300µl	0.5-10µl	10-100µl	20-200µl	30-300µl	100-1000µl	0.5-10µl	5-100µl	10-200µl	15-300µl	
P11001	P11050	0.2 - 10 µl		✓								✓							✓						✓			
P11002	P11051	0.2 - 10 µl		✓								✓							✓						✓			
P11003	P11052	2 - 20 µl					✓	✓	✓						✓	✓	✓			✓	✓					✓	✓	
P11026	P11066	2 - 50 µl					✓	✓	✓						✓	✓	✓			✓	✓					✓	✓	
P11004	P11053	2 - 100 µl					✓	✓	✓						✓	✓	✓			✓	✓					✓	✓	
P11005	P11054	2 - 200 µl					✓	✓	✓						✓	✓	✓			✓	✓					✓	✓	
P11006	P11055	2 - 300 µl					✓	✓	✓	✓					✓	✓	✓	✓		✓	✓	✓				✓	✓	✓
P11007	P11056	100 - 1000 µl									✓												✓					

Pipettor Brand/ Make			Brand Transferpette S										Capp Aero							Gilson Pipetman					Gilson Pipetman Ultra		
			Single Channel						Multi Channel				Single Channel /Multi Channel							Single Channel					Multi Channel		
Abdos Code for Filter Pipette Tips	Abdos Code for Last Drop Filter Pipette Tips	Volume	0.1-1µl	0.5-10µl	2-20µl 'ULTRA MICRO'	10-100µl	20-200µl	100-1000µl	0.5-10µl	10-100µl	20-200µl	30-300µl	0.2-2µl	0.5-10µl	5-50µl	10-100µl	25-200µl	50-300µl	100-1000µl	0.2-2µl	1-10µl	2-20µl	20-100µl	50-200µl	200-1000µl	1-20µl	20-300µl
P11001	P11050	0.2 - 10 µl	✓						✓				✓	✓						✓	✓						
P11002	P11051	0.2 - 10 µl	✓						✓				✓	✓						✓	✓						
P11003	P11052	2 - 20 µl				✓	✓			✓	✓					✓	✓						✓	✓			
P11026	P11066	2 - 50 µl				✓	✓			✓	✓					✓	✓						✓	✓			
P11004	P11053	2 - 100 µl				✓	✓			✓	✓					✓	✓						✓	✓			
P11005	P11054	2 - 200 µl				✓	✓			✓	✓					✓	✓						✓	✓			
P11006	P11055	2 - 300 µl				✓	✓			✓	✓	✓				✓	✓	✓					✓	✓			✓
P11007	P11056	100 - 1000 µl						✓											✓						✓		

Pipettor Brand/ Make			Gilson Pipetman Ultra						Gilson Concept			Gilson Concept			Gilson Neo			
			Single Channel						Single Channel			Multi Channel			Single Channel			
Abdos Code for Filter Pipette Tips	Abdos Code for Last Drop Filter Pipette Tips	Volume	0.2-2µl	1-10µl	2-20µl	20-100µl	20-200µl	200-1000µl	0.5-10µl	5-100µl	20-300µl	1-10µl	10-100µl	30-300µl	0.2-2µl	1-10µl	20-100µl	100-1000µl
P11001	P11050	0.2 - 10 µl		✓					✓			✓				✓		
P11002	P11051	0.2 - 10 µl		✓					✓			✓				✓		
P11003	P11052	2 - 20 µl				✓	✓			✓			✓				✓	
P11026	P11066	2 - 50 µl				✓	✓			✓			✓				✓	
P11004	P11053	2 - 100 µl				✓	✓			✓			✓				✓	
P11005	P11054	2 - 200 µl				✓	✓			✓			✓				✓	
P11006	P11055	2 - 300 µl				✓	✓			✓	✓		✓	✓			✓	
P11007	P11056	100 - 1000 µl						✓										✓

Pipettor Brand/ Make			Vistalab Ovation QS						Vistalab Ovation M						Vistalab Ovation E				Eppendorf Reference						Eppendorf Electronic				
			Single Channel						Single Channel						Multi Channel				Single Channel										
Abdos Code for Filter Pipette Tips	Abdos Code for Last Drop Filter Pipette Tips	Volume	0.2-2µL	1-10µL	2-20µL	10-100µL	20-200µL	100-1000µL	0.2-2µL	1-10µL	2-20µL	10-100µL	20-200µL	100-1000µL	0.5-20µL	5-250µL	2-125µL	25-1250µL	0.1-10µl	"0.1-10µl 'ULTRA MICRO'	2-20µl	10-100µl	20-200µl	100-1000µl	0.5-10µl	5-100µl	2-200µl	50-1000µl	
			P11001	P11050	0.2 - 10 µl	✓	✓	✓			✓	✓	✓			✓				✓		✓							
			P11002	P11051	0.2 - 10 µl	✓	✓	✓			✓	✓	✓			✓				✓		✓							
			P11003	P11052	2 - 20 µl				✓	✓				✓	✓			✓	✓					✓	✓			✓	✓
			P11026	P11066	2 - 50 µl				✓	✓				✓	✓			✓	✓					✓	✓			✓	✓
			P11004	P11053	2 - 100 µl				✓	✓				✓	✓			✓	✓					✓	✓			✓	✓
			P11005	P11054	2 - 200 µl				✓	✓				✓	✓			✓	✓					✓	✓			✓	✓
			P11006	P11055	2 - 300 µl				✓	✓				✓	✓			✓	✓					✓	✓			✓	✓
			P11007	P11056	100 - 1000 µl						✓					✓				✓						✓			

Pipettor Brand/ Make			Eppendorf Research						Eppendorf						Thermo Finnpiptette						Thermo Finnpiptette			Matrix Impact/Impact2		
			Single Channel						Multi Channel						Single Channel						Multi Channel			s/mc		
Abdos Code for Filter Pipette Tips	Abdos Code for Last Drop Filter Pipette Tips	Volume	0.1-2.5µl	0.5-10µl	2-20µl	10-100µl	20-200µl	100-1000µl	0.5-10µl	5-100µl	50-100µl	0-300µl	30-300µl	50-1200µl	0.2-10µl	0.5-10µl	5-40µl	40-200µl	100-1000µl	200-1000µl	0.1-10µl	10-100µl	30-300µl	2-125µl	2-20µl	15-1250µl
P11001	P11050	0.2 - 10 µl		✓	✓				✓						✓	✓					✓					
P11002	P11051	0.2 - 10 µl		✓	✓				✓						✓	✓					✓					
P11003	P11052	2 - 20 µl				✓	✓			✓	✓							✓				✓		✓		
P11026	P11066	2 - 50 µl				✓	✓			✓	✓							✓				✓		✓		
P11004	P11053	2 - 100 µl				✓	✓			✓	✓							✓				✓		✓		
P11005	P11054	2 - 200 µl				✓	✓			✓	✓							✓				✓		✓		
P11006	P11055	2 - 300 µl				✓	✓			✓	✓	✓	✓					✓				✓	✓	✓		
P11007	P11056	100 - 1000 µl						✓						✓*					✓	✓						

Pipettor Brand/ Make			Labnet Labpette						Labnet Labpette				Labnet BioPette E								Nichiryo /Oxford Benchmate							
			Single Channel						Multi Channel				Single Channel				Multi Channel				Single Channel & Multi Channel							
Abdos Code for Filter Pipette Tips	Abdos Code for Last Drop Filter Pipette Tips	Volume	0.1-2µl	0.5-10µl	2-20µl	10-100µl	20-200µl	100-1000µl	1-10µl	5-50µl	20-200µl	50-300µl	0.5-10µl	2-20µl	10-200µl	100-1000µl	0.5-10µl	2-20µl	10-200µl	100-1000µl	0.5-10µl	2-20µl	10-50µl	10-100µl	20-200µl	100-1000µl		
			✓	✓					✓				✓				✓					✓						
			✓	✓					✓				✓				✓					✓						
						✓	✓					✓				✓					✓				✓	✓		
						✓	✓						✓			✓					✓				✓	✓		
						✓	✓						✓			✓					✓				✓	✓		
						✓	✓						✓	✓			✓				✓				✓	✓		
									✓				✓				✓				✓					✓	✓	
										✓								✓				✓						✓

Pipettor Brand/ Make			Socorex Calibra/Accura										Axygen Axyjet														
			Single Channel							Multi Channel					Single Channel							Multi Channel					
Abdos Code for Filter Pipette Tips	Abdos Code for Last Drop Filter Pipette Tips	Volume	0.1-20µl	0.2-20µl	0.5-10µl	1-10µl	2-20µl	10-100µl	20-200µl	100-1000µl	1-10µl	5-50µl	10-100µl	20-200µl	50-200µl	0.1-2µl	0.5-10µl	2-20µl	5-50µl	10-100µl	20-200µl	50-250µl	100-1000µl	1-10µl	5-50µl	20-200µl	50-300µl
P11001	P11050	0.2 - 10 µl			✓	✓					✓						✓							✓			
P11002	P11051	0.2 - 10 µl			✓	✓					✓						✓							✓			
P11003	P11052	2 - 20 µl						✓	✓			✓	✓	✓	✓				✓	✓	✓				✓	✓	✓
P11026	P11066	2 - 50 µl						✓	✓			✓	✓	✓	✓				✓	✓	✓				✓	✓	✓
P11004	P11053	2 - 100 µl						✓	✓			✓	✓	✓	✓				✓	✓	✓				✓	✓	✓
P11005	P11054	2 - 200 µl						✓	✓			✓	✓	✓	✓				✓	✓	✓				✓	✓	✓
P11006	P11055	2 - 300 µl						✓	✓			✓	✓	✓	✓				✓	✓	✓	✓			✓	✓	✓
P11007	P11056	100 - 1000 µl								✓													✓				

Pipettor Brand/ Make		BRAND		Eppendorf		Biohit Proline plus		Gilson		Thermo		Abdos	
Abdos Code for Filter Pipette Tips	Volume	1-5 ml	1-10 ml	1-5 ml	1-10 ml	1-5 ml	1-10 ml	1-5 ml	1-10 ml	1-5 ml	1-10 ml	1-5 ml	1-10 ml
P11017	1 - 5 ml			✓		✓		✓				✓	
P11018	1 - 10 ml		✓		✓		✓		✓				✓

Pipettor Brand/ Make			Abdos premium	Abdos premium Plus	ABDOS D. Pipette (Electronic)	Brand Transferpette S	Gilson Pipetman	Eppendorf Research
			Single channel			Single channel		
Abdos Code for Filter Pipette Tips	Abdos Code for Last Drop Filter Pipette Tips	Volume	100-1000µl	100-1000µl	100-1000µl	100-1000µl	100-1000µl	100-1000µl
P11015	P11057	100 - 1000 µl	✓	✓	✓	✓	✓	✓
P11016	P11058	100 - 1250 µl	✓	✓	✓	✓	✓	✓

Pipettor Brand/ Make			THERMO (Electronic) Finnpiptette	Thermo Finnpiptette F3	Nichiryo NICHIPET EX	SOCOREX ACURA 825	BIOHIT Proline	ErgoOne Star Lab
			Multi channel	Single channel				
Abdos Code for Filter Pipette Tips	Abdos Code for Last Drop Filter Pipette Tips	Volume	100-1200µl	100-1000µl	100-1000µl	100-1000µl	100-1000µl	100-1000µl
P11015	P11057	100 - 1000 µl	✓	✓	✓	✓	✓	✓
P11016	P11058	100 - 1250 µl	✓	✓	✓	✓	✓	✓

Pipettor Brand/ Make		BRAND		Eppendorf		Biohit Proline plus		Gilson		Thermo		Abdos	
Abdos Code for Filter Pipette Tips	Volume	1-5 ml	1-10 ml	1-5 ml	1-10 ml	1-5 ml	1-10 ml	1-5 ml	1-10 ml	1-5 ml	1-10 ml	1-5 ml	1-10 ml
P10170	1 - 5 ml			✓		✓		✓				✓	
P10171	1 - 10 ml		✓		✓		✓		✓				✓

Note: Variants of all tips are compatible with the pipette's brand mentioned in the above list.

Eq. Type : Tips – Bulk in Resealable Bags

Variants : Pipette Tips, (P10115 , P10137 , P10129 , P10130 , P10101 , P10105, P10138, P10102, P10106, P10174, P10175)
 Last Drop™ Low Retention Pipette Tips (P10001, P10002, P10003 , P10004, P10005, P10006)
 Filter Pipette Tips (P11001, P11002, P11003, P11004, P11005 ,P11006 ,P11007 ,P11015 , P11016)
 Last Drop™ Low Retention Filter Pipette Tips (P11050 , P11051, P11052 , P11053 , P11054 , P11055 , P11056)

Followed with other variants & Types: Tips – Individually wrapped, Racked, Racked Sterile & Refill pack.

70 | Stepmate Stepper

- Stepmate Stepper is ideal for routine or research applications in diagnostics, molecular biology, environmental analysis and more.
- Stepmate stepper works on positive displacement pressure and offers highest precision dispensing of liquid media with high viscosity, high density and high vapour pressure.
- It provides up to 48 dispensing steps and improves work efficiently.
- It is lightweight and ergonomic.
- It can be used with one hand and is maintenance free.
- Factory fitted calibration.



Stepmate Stepper			
Code	Capacity	No./case	Price/case (₹)
E11171	0.5 - 50 ml	1	23021

Syringes				
Code	Capacity	Colour	No./case	Price/case (₹)
E11172D	0.5ml	Natural	100	16280
E11173D	1.25ml	Natural	100	16280
E11174D	2.5ml	Natural	100	16280
E11175D	5ml	Natural	100	16280
E11176D	12.5ml	Natural	100	16280
E11177D	25ml	Natural	25	19580
E11178D	50ml	Natural	25	19580
E11179D	25ml Adaptor	Red	1	1100
E11180D	50ml Adaptor	Grey	1	1100
E11181D	0.5ml Sterile	Natural	100	17490
E11182D	1.25ml Sterile	Natural	100	17490
E11183D	2.5ml Sterile	Natural	100	17490
E11184D	5ml Sterile	Natural	100	17490
E11185D	12.5ml Sterile	Natural	100	17490
E11186D	25ml Sterile	Natural	25	20790
E11187D	50ml Sterile	Natural	25	20790

* The first and last dispensing liquid should be discarded for precision.

Dial Setting	01	02	03	04	05
Number of Steps	48	23	15	11	08

Syringe Volume	Test Volume (μl)					A%	P%
0.50 ml	10	20	30	40	50	± 0.8	≤ 0.7
1.25 ml	25	50	75	100	125	± 0.8	≤ 0.5
2.50 ml	50	100	150	200	250	± 0.8	≤ 0.4
5.00 ml	100	200	300	400	500	± 0.4	≤ 0.3
12.50 ml	250	500	750	1000	1250	± 0.3	≤ 0.3
25.00 ml	500	1000	1500	2000	2500	± 0.2	≤ 0.3
50.0 ml	1000	2000	3000	4000	5000	± 0.2	≤ 0.2



71 | Supreme Bottle Top Dispenser

- Supreme is a robust and reliable basic bottle top dispenser designed through years of research.
- Supreme has a smooth and soft plunger for easy working in difficult laboratory conditions.
- Fully Autoclavable.

SPECIFICATIONS :

Piston	PTFE & ETP
Cylinder	Borosilicate Glass
Volume Adjustment Knob	PP, 180°, Rotation
Value Housing	PFA
Value Assembly	Borosilicate Glass Ball & Seat
Discharge Assembly	PTFE
Delivery Tube	FEP
Inlet Tube	FEP
Calibration	Individually Calibrated and Certified
Accuracy & Reproducibility	According to ISO 8655 Standards
Compatibility	Excellent with all reagents except HF



Code	Capacity	Increment	Accuracy		CV		No./case	Price/case (₹)
E11701	0.25 – 2.5 ml	0.05 ml	± 0.6 %	± 0.015 ml	± 0.2 %	± 0.005 ml	1	13858
E11702	0.50 – 5 ml	0.1 ml	± 0.6 %	± 0.030 ml	± 0.2 %	± 0.010 ml	1	13858
E11703	1 – 10 ml	0.2 ml	± 0.6 %	± 0.060 ml	± 0.2 %	± 0.020 ml	1	13858
E11704	2.5 – 30 ml	0.5 ml	± 0.6 %	± 0.180 ml	± 0.2 %	± 0.060 ml	1	20464
E11705	5 – 60 ml	1 ml	± 0.6 %	± 0.360 ml	± 0.2 %	± 0.120 ml	1	20464
E11706	10 – 100 ml	2 ml	± 0.6 %	± 0.600 ml	± 0.2 %	± 0.200 ml	1	24684



72 | Supreme Plus Bottle Top Dispenser

- Supreme plus is the most advanced, next generation, highly robust and reliable bottle top dispenser designed through years of research.
- Supreme duet has a recirculation valve for redirecting the liquid into the bottle for bubble free dispensing without any loss of reagent.
- Supreme duet has a smooth and soft plunger for easy working in difficult laboratory conditions.
- Fully Autoclavable.

SPECIFICATIONS :

Piston	PTFE & ETP
Cylinder	Borosilicate Glass
Volume Adjustment Knob	PP, 180° Rotation
Value Housing	PFA
Re-Circulation Value Housing	PFA
Value Assembly	Borosilicate Glass Ball & Seat
Discharge Assembly	PTFE
Delivery Tube	FEP
Inlet Tube	FEP
Calibration	Individually Calibrated and Certified
Accuracy & Reproducibility	According to ISO 8655 Standards
Compatibility	Excellent with all reagents except HF



Code	Capacity	Increment	Accuracy		CV		No./case	Price/case (₹)
E11711	0.25 – 2.5 ml	0.05 ml	± 0.6 %	± 0.015 ml	± 0.2 %	± 0.005 ml	1	19054
E11712	0.50 – 5 ml	0.1 ml	± 0.6 %	± 0.030 ml	± 0.2 %	± 0.010 ml	1	19054
E11713	1 – 10 ml	0.2 ml	± 0.6 %	± 0.060 ml	± 0.2 %	± 0.020 ml	1	19054
E11714	2.5 – 30 ml	0.5 ml	± 0.6 %	± 0.180 ml	± 0.2 %	± 0.060 ml	1	26724
E11715	5 – 60 ml	1 ml	± 0.6 %	± 0.360 ml	± 0.2 %	± 0.120 ml	1	26724
E11716	10 – 100 ml	2 ml	± 0.6 %	± 0.600 ml	± 0.2 %	± 0.200 ml	1	31797



73 | Supreme Duet Bottle Top Dispenser

- Supreme duet is the most advanced, next generation, highly robust and reliable bottle top dispenser designed through years of research.
- Supreme duet has a recirculation valve for redirecting the liquid into the bottle and rinsing the instrument without dismounting from the bottle.
- Supreme duet with a worldwide patent can be used in 4 modes: dilution, rinsing, dual liquid handling and re-circulation all in a single unit.
- Supreme duet has a smooth and soft plunger for easy working in difficult laboratory conditions.
- Fully Autoclavable.

SPECIFICATIONS :

Piston	PTFE & ETP
Cylinder	Borosilicate Glass
Volume Adjustment Knob	PP, 180° Rotation
Value Housing	PFA
Re-Circulation Value Housing	PFA
Value Assembly	Borosilicate Glass Ball & Seat
Discharge Assembly	PTFE
Delivery Tube	FEP
Inlet Tube	FEP
Calibration	Individually Calibrated and Certified
Accuracy & Reproducibility	According to ISO 8655 Standards
Compatibility	Excellent with all reagents except HF




Code	Capacity	Increment	Accuracy		CV		No./case	Price/case (₹)
E11731	0.25 – 2.5 ml	0.05 ml	± 0.6 %	± 0.015 ml	± 0.2 %	± 0.005 ml	1	34396
E11732	0.50 – 5 ml	0.1 ml	± 0.6 %	± 0.030 ml	± 0.2 %	± 0.010 ml	1	34396
E11733	1 – 10 ml	0.2 ml	± 0.6 %	± 0.060 ml	± 0.2 %	± 0.020 ml	1	34396
E11734	2.5 – 30 ml	0.5 ml	± 0.6 %	± 0.180 ml	± 0.2 %	± 0.060 ml	1	46459
E11735	5 – 60 ml	1 ml	± 0.6 %	± 0.360 ml	± 0.2 %	± 0.120 ml	1	47263
E11736	10 – 100 ml	2 ml	± 0.6 %	± 0.600 ml	± 0.2 %	± 0.200 ml	1	65203



74 | Serological Pipettes Sterile, PS

- ABDOS serological pipettes are designed for accurate and rapid fluid dispensing.
- ABDOS sterile serological pipettes are pyrogen free and PE filter plugged for a variety of liquid handling applications. The sharp, black, highly legible permanent graduations prevent ambiguity and guarantee precise reading and accurate dispensing to $\pm 2\%$.
- Made of transparent medical grade polystyrene, sterilized by gamma irradiation.
- ABDOS serological pipettes are tested for endotoxins (0.005 EU/ml), cytotoxicity (ISO 10993-5) and are guaranteed non-haemolytic.
- Ideal in Cell culture & tissue culture applications.
- The reverse graduations of ABDOS disposable serological pipettes show volume removed or remaining on all pipettes larger than 1 mL. Moreover, the generous negative graduations provide additional pipetting volume.
- ABDOS sterile serological pipettes have an effective filter barrier to prevent overflow of liquid into pipette. Designed to fit with available motorized pipette controllers.



Code	P10601	P10607	P10602	P10608	P10603	P10609	P10604	P10610	P10605	P10611	P10606	P10612
Capacity	1 ml	1 ml	2 ml	2 ml	5 ml	5 ml	10 ml	10 ml	25 ml	25 ml	50 ml	50 ml
Height	262 mm	262 mm	280 mm	280 mm	333 mm	333 mm	354 mm	354 mm	312 mm	312 mm	360 mm	360 mm
No./Inner pack	Individually wrapped	100	Individually wrapped	100	Individually wrapped	25	Individually wrapped	25	Individually wrapped	25	Individually wrapped	25
No./case	500	500	400	400	200	200	200	200	200	200	100	100
Price/case (₹)	5994	5395	5229	4706	3941	3547	4142	3728	8475	7628	8400	7560

75 | Handypette Pipette Aid

- Colour coded by volume with green for 10 ml and red for 25 ml.
- Users can easily insert glass and plastic pipettes into the collar with stable fingers for secure hold.
- Rotating the knurled thumbwheel draws liquid to desired volumes. To release liquid apply light pressure to the fast release lever. For gradual dispensing rotate the thumb wheel.
- Resistant to acids, alkalis.
- Easily disassemble for cleaning.



Code	Capacity	No./case	Price/case (₹)
E11222	2 ml	4	2911
E11218	10 ml	4	2911
E11216	25 ml	4	3200

76 | Rubber Pipette Pump

- Pump opening is standard to fit almost all glass and plastic pipettes.
- One size can be used for pipetting liquid upto 100 ml.
- The pump has a heavy wall and easy to grip body.

Code	Capacity	No. / pack	Price/case (₹)
E11217	Up to 50 ml	10	2945



77 | Rave Pipette Controller, PP

- Abdos Rave Pipette Controller is robust, lightweight and its simple to use operations makes it ideal for repetitive pipetting.
- Users can use Volumetric and Serological Pipettes ranging from 0.1 ml to 100 ml.
- Abdos Rave Pipette Controller has autoclavable silicone pipette holder.
- Abdos Rave Pipette Controller is supplied with integral and replaceable 3 um filter.
- The in-line filter prevents contamination.
- Precise Pipetting control is possible in Abdos Rave Pipette Controller.

Rave Pipette Controller			
Code	Product	No./case	Price/case (₹)
E11113	Rave Pipette Controller	1	3881

Spare Filters			
Code	Product	No./case	Price/case (₹)
E11119	Spare 3.00 um Filter	1	323



78 | Rave Pipette Filler

- Abdos Rave Plus Pipette Filler is robust, light-weight and is ergonomically designed to allow longer, fatigue- free pipetting.
- Abdos Rave Plus Pipette Filler is powerful and can fill a 50 ml Pipette in less than 10 seconds. Motor & pump operate quietly with very low vibration.
- Users can use Volumetric and Serological Pipettes ranging from 1 ml to 100 ml.
- Abdos Rave Plus Pipette Filler is supplied with Lithium-ion cell that provides enough battery power to finish the users series.
- Abdos Rave Pipette Controller is supplied with integral and replaceable 0.45 μ m filter.

SPECIFICATIONS :

Battery	Lithium-Ion Cell
Battery Service Life	More than 8 hours of Intermittence use.
Charging Time	Approx. 2 Hours.
Pipette Types	Glass or Plastic Pipettes (0.1–100ml)
Aspirate Speeds	8
Dispense Speeds	8 Gravity Dispense
Filter	0.45 μ m Hydrophobic
Capacity	2000 mA



Rave Pipette Filler			
Code	Product	No./case	Price/case (₹)
E11114	Rave Plus Pipette Filler	1	24578
E11120	Rave Eco Pipette Filler	1	18581

Rave Pipette Filler			
Code	Product	No./case	Price/case (₹)
E11116	Spare 0.45 μ m Filter	1	860
E11117	Spare Lithium - ion	1	7533
E11118	Spare Adapter	1	6606



79 | Pipette Stand Vertical, PP

- These Polypropylene racks can hold upto 28 glass or plastic pipettes in vertical position.
- The Heavy base has a diameter of 9 inch and polypropylene coated square rod having a length of 15 inches is screwed into the base.
- These racks are available in white colour.
- There are two discs to hold the pipette and give it stability. Both Discs can be moved in upward and downward direction to accommodate various lengths of pipette.
- Can be autoclaved.



Code	Places	D x H	No./case	Price/case (₹)
P70205	28	232 x 381 mm	1	728




80 | Pipette Stand Horizontal, PP

- These Polypropylene racks can hold upto 12 glass or plastic pipettes in horizontal position.
- The rack consists of three polypropylene coated metal rods to provide stability and strength to rack.
- Can be Autoclaved.
- These Racks are available in white colour.
- These racks can be easily assembled or disassembled to save space.



Code	Places	No./case	Price/case (₹)
P70204	12	6	1308



81 | Pipette Storage Rack with Magnet, ABS

- These racks help to protect and organize glass and plastic pipettes.
- Angled four shelved compartments keep 0.1 to 50 mL pipettes or cans within easy reach while preventing damage and clutter.
- These have cut-out viewing window and come with two removable attachments that hold pipette bulbs, fillers, and pumps.
- These unique innovative magnetized racks have strong magnets on both sides and mount securely to most metal surfaces.


Code	Places	L x W x H	No./case	Price/case (₹)
P70202	Store 1 - 50 ml pipette or cans	291 x 88 x 401 mm	1	5018



82 | Pipette Storage Rack, ABS

- These racks can be assembled together horizontally or vertically to build the desired configuration, or used as individual holders, using sections.
- Angle shelf design makes these racks compatible to use for storing 0.1 to 50 ml of Serological pipettes.
- Can be used bench-top or can be connected to most metal surfaces.

Code	Size (W x H x D)	Compatible	No./case	Price/case (₹)
PI0620	301 x 100 x 127.5 mm	0.1 ml to 50 ml	3	8470



83 | Pasteur Pipettes, LDPE

- Excellent chemical stability.
- Suitable for drawing, transferring and blending various volumes of liquid.
- Transparent with clear graduation markings for easy liquid level observation.
- Manufactured in ISO 8 grade clean room.
- No additive contamination.
- Pipettes can be twisted and contorted for use with micro-vessels & oddly shaped containers.
- High precision and good repeatability.
- The individually packed pipettes are sterilized by Gamma radiation.



Individually wrapped Pasteur Pipettes



Code	P31207	P31208	P31201	P31202	P31209	P31210	P31205	P31206
Capacity	0.4 ml	0.4 ml Sterile, Individually wrapped	1.0 ml	1.0 ml Sterile, Individually wrapped	2.0 ml	2.0 ml Sterile, Individually wrapped	3.0 ml	3.0 ml Sterile, Individually wrapped
Height	131 mm	131 mm	154 mm	154 mm	152 mm	152 mm	154 mm	154 mm
No./case	500	500	500	450	500	450	500	450
Price/case (₹)	920	3267	828	2735	832	2873	863	2780
Price/48 Case (₹)	41501	147407	37351	123412	37522	129621	38932	125430

- Abdos Ria Vials are polypropylene/polystyrene tubes generally used in Radioimmuno Assay –a scientific method used to test antigens (for sample, hormone levels in the blood) without the need to use a bioassay.
- Abdos Ria Vial PP are clear and can withstand 3000*g RCF during centrifugation while the transparent polystyrene tubes can withstand 1400*g RCF.
- The PP tubes can accept common acids, alkalies & solvents at room temperature while the PS tubes can accept mild bases, weak acids but not organic solvents.
- Amber Ria Vials are used for light sensitive samples.
- Abdos Ria Vials PP are autoclavable while PS tubes are non-autoclavable.



RIA Vial & Plastic Test Tube						
Code	Φ x h	Material	Capacity	No./case	Price/case (₹)	Price/260 Case (₹)
PI0305	12 X 40 mm	PP	2.5 ml	500	391	95450
PI0306	12 X 40 mm	PS	2.5 ml	500	415	101353
PI0301	12 x 75 mm	PP	5 ml	500	523	127877
PI0303	12 x 75 mm	PS	5 ml	500	538	131463
PI0308	13 X 100 mm	PP	8 ml	500	1360	
PI0309	13 X 100 mm	PS	8 ml	500	1409	
PI0310	16 X 100 mm	PP	10 ml	500	1690	
PI0311	16 X 100 mm	PS	10 ml	500	1734	

RIA Vial Cap & Plastic Test Tube Cap					
Code	Φ	Material	No./case	Price/case (₹)	Price/192 Case (₹)
PI0304	12 X 40 mm	HDPE	500	280	50596
PI0307	12 X 40 mm	PP	500	335	60425
PI0302	12 x 75 mm	LDPE	500	335	60425
PI0312	12 x 75 mm	HDPE	1000	1317	
PI0313	13 X 100 mm	HDPE	1000	1676	

Amber RIA Vial					
Code	Φ x h	Material	Capacity	No./case	Price/case (₹)
PI0305A	12 x 40 mm	PP Amber	2.5 ml	500	489
PI0305A1	12 x 40 mm	PP Transparent Amber	2.5 ml	500	489
PI0301A	12 x 75 mm	PP Amber	5 ml	500	636
PI0301A1	12 x 75 mm	PP Transparent Amber	5 ml	500	636

Amber RIA Vial Cap, HDPE				
Code	Φ	Material	No./case	Price/case (₹)
PI0304A	12 mm	HDPE Amber	500	346
PI0304A1	12 mm	HDPE Transparent Amber	500	349



85 | Sample Container, PP/HDPE


- Ultra clear polypropylene container with polyethylene leak proof screw cap.
- Frosted portion for easy writing.
- Clear and easy to read graduations.
- Sterile container is individually packed in polyethylene pouch.
- Clean room ISO class 8.
- 120 ml containers are also available in stacked sleeves.



Code	Capacity	Colours	Subdivision	Height	No./case	Price/Piece(₹)	Price/case (₹)
P40101	60 ml	Blue, Red & White	10 ml	55 mm	400	7.48	2993
P40102	60 ml Sterile, Individually wrapped	Blue, Red & White	10 ml	55 mm	350	9.77	3420
P40105	60 ml (Spoon Included)	Blue, Red & White	10 ml	55 mm	400	9.15	3661
P40106	60 ml, Sterile Individually Wrapped (Spoon Included)	Blue, Red & White	10 ml	55 mm	350	12.30	4305
P40103	120 ml	Blue, Red & White	20 ml	76 mm	200	10.07	2014
P40104	120 ml Sterile, Individually wrapped	Blue, Red & White	20 ml	76 mm	200	11.19	2237
P40107	120 ml, Stackable Sleeve of 20	Blue, Red & White	20 ml	76 mm	500	8.72	4360
P40112	200 ml	Blue, Red & White	20 ml	120 mm	150	23.32	3498
P40113	200 ml Sterile, Individually wrapped	Blue, Red & White	20 ml	120 mm	100	25.40	2540

Add Colour Code of your choice: BLUE (B), RED (R), WHITE (W)

VALUE ADDITIONS
All Abdos Sample Containers can withstand up to 95 kPa of pressure, best suitable for vacuum transportation lift for samples at Hospitals.



The Unique Grip screw cap provides a secure grip in wet conditions.

Moulded ring provides stability and confirms complete closure of the cap while ensuring 100% leak proof.

Sterile containers are individually wrapped and has been validated according to ISO 11137 for SAL 10⁻⁶

Engraved graduation marks and frosted surface for Name, No. and date provides better visibility on volume and traceability of the samples.

Highly Transparent for easy visualization of samples.

An IVD CERTIFIED PRODUCTS best recommended for diagnostics with a leakproof screw cap, principally important when transporting hazardous material. Ideal for transport and storage of urine, sputum and most liquids or particulate samples.

Samples containers shatter resistant Manufactured from ultra-pure USP-VI Virgin Polypropylene (PP) and Comply with the requirement of 21 CFR 177.1520.

Containers are Manufactured inside the controlled, validated Clean Room ISO Class 8 by high-end Injection Moulding using high precision moulds which ensure smooth and symmetrical End product.



86 | Wire Sample Container Rack, Epoxy Coated Steel

- Durable racks for transport or sample handling.
- Suitable for various shaped (round, conical, flat bottom) tubes & bottles.
- Superior chemical resistance.
- Holds bottle and vessels up to 58 mm in diameter.
- Slotted Bottom has mesh that gives support.

Code	Tube Diameter	Places	L x W x H	No./case	Price/case (₹)
P40111	55 mm	24 (6 x 4 Array)	393 x 262 x 50 mm	01	4516





04

Microbiology

PETRI DISH (PS): 60, 90 & 140 MM

CONTACT PLATES



SOFT INOCULATION LOOPS

CELL SPREADERS


EQUIPMENTS & MORE

#CommittedtotheEarth

Petri Dish Features



- Abdos high quality disposable Petri Dishes are suitable for all microbiological applications manufactured as per ISO 24998 'Plastics laboratory ware — Single-use'.
- Robust dimensional accuracy of 90 mm ensures compatibility with most automated systems.
- Extremely high optical clarity for easy view on microscope.
- Vented Dishes have elevated lid that allows for superior gas exchange and evaporation.
- Non-Vented Dishes have flat lid that prevents evaporation, encouraging long incubation period & anaerobic application.
- Shallow dish design allows for maximum use of incubator space.
- Easy to stack.
- Abdos Petri Dishes retain their shape upto 55°C.
- Aseptic Dishes are manufactured in clean room under controlled low bio-burden conditions for best performance in all applications.
- Abdos Petri Dishes are also available in two & three compartments that enable parallel testing of single sample using different agar, solvents and reagents.
- Sterile Plates have been validated according to ISO 11137 for SAL 10⁻⁶



Petri Dish - Aseptic, PS								
Code	Diameter	Height	Compartment	Vent	Packing	No./case	Price/case (₹)	Price/20 case (₹)
PI0931	60 mm	14.20 mm	No	0 Vent	Sleeve of 20	1400	10494	197287
PI0932	60 mm	14.20 mm	No	3 Vent	Sleeve of 20	1400	10494	197287
PI0901	90 mm	15.80 mm	No	3 Vent	Sleeve of 20	480	3607	67811
PI0902	90 mm	15.80 mm	No	3 Vent	Individual Wrapped	380	3218	60498
PI0903	90 mm	15.80 mm	No	0 Vent	Sleeve of 20	480	3607	67811
PI0904	90 mm	15.80 mm	No	0 Vent	Individual Wrapped	380	3218	60498
PI0933	140 mm	17.50 mm	No	0 Vent	Sleeve of 5	180	6512	122426
PI0934	140 mm	17.50 mm	No	3 Vent	Sleeve of 5	180	6512	122426

Petri Dish - Gamma Radiated Sterile, PS								
Code	Diameter	Height	Compartment	Vent	Packing	No./case	Price/case (₹)	Price/20 case (₹)
PI0935	60 mm	14.20 mm	No	0 Vent	Sleeve of 20	1400	10622	199694
PI0936	60 mm	14.20 mm	No	3 Vent	Sleeve of 20	1400	10622	199694
PI0905	90 mm	15.80 mm	No	3 Vent	Sleeve of 20	480	4014	75463
PI0906	90 mm	15.80 mm	No	3 Vent	Sleeve of 10	480	4109	77294
PI0907	90 mm	15.80 mm	No	3 Vent	Individual Wrapped	380	3652	68658
PI0908	90 mm	15.80 mm	No	0 Vent	Sleeve of 20	480	4014	75463
PI0909	90 mm	15.80 mm	No	0 Vent	Sleeve of 10	480	4128	77606
PI0910	90 mm	15.80 mm	No	0 Vent	Individual Wrapped	380	3652	68658
PI0937	140 mm	17.50 mm	No	0 Vent	Sleeve of 5	180	6866	129081
PI0938	140 mm	17.50 mm	No	3 Vent	Sleeve of 5	180	6866	129081

Petri Dish - Gamma Radiated Sterile, Double Wrapped, PS								
Code	Diameter	Height	Compartment	Vent	Packing	No./case	Price/case (₹)	
PI0928	90 mm	15.80 mm	No	0 Vent	Sleeve of 18	432	4136	
PI0927	90 mm	15.80 mm	No	0 Vent	Sleeve of 8	384	3881	
PI0939	90 mm	15.80 mm	No	3 Vent	Sleeve of 18	432	4136	
PI0940	90 mm	15.80 mm	No	3 Vent	Sleeve of 8	384	3881	

Petri Dish – Gamma Radiated Sterile, Triple Wrapped, PS

Code	Diameter	Height	Compartment	Vent	Packing	No./case	Price/case (₹)
PI0941	90 mm	15.80 mm	No	0 Vent	Sleeve of 8	320	3680
PI0942	90 mm	15.80 mm	No	0 Vent	Sleeve of 18	432	4363
PI0943	90 mm	15.80 mm	No	3 Vent	Sleeve of 8	320	3680
PI0944	90 mm	15.80 mm	No	3 Vent	Sleeve of 18	432	4363

2 Compartment Petri Dish – Aseptic, PS

Code	Diameter	Height	Compartment	Vent	Packing	No./case	Price/case (₹)
PI0911	90 mm	15.80 mm	2 Compartment	3 Vent	Sleeve of 20	480	4702
PI0912	90 mm	15.80 mm	2 Compartment	3 Vent	Individual Wrapped	380	4198
PI0913	90 mm	15.80 mm	2 Compartment	0 Vent	Sleeve of 20	480	4702
PI0914	90 mm	15.80 mm	2 Compartment	0 Vent	Individual Wrapped	380	4198

2 Compartment Petri Dish – Gamma Radiated Sterile, PS

Code	Diameter	Height	Compartment	Vent	Packing	No./case	Price/case (₹)
PI0915	90 mm	15.80 mm	2 Compartment	3 Vent	Sleeve of 20	480	5212
PI0916	90 mm	15.80 mm	2 Compartment	3 Vent	Individual Wrapped	380	4713
PI0917	90 mm	15.80 mm	2 Compartment	0 Vent	Sleeve of 20	480	5212
PI0918	90 mm	15.80 mm	2 Compartment	0 Vent	Individual Wrapped	380	4713



3 Compartment Petri Dish – Aseptic, PS

Code	Diameter	Height	Compartment	Vent	Packing	No./case	Price/case (₹)
PI0919	90 mm	15.80 mm	3 Compartment	3 Vent	Sleeve of 20	480	5971
PI0920	90 mm	15.80 mm	3 Compartment	3 Vent	Individual Wrapped	380	5129
PI0921	90 mm	15.80 mm	3 Compartment	0 Vent	Sleeve of 20	480	5971
PI0922	90 mm	15.80 mm	3 Compartment	0 Vent	Individual Wrapped	380	5129

3 Compartment Petri Dish – Gamma Radiated Sterile, PS

Code	Diameter	Height	Compartment	Vent	Packing	No./case	Price/case (₹)
PI0923	90 mm	15.80 mm	3 Compartment	3 Vent	Sleeve of 20	480	6613
PI0924	90 mm	15.80 mm	3 Compartment	3 Vent	Individual Wrapped	380	5959
PI0925	90 mm	15.80 mm	3 Compartment	0 Vent	Sleeve of 20	480	6613
PI0926	90 mm	15.80 mm	3 Compartment	0 Vent	Individual Wrapped	380	5959



Trusted By Scientist

Status: Reviewer ★

Member since: 2022

Organization: IIT Guwahati

Ease of use ★★★★★

After sales service ★★★★★

Value for money ★★★★★



“Great product with further recommendation to other people who haven't tried yet.”

Rating: 5.0 ★★★★★

Application Area: Cell culture experiment

"The product is of good quality and easy to use. The dimension and size of the plate fits fine (90 mm) for everyday use in cell culture experiment. The lid and bottom part is perfectly fit and requires less media to carry on your experiment. It is a nice product that has proper air space and has less contamination property. It also produce less fogginess which happens due to growing cells in the plate, as compared to other petri dishes, which properly enables us to observe the growing cells clearly under microscope. Thus, considering all the positivity, it is one in all (with good qualities) product item. Thanks to ABDOS."

88 | Petri Dish Stand, ACRYLIC

- The simple design can hold and secure glass and plastic petri-dishes.
- This stand makes transport safe and easier.
- Clear racks give the visibility to check culture during incubation.



Code	Places	Size (L x W x H)	Compatible Petridish	No./case	Price/case (₹)
PI0970	28	206 x 105 x 250mm	90mm	1	2223




89 | Soft Inoculation Loop, HIPS

- Smooth surface provides uniform and gentle streaking without damaging the gel surface.
- Polygonal shaft improves grip, assists orientation and makes operation easy.
- Option to choose from different needle styles.
- Available in individual wrapped pack and zip lock sleeve that eliminates the risk of contamination.
- Sterile loops have been validated according to ISO 11137 for SAL 10⁻⁶



STERILE R **SAL 10⁻⁶**

Code	Capacity	Colour	Length	Packing	No./case	Price/case (₹)
PI0977	1µl loop	White	200 mm	Sleeve of 10	500	2912
PI0978	1µl loop	White	200 mm	Individually Wrapped	500	4164
PI0979	10µl loop	Blue	200 mm	Sleeve of 10	500	2912
PI0980	10µl loop	Blue	200 mm	Individually Wrapped	500	4164
PI0985	1µl loop + Incorporated Needle	White	200 mm	Sleeve of 10	500	2912
PI0986	1µl loop + Incorporated Needle	White	200 mm	Individually Wrapped	500	4164
PI0987	10µl loop + Incorporated Needle	Blue	200 mm	Sleeve of 10	500	2912
PI0988	10µl loop + Incorporated Needle	Blue	200 mm	Individually Wrapped	500	4164



90 | Duo Loop, HIPS

NEW

- Unique DuoLoop design gives flexibility to use 1µl from one side and 10µl from the other.
- Sterile loops have been validated according to ISO 11137 for SAL 10⁻⁶



STERILE R **SAL 10⁻⁶**

Code	Capacity	Colour	Length	Packing	No./case	Price/case (₹)
PI0981	DuoLoop, 1µl loop + 10µl loop	Green	200 mm	Sleeve of 10	500	3091
PI0982	DuoLoop, 1µl loop + 10µl loop	Green	200 mm	Individually Wrapped	500	4410



91 | Cell Spreader Gamma Radiated Sterile

- Cell spreaders are designed to spread and disperse liquid onto the surface of an agar or any media plate without gouging or cutting the medium.
- Available in Triangular (PP), T-shaped & L-shaped (HIPS).
- Sterile Cell Spreader has been validated according to ISO 11137 for SAL 10^{-6}




121 °C

STERILE R

SAL 10^{-6}

Code	Shape	Length	Blade Width	Colour	Packing	No./case	Price/case (₹)
PI0989	Triangle Shaped	215 mm	30 mm	Blue	Individually Wrapped	100	2417
PI0990	Triangle Shaped	240 mm	60 mm	Yellow	Individually Wrapped	100	3601
PI0991	T- Shaped	140 mm	35 mm	Blue	Individually Wrapped	400	8079
PI0992	T-Shaped	140 mm	35 mm	Blue	Sleeve of 10	500	9492
PI0995	L - Shaped	145 mm	37.5 mm	Green	Individually Wrapped	400	5936
PI0996	L - Shaped	145 mm	37.5 mm	Green	Sleeve of 10	500	4108



92 | Swirlex – Digital Handheld Homogenizer

- ABDOS Swirlex-Digital Handheld Homogenizer is a powerful handheld homogenizer designed to rapidly homogenize, disperse and disintegrate biological samples in 10-30 seconds with adjustable speed ranging from 8,000 rpm up to 30,000 rpm.
- The homogenizer is ideal to use with samples from 0.5ml to 250ml with three types of generator probes available for different sample volume range.
- It is lightweight, can be held with one hand and also mounted to a stand for fatigue-free and longer operation. Complete homogenization of tissues (muscle, liver, breast tissue, etc.) is generally achieved in a few seconds.
- Autoclavable generator shaft is made up of 316L stainless steel Interchangeable generator probes that are easily disassembled for clean-up.
- Optional H-type stand with adjustable height and angle available for more convenient and lengthier operation.

Swirlex-Digital Hand Held Homogenizer				
Code	Product	Volume Range	No./case	Price/case (₹)
E12410	Swirlex-Digital Hand Held Homogenizer with Dispersing shaft Supporting for volume 0.1-50 ml & Support Stand	0.1-50 ml	1	109671
E12420	Swirlex-Digital Hand Held Homogenizer with Dispersing shaft Supporting for volume 1-250 ml & Support Stand	1-250 ml	1	113855

Spare Accessories				
Code	Product	Volume Range	No./case	Price/case (₹)
E12411	Dispersing Shaft - Length-90mm, process volume- 0.1-50 ml	5 mm	1	55787
E12412	Dispersing Shaft - Length-160mm, process volume- 0.3-50 ml	7 mm	1	59590
E12413	Dispersing Shaft - Length-150mm, process volume-1-250 ml	10 mm	1	61492
E12414	Dispersing Shaft Length-170mm;process volume-2-250 ml	14 mm	1	63141
E12415	Support Stand	-	1	38036

SPECIFICATIONS :

Voltage	220-240 V
Frequency	50-60 Hz
Motor Type Universal Motor	AC Carbon Brush Motor
Speed range	8000-30000 rpm
Max. Circum Speed	6.3-14 m/sec
Speed Control Dial Knob	6 Stage
Working Volume (ml, H ₂ O)	0.1-50 ml (5mm Dispersing Shaft-E12411) 1-250 ml (10mm Dispersing Shaft-E12413)
Maximum Viscosity	5,000 mPas
Material of Dispersing Shaft	SS 316L Stainless steel, PTFE
Weight	0.6 kg
Dimension (L x W x H)	46 x 55 x 230 mm
Noise	72 dB
Permissible ambient Temperature & Humidity	5-40°C
Permissible relative humidity	80%
Protection Class	IP20



93 | Swirlex – Flapping Homogenizer (Stomaker)

- Swirlex-Flapping Homogenizer (Stomaker) is a new generation lab blender, silent, easy-to-use & has a new design, with great new features, along with the silent blending. It is adapted to all kinds of applications and with a guarantee of optimal extraction, it is a great tool for lab analyses avoiding all risk of cross-contamination and damage.
- It can be used to extract bacteria from solid samples as well as homogenization of animal tissues, cosmetics, and biological samples. It is convenient, very quick, mild, accurate and also provides good repeatability.
- To extract bacteria from solid samples, put the original samples and the diluents into a sterile bag. Put the bag then into the homogenizer, through the flapping of the paddles. The material inside the bag can rapidly reach a homogenized state by the pressure, shaking, and vibration inside.
- In order to get a guaranteed uniformity of the effective extraction of the bacteria inside and on the surface of the solid samples, make sure to include all the materials in the sterile bag to the homogenizer. Then the homogenized sample can be used for analysis, the sterile bag avoids the cross-contamination.
- The main advantage of Swirlex -flapping homogenizer is that it is convenient, very quick, mild, accurate and also provides good repeatability. Samples used for the extraction will not be contaminated, damaged, heated, and no sterilization, as well as no container is needed, thus no container cleaning process either.

Swirlex – STOMAKER – Flapping Homogenizer						
Code	Product	Flapping Speed	Exterior Size	Interior Size	No./case	Price/case (₹)
EI2430	Stomaker, Stainless Steel Door	Adjustable between 20-600 Stokes/min (10-300rpm/min)	45 x 21 x 24 cm	10 x 19 x 22 cm	1	P.O.R.
EI2438	Stomaker Pro, Stainless Steel Door with Observation Window & Digital display	Adjustable between 1-10 Stokes/sec	45 x 28 x 30 cm	10 x 19 x 22 cm	1	P.O.R.

Spare Accessories				
Code	Product	Capacity	No. of bag / box	Price/case (₹)
EI2432	Sterilization Bag	80 ml	1500 (25 pcs per pack, 60 packs per case)	P.O.R.
EI2433	Sterilization Bag	400 ml	500 (25 pcs per pack, 20 packs per case)	P.O.R.
EI2435	Sterilization Bag with filter on one side	400 ml	500 (25 pcs per pack, 20 packs per case)	P.O.R.
EI2436	Sterilization Bag with overall filter	400 ml	500 (25 pcs per pack, 20 packs per case)	P.O.R.
EI2437	Clip for Sterilization Bag	-	1	P.O.R.

SPECIFICATIONS :	STOMAKER(EI2430)	STOMAKER PRO(EI2438)
Voltage	220-240 V	220-240 V
Frequency	50-60 Hz	50-60 Hz
Door Design	Stainless Steel Door	Stainless Steel Door with observation window
Capacity Range	50-400 mL	50-400 mL
Flapping Speed	Adjustable between 20-600 Stokes min(10-300rpm/min)	1-10 Strokes /s
Exterior Size (W x D x H)	45 x 21 x 24 cm	45 x 28 x 30 cm
Interior Size (W x D x H)	10 x 19 x 22 cm	10 x 19 x 22 cm



EI2430

EI2438



05

Cell Culture

CELL CULTURE: FLASKS, PLATES & DISHES

BIO REACTION TUBES


ROLLER BOTTLES & MEDIA BOTTLES

BIOFILL – FILTRATION SYSTEM

#CommittedtotheEarth

94 | Cell Culture Flasks, PS, Treated and Non-Treated

- Treated Cell culture flasks are made from high-quality virgin polystyrene.
- Options available for Tissue Culture Treated and Non-Treated.
- Treated culture flasks have undergone vacuum plasma treatment to assure uniform growth.
- Flat highly transparent polystyrene surface for distortion-free observation.
- Angled neck for easy access to the corner of the flask.
- Frosted writing area with clear moulded graduation marking.
- Designed with precision for stackable stability.
- Culture flask with breathable vented cap membrane 0.22 μ m, hydrophobic filter ensures gas exchange without contamination.
- Sterilized by E-beam, Sterile culture flask has been validated according to ISO 11137.



Code	Capacity	Cap Style	Cell Growth Area	Recommended Medium Volume	Tissue Culture Treated	No. / Pack	No./case	Price/case (₹)
P21010	50 ml	Sealed Cap	25 cm ²	5 ml - 7.5 ml	Yes	10	200	11273
P21011	50 ml	Vent Cap	25 cm ²	5 ml - 7.5 ml	Yes	10	200	12846
P21012	250 ml	Sealed Cap	75 cm ²	15 ml - 22.5 ml	Yes	5	100	11010
P21013	250 ml	Vent Cap	75 cm ²	15 ml - 22.5 ml	Yes	5	100	12846
P21014	750 ml	Sealed Cap	175 cm ²	35 ml - 52.5 ml	Yes	5	40	8224
P21015	750 ml	Vent Cap	175 cm ²	35 ml - 52.5 ml	Yes	5	40	9175
P21016	950 ml	Sealed Cap	225 cm ²	45 ml - 67.5 ml	Yes	5	25	9876
P21017	950 ml	Vent Cap	225 cm ²	45 ml - 67.5 ml	Yes	5	25	12266
P22010	50ml	Sealed Cap	25 cm ²	5 ml - 7.5 ml	No	10	200	12063
P22011	50ml	Vent Cap	25 cm ²	5 ml - 7.5 ml	No	10	200	13744
P22012	250ml	Sealed Cap	75 cm ²	15 ml - 22.5 ml	No	5	100	11781
P22013	250ml	Vent Cap	75 cm ²	15 ml - 22.5 ml	No	5	100	13744
P22014	750ml	Sealed Cap	175 cm ²	35 ml - 52.5 ml	No	5	40	8640
P22015	750ml	Vent Cap	175 cm ²	35 ml - 52.5 ml	No	5	40	9818
P22016	950ml	Sealed Cap	225 cm ²	45 ml - 67.5 ml	No	5	25	10568
P22017	950ml	Vent Cap	225 cm ²	45 ml - 67.5 ml	No	5	25	13125



Both vent and plug seal caps are available

95 | Cell Culture Plates, PS, Treated and Non-Treated

- Abdos Tissue culture treated plates are made from the highest quality virgin polystyrene.
- Plates are designed with a low profile & low evaporation rate ensuring no loss of samples.
- Vital gaps on the bottom corners of each plate eliminate scraping of the microscopic lens.
- Option available for Tissue culture treated and Non-Treated.
- Treated plates have vacuum plasma treatment to ensure uniform growth.
- Easy to peel-open and individually wrapped blister pack.
- Sterilized by E-beam, Sterile plates have been validated according to ISO 11137.




Code	No. of well	Cell Growth Area	Bottom shape	Recommended Medium Volume	Tissue Culture Treated	No./case	Price/case (₹)
P21020	6	9.5 cm ²	Flat	1.90 ml - 2.90 ml	Yes	50	6687
P21021	12	3.6 cm ²	Flat	0.76 ml - 1.14 ml	Yes	50	7022
P21022	24	1.9 cm ²	Flat	0.38 ml - 0.57 ml	Yes	50	7022
P21023	48	0.88 cm ²	Flat	0.19 ml - 0.28 ml	Yes	50	7559
P21024	96	0.32 cm ²	Flat	0.10 ml - 0.20 ml	Yes	100	13068
P21025	96	0.32 cm ²	U	0.10 ml - 0.20 ml	Yes	100	16055
P21026	96	0.32 cm ²	V	0.10 ml - 0.20 ml	Yes	100	16055
P22020	6	9.5 cm ²	Flat	1.90 ml - 2.90 ml	No	50	7156
P22021	12	3.6 cm ²	Flat	0.76 ml - 1.14 ml	No	50	7514
P22022	24	1.9 cm ²	Flat	0.38 ml - 0.57 ml	No	50	7514
P22023	48	0.88 cm ²	Flat	0.19 ml - 0.28 ml	No	50	8089
P22024	96	0.32 cm ²	Flat	0.10 ml - 0.20 ml	No	100	13594
P22025	96	0.32 cm ²	U	0.10 ml - 0.20 ml	No	100	17178
P22026	96	0.32 cm ²	V	0.10 ml - 0.20 ml	No	100	17178



96 | Cell Culture Dish, PS

- Culture dishes are ideal for all types of culturing where microscopic observation is required.
- Dishes have been treated with vacuum plasma to ensure uniform growth.
- Highly Flat clear polysterene surface for distortion-free observation.
- Sterilized by E-beam, Sterile culture dish has been validated according to ISO 11137.



Code	Diameter	Height	Cell Growth Area	Recommended Medium Volume	No. / Pack	No./case	Price/case (₹)
P21030	35 mm	9 mm	9 cm ²	1.80 ml - 2.70 ml	20	500	8698
P21031	60 mm	12 mm	21 cm ²	4.20 ml - 6.30 ml	20	500	10705
P21032	100 mm	17.7 mm	55 cm ²	11 ml - 16.50 ml	20	300	12712
P21033	150 mm	23.1 mm	152 cm ²	30.40 ml - 45.60 ml	5	100	13346



97 | Cell Scraper, PP/HIPS

- Abdos Cell Scrapers blades are made for HIPS and handle is made of PP.
- Specially designed with free rotating blade to turn as per required direction.
- Sterilized by E-beam, Sterile cell scrapers have been validated according to ISO 11137.



APPLICATION

P21040 - T-25/ T-75 Cell Culture flasks, 60 mm cell culture dish

P21041 - T-75/ T-175/ T-225 Cell Culture flasks, 150 mm cell culture dish

Code	Length	Blade Width	No./case	Price/case (₹)
P21040	220 mm	13 mm	100	10193
P21041	280 mm	20 mm	100	12709



98 | Roller Bottles, PS

- Roller bottles made from the highest quality Polystyrene suitable for high yield of cell growth and multiplication.
- These bottles are available in 3 volumes of 1000ml, 2000ml, 5000ml with wide cell growth area of 490cm², 850cm², 1900cm² for adhesions and huge growth volume for cell suspension.
- Suitable for all the general instruments and automation used in tissue/ cell culture technique.
- Sterilized by Gamma irradiation, sterile roller bottles have been validated according to ISO 11137.



STERILE R



Code	Capacity	Cap Style	Cell Growth Area	Recommended Medium Volume	Surface treated	No./case	Price/case (₹)
P21060	1000 ml	Sealed	490 cm ²	100 ml - 150 ml	Yes	24	13339
P21061	1000 ml	Vent	490 cm ²	100 ml - 150 ml	Yes	24	14431
P21062	1000 ml	Sealed	490 cm ²	100 ml - 150 ml	No	24	10914
P21063	1000 ml	Vent	490 cm ²	100 ml - 150 ml	No	24	12005
P21064	2000 ml	Sealed	850 cm ²	180 ml - 260 ml	Yes	12	7640
P21065	2000 ml	Vent	850 cm ²	180 ml - 260 ml	Yes	12	8004
P21066	2000 ml	Sealed	850 cm ²	180 ml - 260 ml	No	12	7155
P21067	2000 ml	Vent	850 cm ²	180 ml - 260 ml	No	12	7519
P21068	5000 ml	Sealed	1900 cm ²	300 ml - 400 ml	Yes	12	8974
P21069	5000 ml	Vent	1900 cm ²	300 ml - 400 ml	Yes	12	9945

99 | Bio Reaction Tubes, PP

- Bio-Reaction tubes are manufactured with high purity virgin Class VI Medical grade polypropylene (PP) conforming to US FDA 21 CFR, free from natural rubber & heavy metal.
- Convenient and economical option for small scale, high density suspension cell culture and are ideal for biological reaction experiments.
- Harvested cells can be directly centrifuged through bioreaction tubes.
- These tubes consist of ultrasonically welded 0.22 µm hydrophobic membrane to allow gas exchange.
- These tubes come with a large frosted area and engraved graduation.
- These tubes are ideal for culture and centrifuge applications. 15ml tubes can withstand maximum RCF 12,000*g, 50ml conical bottom can withstand 16,000*g RCF & 50 ml self-standing tube can withstand RCF 6000*g



IVDR
CERTIFIED

STERILE R



Code	Capacity	Bottom	No. / Pack	No./case	Price/case (₹)
P21070	15 ml	Conical	10	100	6064
P21071	50 ml	Conical	10	100	8247
P21072	50 ml	Self-standing	10	100	8732

- Best suited for packaging, shipping & storing liquid media, buffers and sera.
- Wide volume options – 60/125/250/500/1000 ml.
- Two polymer variants Polyethylene Terephthalate Glycol co-polyester (PETG)/ providing impact resistance and excellent gas-barrier properties and Polyethylene Terephthalate (PET) offering more optical clarity & increased inertness.
- Square shape easy to hold and saves shelf & counter space compared with round bottles of the same volume.
- Narrow-mouth bottles provide better control when pouring and all come with the liquid leak proof guarantee.
- Temperature Operational Range: - 80° C to 60° C.
- Non-pyrogenic and non-cytotoxic to protect cells.
- Molded-in embossed graduations.
- Closure is high density polyethylene (HDPE).



60 ml

Media Bottles PETG					
Code	Capacity	Cap	Sterile	No./pack	Price/case (₹)
P21170	60 ml	Yes	No	192	26995
P21171	125 ml	Yes	No	96	19608
P21172	250 ml	Yes	No	60	15162
P21173	500 ml	Yes	No	48	17145
P21174	1000 ml	Yes	No	24	11468
P21180	60 ml	Yes	Yes	192	28416
P21181	125 ml	Yes	Yes	96	20640
P21182	250 ml	Yes	Yes	60	15960
P21183	500 ml	Yes	Yes	48	18048
P21184	1000 ml	Yes	Yes	24	12072

Media Bottles PET					
Code	Capacity	Cap	Sterile	No./pack	Price/case (₹)
P21176	125 ml	Yes	No	96	14706
P21177	250 ml	Yes	No	224	42454
P21178	500 ml	Yes	No	120	32148
P21179	1000 ml	Yes	No	40	14335
P21186	125 ml	Yes	Yes	96	15480
P21187	250 ml	Yes	Yes	224	44688
P21188	500 ml	Yes	Yes	120	33840
P21189	1000 ml	Yes	Yes	40	15090



1000 ml



500 ml



250 ml



125 ml



60 ml

101 | BIOFILL Bottle Top Filtration System

- Biofill Bottle Top Filtration System is available as a Full Assembly or as a bottle top Funnel.
- Biofill Bottle Top Filtration Systems are disposable, sterile, vacuum operated systems for the sterile preparation of buffers, tissue culture media, microbiological media, and other biological fluids.
- Systems are available with asymmetric 0.1 μm , 0.22 μm & 0.45 μm PES membranes.
- PES membrane has low protein binding and is surfactant-free.
- The complete unit includes membrane filter, graduated funnel of clear polystyrene with polyethylene neck adaptor & polystyrene reservoir bottle with a separate sterile polyethylene cap.
- Large knurls on the reservoir bottle cap for easy screw
- Reservoir bottles features easy grip sides for improved handling.
- Detergent free, tissue culture compatible & heat sealed to the support grid to maximize flow rate, reducing foam & denaturation.
- Each unit is individually packed & gamma irradiated.
- Certified Non- Pyrogenic



STERILE R

BIOFILL Bottle Top Funnel

Code	Product Description	Funnel capacity Volume	GL Size/Threads	Filter Pore Size	Membrane Diameter	No./case	Price/case (₹)
P21101	250ml Funnel Only with 0.2 μm PES Membrane	250 ml	45	0.2 μm	66 mm	24	20213
P21102	500ml Funnel Only with 0.2 μm PES Membrane	500 ml	45	0.2 μm	66 mm	24	23562
P21103	1000ml Funnel Only with 0.2 μm PES Membrane	1000 ml	45	0.2 μm	90 mm	24	38462
P21104	250ml Funnel Only with 0.1 μm PES Membrane	250 ml	45	0.1 μm	90 mm	24	33149
P21105	500ml Funnel Only with 0.1 μm PES Membrane	500 ml	45	0.1 μm	66 mm	24	36383
P21106	1000ml Funnel Only with 0.1 μm PES Membrane	1000 ml	45	0.1 μm	90 mm	24	49550
P21107	250ml Funnel Only with 0.45 μm PES Membrane	250 ml	45	0.45 μm	90 mm	24	20213
P21108	1000ml Funnel Only with 0.45 μm PES Membrane	1000 ml	45	0.45 μm	90 mm	24	23562
P21109	1000ml Funnel Only with 0.45 μm PES Membrane	1000 ml	45	0.45 μm	90 mm	24	38462

BIOFILL Bottle Top Filtration System

Code	Product Description	Funnel capacity Volume	Receiver Capacity Volume	Filter Pore Size	Membrane Diameter	No./case	Price/case (₹)
P21090	250ml, 0.2 μm High Flow PES Bottle Top Filter Full Assembly, Sterile	250 ml	250 ml	0.2 μm	66 mm	12	13283
P21091	500ml, 0.2 μm High Flow PES Bottle Top Filter Full Assembly, Sterile	500 ml	500 ml	0.2 μm	90 mm	12	18654
P21092	1000ml, 0.2 μm High Flow PES Bottle Top Filter Full Assembly, Sterile	1000 ml	1000 ml	0.2 μm	90 mm	12	28067
P21093	250ml, 0.45 μm High Flow PES Bottle Top Filter Full Assembly, Sterile	250 ml	250 ml	0.45 μm	66 mm	12	13283
P21094	500ml, 0.45 μm High Flow PES Bottle Top Filter Full Assembly, Sterile	500 ml	500 ml	0.45 μm	90 mm	12	18654
P21095	1000ml, 0.45 μm High Flow PES Bottle Top Filter Full Assembly, Sterile	1000 ml	1000 ml	0.45 μm	90 mm	12	28067
P21096	250ml, 0.1 μm High Flow PES Bottle Top Filter Full Assembly, Sterile	250 ml	250 ml	0.1 μm	66 mm	12	20213
P21097	500ml, 0.1 μm High Flow PES Bottle Top Filter Full Assembly, Sterile	500 ml	500 ml	0.1 μm	90 mm	12	25526
P21098	1000ml, 0.1 μm High Flow PES Bottle Top Filter Full Assembly, Sterile	1000 ml	1000 ml	0.1 μm	90 mm	12	31763

A multi-channel pipette with a white body and blue tips is dispensing a blue liquid into a clear PCR plate. The pipette is held by a gloved hand. In the background, there are other PCR plates, some red and some clear, and a black surface. The image is overlaid with a large orange and white geometric design.

06

PCR Techniques

PCR TUBES

PCR PLATES

PCR STRIP CAPS & STRIP TUBES

PCR SEALING FILMS & WORKSTATION

#CommittedtotheEarth

102 | PCR Tubes, PP

- PCR tubes are made of high purity virgin USP Class VI Medical grade polypropylene (PP) conforming to US FDA 21 CFR, free from natural rubber and heavy metal.
- Thin and uniform wall thickness to ensure optimal heat transfer reducing insulating effect.
- Attached snap cap with lid. Caps available are in domed & flat shape.
- Snap cap ensures tight fit eliminating risk of sample evaporation.
- Flat caps are optically clear for real time qPCR.



Code	Capacity	Type	Height	No./case	Price/case (₹)
PI0701	0.2 ml	Clear Flat Cap	21.5 mm	1000	1935
PI0702	0.2 ml	Domed Cap	23.16 mm	1000	1985

103 | PCR 8 Strip tubes without cap, PP


- Strip tubes are made of high purity virgin USP Class VI Medical grade polypropylene (PP) conforming to US FDA 21 CFR, free from natural rubber and heavy metal.
- Strip Tubes have uniform thin walls to reduce insulating effect on the strips.
- Optically clear for real time qPCR.
- Strip Tubes are available in both Standard and low profile wells.



Code	Capacity	Type	Height	No./case	Price/case (₹)
PI0732	0.2 ml	White 8 Strip Standard Tubes	20.7 mm	125 strips	3622
PI0733	0.1 ml	White 8 Strip Low Profile Tubes	16.1 mm	125 strips	4095
PI0706	0.2 ml	8 Strip Standard Tubes	20.7 mm	125 strips	3450
PI0708	0.1 ml	8 Strip Low Profile Tubes	16.1 mm	125 strips	3900

104 | PCR 8 strip clear caps- Flat & Domed, PP

- PCR strip caps are made of high purity virgin USP Class VI Medical grade polypropylene (PP) conforming to US FDA 21 CFR, free from natural rubber and heavy metal.
- Caps feature ultra-clear surface ideal for fluorescent, luminescent and real time PCR application.
- Optically clear caps for real time qPCR.



Code	Capacity	Type	No./case	Price/case (₹)
PI0709	0.2 ml	8 Strip Cap Flat Optically Clear	125 strips	1975
PI0730	0.1 ml	8 Strip Cap Flat Optically Clear	125 strips	1975
PI0711	0.2 ml	8 Strip Cap Domed	125 strips	1975

105 | PCR 8 Strip tubes and optically clear flat cap, PP


NEW




Code	Capacity	Type	Height	No./case	Price/case (₹)
PI0726	0.1 ml	8 Strip Low Profile Tubes with optically clear flat cap	16.1 mm	125 strips	5120
PI0729	0.1 ml	White 8 Strip Low Profile Tubes & Clear 8 Strip Caps	16.1 mm	125 strips	5376
PI0727	0.2 ml	8 Strip standard Tubes with optically clear flat cap	20.7 mm	125 strips	4750
PI0728	0.2 ml	White 8 Strip Standard Tubes & Clear 8 Strip Caps	20.7 mm	125 strips	4987

106 | PCR Plates Family, PP

- PCR plates made of high purity virgin USP Class VI Medical grade polypropylene (PP) conforming to US FDA 21 CFR, free from natural rubber and heavy metal.
- Ultra thin and consistent wall thickness allows precise thermal transfer.
- Maximum G-Force 4000 RCF.
- Improve light capture in fluorescent assays.
- Compatibility with a wide variety of sealing systems.




Code	Product	Type	No./case	Price/case (₹)
P10713	96 Well standard well 0.2 ml	Unskirted Standard Well	25 Plates	3965
P10714	96 Well low profile well 0.1 ml	Unskirted Low Profile well	25 Plates	4070
P10722	96 Well semi-skirted low profile well 0.1 ml	Semi-Skirted low profile	25 Plates	5125
P10716	96 Well semi-skirted standard well 0.2 ml	Semi - Skirted Standard Well	10 Plates	2075
P10723	96 Well fully skirted low profile well 0.1 ml	Fully-Skirted Low Profile Well	10 Plates	3182
P10717	384 Well fully skirted well	Fully - Skirted Well	10 Plates	4155



107 | Sealing Mats, Silicone

- These mats are made of silicone rubber and designed to seal the plates
- The mat is made up of 96 plugs & 384 plugs.
- The mat has to be compressed. A plug that caps the individual well seals each well on the PCR plate.
- Sealings mats silicone are autoclavable.

Code	Type	No./case	Price/case (₹)
P10721	Silicone Sealing Mats for 96 wells	50 mats	11000
P10731	Silicone Sealing Mats for 384 wells	50 mats	11900



108 | Sealing Films, Polyester

- Sealing films are optically clear and are suitable for use in real-time PCR applications and PCR plates.
- The film is press fit and sticks to the plate.
- Sealing films are disposable and for single use only.
- Temperature withstanding range from -70 degree Celsius to +100 degree Celsius.

Code	Type	No./case	Price/case (₹)
P10718	Clear Seal Film	100 sheets	13350



109 | Sealing Films, Aluminium

- Opaque in nature therefore the sample is not visible inside the plate wells. The film is adhesive coated and sticks to the plate.
- These films are readily pierceable either by manual pipette or by liquid handling robot.

Code	Type	No./case	Price/case (₹)
P10719	Silver Seal	100 sheets	8880




110 | Deep Well Plates Family, PP

- Deep well plates are used for sample collection, in-vitro growth chambers and long-term storage.
- Deep Well Plates are square with conical V bottom & alphanumeric indexing. Conical Base helps to minimize dead volumes.
- These plates come with clear alphanumeric indexing.
- Can be used at temperature range from -80° C +120° C
- Excellent chemical resistance.
- Autoclavable




121°C

Code	Capacity	Type	No./case	Price/case (₹)
PI0802	2.2 ml	Deep Well Plates	50 plates	13000
PI0803	1.2 ml	Deep Well Plates	100 plates	24000



PI0802



PI0803

111 | Reagent reservoir, PP

- Reagent reservoir provides stable platform for various pipetting steps & procedures during repetitive liquid transfer.
- 12 well Reagent reservoir suitable with multi-channel pipette.
- Standard SBS footprint designed to be robot compatible.
- Can be stored at -80° C temperature.
- Autoclavable



121°C

Code	Capacity	Type	No./case	Price/case (₹)
PI0801	22 ml	Reagent Reservoir	25 Reservoir	5375




112 | Square Sealing Mats for Deep Well Plates Family, Silicone Rubber

- These sealing mats are suitable for rectangular wells of deep well plates.
- Excellent chemical resistance.

Code	Type	No./case	Price/case (₹)
PI0804	Square Well Sealing Mats	50 mats	14000

* These Mats are used for sealing above mentioned Deep Well Plates PI0802 & PI0803



113 | PCR Workup Rack, PP

- Manufactured in state of the art moulding facility using high purity polypropylene.
- These workup racks can be easily stackable.
- These racks can accommodate unskirted, semi-skirted and skirted 96 well PCR plates. It can also accommodate strip PCR tubes.
- Legs at all four corners make it robust and stable for good grip on the surface.
- These racks have Moulded alphanumeric indexing for fast and accurate identification.
- Operating temperature is -80°C to +121°C.
- Can be autoclaved.
- Available in colours (Red, Green, Yellow, White & Blue).



Code	Tube Capacity	L x W x H	No./case	Price/case (₹)
PI1101	1 x 96 well PCR plates, 96 place for individual PCR tube , 12 x 8-well PCR strips	138 x 98 x 39 mm	5	2517

114 | PCR workstation rack with lid, PP

- Manufactured in state of the art moulding facility using high purity polypropylene.
- Easily stackable.
- Can accommodate un-skirted, semi-skirted and skirted 96 well PCR plates, individual PCR tubes and 0.5, 1.5 & 2.0 ml micro centrifuge tubes.
- Alphanumeric indexing for fast and accurate identification.
- Ideal platform for pre and post PCR sampling process.
- Operating temperature is -80°C to +121°C.
- Can be autoclaved.
- Available in colors (Red, Green, Yellow, White & Blue).



Code	Tube Capacity	L x W x H	No./case	Price/case (₹)
PI1103	24 individual 0.2 ml PCR tubes, 16 x 1.5 or 2.0 ml tubes, 16 x 0.5 ml tubes and 96 well rack for PCR plates	215 x 120 x 50 mm	5	5091

THERMAL CYCLER COMPATIBILITY GUIDE for ABDOS 96 & 384 Wellplates

Model	0.2 ml 96 well PCR plate Without Skirt Transparent	0.1ml 96-Well PCR plate Without Skirt Transparent	0.1ml 96-Well PCR plate Half Skirt Transparent	0.2ml 96-Well PCR plate Half Skirt Transparent	0.1 ml 96-Well PCR plate Full Skirt Transparent	40ul 384-Well PCR plate Full Skirt Transparent
	P10713	P10714	P10722	P10716	P10723	P10717
Applied Biosystems						
StepOnePlus™ qPCR system		✓				
StepOne™ qPCR system		✓				
Fast 384 ,ABI384						
ViiA™7 fast qPCR 96*0.1ml		✓				
ViiA™7 qPCR system				✓		✓
7500 Fast qPCR system		✓				
7900HT Fast qPCR system						✓
7500 qPCR system	✓			✓		
7900HT qPCR system						
QuantStudio™ 12k Flex Fast						
QuantStudio™ 12k Flex	✓	✓		✓		✓
7300 qPCR system	✓			✓		
7000 ABI PRISM 7000 SDS	✓			✓		
GeneAmp 9700 series						✓
QuantStudio® 3 \Q5\Q6\Q7	✓	✓		✓		✓
QuantStudio® 3 \Q5\Q6\Q7fast						
Veriti 96-Well/Veriti™ Dx 96-Well						
Veriti FAST 96-Well/Veriti™ Dx FAST						
SimpliAmp™						
3130xl Genetic Analyser						✓
3500xl Genetic Analyser						✓
3730xl DNA Analyser						✓
Bio-Rad Laboratories						
CFX96 Real-Time PCR		✓	✓	✓	✓	
iQ5 Real-Time PCR				✓		
iQ Real-Time PCR				✓		
MyiQ Real-Time PCR						
MyiQ2 Real-Time PCR						
Opticon 2		✓	✓			
CFX connect	✓	✓	✓	✓	✓	
T100	✓	✓	✓	✓		
icycler	✓			✓		
C1000/ C1000 Touch	✓	✓	✓	✓	✓	
DNA Engine	✓	✓	✓	✓	✓	
MiniOpticon	✓	✓		✓	✓	
MJ Mini		✓				
PTC-100	✓	✓		✓	✓	
S100	✓	✓		✓		
iCycler				✓		
Eppendorf						
Mastercycler ep realplex	✓	✓	✓	✓	✓	
Mastercycler nexus /nexus eco, GSX1				✓	✓	
Mastercycler ep gradient	✓	✓	✓	✓	✓	
Mastercycler pro/pro S		✓			✓	
Thermomixer C	✓	✓	✓	✓		
Thermomixer comfort	✓	✓		✓		
Mastercycler gradient				✓	✓	
Roche						
LightCycler® 480 System 384-well						
LightCycler® 480 System						
LightCycler® 96 System						
Agilent						
Agilent AriaMX		✓				
SureCycler 8800 thermal cycler				✓		
Mx3000P	✓					
Mx3005	✓					
Mx4000	✓					
Analytik Jena/Biometra						
qTower	✓	✓		✓		
Tone96/96G	✓	✓	✓	✓		
Alpha SC	✓	✓	✓	✓		
FlexCycler	✓	✓	✓	✓		
Alpha SC		✓		✓		
TRIO 48	✓			✓		
TRIO Combi		✓		✓		
SpeedCycler 36				✓		
Bioer						
Line-Gene I	✓	✓				
Line-Gene K 48		✓				
Line-Gene 3310/3320	✓	✓				
Line-Gene 9600	✓	✓		✓		
GenePro B	✓	✓		✓		
Life ECO Thermal Cycler		✓		✓		
Life Express		✓		✓		
LifePro TC-96/G/H(b)A		✓		✓		
LifeTouch TC-96/G/H(b)B		✓		✓		
XPcycler TC-XP-	✓			✓		
TaKaRa Bio Inc						
Thermal Cycler Dice TP600		✓		✓		
Thermal Cycler Dice TP650		✓		✓		
Thermal Cycler Dice TP850				✓		
Thermal Cycler Dice TP870				✓		
		✓—suitable				

Plates to SBS Specifications foot print. Certified Free From DNase, RNase and Detectable DNA. This chart is intended as a guide only. Abdos cannot accept any liability or responsibility for information given. PCR is a patented process of Roche Holdings



07 Electrophoresis System

HORIZONTAL UNITS

VERTICAL UNITS

POWER SUPPLIES



UV TRANSILLUMINATORS

#CommittedtotheEarth

“**NEW** ADDITION”

Abdos Mini EP Gel Electrophoresis

Abdos introduces a highly versatile Mini EP Horizontal Electrophoresis system featuring in-built power supply and horizontal electrophoresis suitable for wide range of nucleic acid electrophoresis applications.



Inbuilt Power Supply



Double Sided Combs



Multiple Gel Trays Option

- Abdos introduces a highly versatile Mini EP Horizontal Electrophoresis system featuring in-built power supply and horizontal electrophoresis suitable for wide range of nucleic acid electrophoresis applications.
- Mini EP is all in one unit which comes with an in-built removable power supply which runs on 35V, 50V & 100V, and horizontal electrophoresis with two sizes of gel trays. Vented safety lid ensures condensation free runs and helps heat dissipation. A timer function with visual and audible alarm of 1-99mins ensures worry free runs without losing the bands.

SPECIFICATIONS

Input Power	AC200~240V, 50~60Hz
Output Power	DC35V / DC50V / DC100V
Tank Dimensions (cm)	11 x 12.1 x 4.3cm
Max. Buffer Volume	230ml
Construction of Unit	PC+ABS with high temperature resistance
Timer	1min~99min
Max. Power	40W
Dimensions (cm)	19 x 13 x 6mm

FEATURES

- Compact and easy to use design.
- In-built power supply with 35V, 50V & 100V output.
- Leak proof & tape free easy casting.
- 1-99mins timer function.

INCLUSIONS

- Power Supply
- Gel Tank
- Safety Lid
- Large Gel Trays – 11x6cm (2 Nos)
- Small Gel Trays – 5.4x6cm (4 Nos)
- Two Nos each 12 & 22 wells double sided combs (For large Tray), 10&18 wells double sided combs (For small tray).
- 2 gel casters for wide and mini gel trays



ABDOS Mini EP Horizontal Electrophoresis

Code	Product	No./case	Price/case (₹)
E1200	Mini EP Horizontal Electrophoresis with 11 x 6 cm & 5.4 x 6 cm Gel trays and Inbuilt Power supply	1	47000

Spare Accessories

Code	Product Description	No./case	Price/case (₹)
E12001	Gel Tank	1	23000
E12002	Power Supply	1	27000
E12003	Gel Caster, Large	1	2100
E12004	Gel Caster, Mini	1	2100
E12005	Gel Tray, 6x11cm	1	2100
E12006	Gel Tray, 6x5.4cm	1	1900
E12007	Comb 12/22 wells for large tray	1	1200
E12008	Comb 12/22 wells for small tray	1	1200

116 | ABDOS Mini Moulded Horizontal Electrophoresis

NEW

- Abdos Mini Moulded Horizontal Electrophoresis system comes with single moulded polycarbonate tank which ensures leak proof run and longevity of the system.
- The system comes with two different sizes of trays and combs to support variety of nucleic acid applications.

ABDOS Mini Moulded Horizontal Electrophoresis


Code	Product	No./case	Price/case (₹)
EI2160	Mini Moulded Horizontal Electrophoresis with 7 x 10 cm & 7 x 5cm Gel trays, 1.5 mm thick 15 & 10 well combs (2 Nos. each), casting unit, connecting chord (1 pair).	1	28000

Spare Accessories

Code	Product	No./case	Price/case (₹)
EI2161	Gel Tray 7 x 10 cm	1	3600
EI2162	Gel tray 7 x 5 cm	1	3400
EI2163	15 well comb, 1.5 mm thick	1	2100
EI2164	10 well comb, 1.5 mm thick	1	2100
EI2165	Gel casting unit for 7 x 10 cm & 7 x 5 cm trays	1	3900

SPECIFICATIONS

Construction Material	Polycarbonate
Unit Dimensions (W x L x H)	8.5 x 22 x 6 cm
Gel Dimensions (W x L)	7 x 10 cm & 7 x 5 cm
Buffer Volume	250 ml
Maximum sample capacity	30
Combs	15 Well Acrylic Comb & 10 Well Acrylic Comb (2 Nos)
Comb thickness	1.5 mm
Gel running trays	7 x 10 cm (1 No) & 7 x 5 cm (2 Nos)
Comb Slots	2 Slots for 7 x 10 cm tray & 1 Slot for 7 x 5 cm tray
Gel casting Unit	1 No
Platinum Electrodes	1 Set (Anode and Cathode)



Abdos Horizontal Range of Electrophoresis

Abdos introduces a complete new range of Horizontal Electrophoresis Systems, Feature rich new designs includes different sizes for wide range of applications.



Removable Electrode Casing



Multiple Gel Trays & Comb Options



Thumb Locators



Standard easy to use caster

117 | ABDOS Mini Wide Horizontal Electrophoresis

NEW

- Abdos Mini Wide Horizontal Electrophoresis is ideal for routine and rapid agarose gel electrophoresis.
- Height adjustable combs offers complete control over depth of the wells and sample loading capacity.
- UV Transparent Gel Trays can directly be put over the UV Transilluminator.
- Easy to replace removable electrode casing.



ABDOS Mini Wide Horizontal Electrophoresis

Code	Product	No./case	Price/case (₹)
E12170	Mini Wide Horizontal System includes Basic unit with Removable Platinum Electrode Assembly, Gel Running tray of 10x10cm (1 No.), 1mm thick 4 combs of 8 & 16 Wells, casting unit & connecting Cord (1 Pair)	1	32500

Spare Accessories

Code	Product	No./case	Price/case (₹)
E12171	UV Transparent Tray Gel Running Tray 10 X 10 Cm	1	3600
E12172	UV Transparent Tray Gel Running Tray 10 X 7 Cm	1	3400
E12173	8 Well Height Adjustable Comb 1mm	1	2100
E12174	8 Well Height Adjustable Comb 1.5mm	1	2100
E12175	16 Well Height Adjustable Comb 1mm	1	2200
E12177	16 Well Height Adjustable Comb 1.5mm	1	2200
E12178	Gel Casting Unit for 10 x7 & 10X 10cm Running Tray	1	3900
E12179	Connecting Cord	1 Pair	1500
E12218	Negative Electrode casing with wire & Electrode for E12170	1	POR
E12219	Positive Electrode casing with wire & Electrode for E12170	1	POR

MODEL

MINI WIDE HORIZONTAL ELECTROPHORESIS

Dimensions (WxLxH)	25x13.5x9.5cm
Construction Material	Acrylic
Gel Size (WxL)	10 x 10 cm
Buffer Required	400ml
Platinum Electrodes	1 set anode & cathode removable electrode casing.
Standard Combs	8 & 16 well height adjustable combs (2 Nos Each), 1mm thick
Maximum sample capacity	48 samples
Comb Slots	3 slots
Gel Casting Tray	Included as standard
Connecting Cord	1 Pair (Red & Black) included as standard



- Abdos Midi Horizontal Electrophoresis offers wide range of applications such as rapid screening of clonal or PCR products, restriction fragment analysis and other close molecular weight bands separation.
- Height adjustable combs offers complete control over depth of the wells and sample loading capacity.
- 16 well combs that allows easy loading from 96 well PCR & Microtiter plates in the wells.
- UV Transparent Gel Trays can directly be put over the UV Transilluminator.
- Easy to replace removable electrode casing.



ABDOS Midi Horizontal Electrophoresis

Code	Product	No./case	Price/case (₹)
E12150	Midi Horizontal System includes Basic unit with Removable Platinum Electrode Assembly, Gel Running tray of 15x15cm (1 No.), 1mm thick 4 combs of 16 & 20 Wells, casting unit & connecting Cord (1 Pair)	1	42200

Spare Accessories

Code	Product	No./case	Price/case (₹)
E12181	UV Transparent Tray Gel Running Tray 15X15Cm	1	4200
E12182	UV Transparent Tray Gel Running Tray 15X10Cm	1	3600
E12183	UV Transparent Tray Gel Running Tray 15X7Cm	1	4000
E12184	16 Well Height Adjustable Comb 1mm	1	2700
E12193	16 Well Height Adjustable Comb 1.5 mm	1	2700
E12185	20 Well Height Adjustable Comb 1mm	1	2700
E12189	20 Well Height Adjustable Comb 1.5 mm	1	2700
E12186	28 Well Height Adjustable Comb 1mm	1	3000
E12194	28 Well Height Adjustable Comb 1.5 mm	1	3000
E12187	Gel Casting Tray for 15 x 15 Cm	1	6000
E12188	Connecting Cord	1 Pair	1500
E12197	Negative Electrode casing with wire & Electrode for E12150	1	POR
E12198	Positive Electrode casing with wire & Electrode for E12150	1	POR

MODEL	MIDI HORIZONTAL ELECTROPHORESIS
Dimensions (WxLxH)	31x18.5x9.5cm
Construction Material	Acrylic
Gel Size (WxL)	15x15cm
Buffer Required	600ml
Platinum Electrodes	1 set anode & cathode removable electrode casing.
Standard Combs	16 & 20 well height adjustable combs (2 Nos each), 1mm thick
Maximum sample capacity	112 samples
Comb Slots	4 slots
Gel Casting Tray	Included as standard
Connecting Cord	1 Pair (Red & Black) included as standard



119 | ABDOS Midi Large Horizontal Electrophoresis

NEW

- Abdos Midi large Horizontal Electrophoresis offers longer run length of up to 25cm & 15cm width offers high number of sample loading.
- Tray size of 15x25cm offers wide range of applications such as rapid screening of clonal or PCR products and RFLP analysis.
- Height adjustable combs offers complete control over depth of the wells and sample loading capacity.
- Multichannel compatible combs that allows easy loading from 96 well PCR & Microtiter plates in the wells.
- UV Transparent Gel Trays can directly be put over the UV Transilluminator.
- Easy to replace removable electrode casing.



ABDOS Midi Large Horizontal Electrophoresis

Code	Product	No./case	Price/case (₹)
E12190	Midi Large Horizontal System includes Basic unit with Removable Platinum Electrode Assembly, Gel Running tray of 15 x 25cm (1 No.), 1mm thick 4 combs of 28 Wells, casting unit & connecting Cord (1 Pair)	1	55000


Spare Accessories

Code	Product	No./case	Price/case (₹)
E12191	UV Transparent Tray Gel Running Tray 15 X 25 cm	1	6000
E12184	16 Well Height Adjustable Comb 1 mm	1	2700
E12193	16 Well Height Adjustable Comb 1.5 mm	1	2700
E12185	20 Well Height Adjustable Comb 1.5 mm	1	2700
E12189	20 Well Height Adjustable Comb 1.5 mm	1	2700
E12186	28 Well Height Adjustable Comb 1 mm	1	3000
E12194	28 Well Height Adjustable Comb 1.5 mm	1	3000
E12195	Gel Casting Tray for 15 x 25 cm	1	7000
E12196	Connecting Cord	1 Pair	1500
E12197	Negative Electrode casing with wire & Electrode for E12190	1	POR
E12198	Positive Electrode casing with wire & Electrode for E12190	1	POR

MODEL

MIDI LARGE HORIZONTAL ELECTROPHORESIS

Dimensions (WxLxH)	35 x 25.5 x 9.5cm
Construction Material	Acrylic
Gel Size (WxL)	15x25cm
Buffer Required	800ml
Platinum Electrodes	1 set anode & cathode removable electrode casing.
Standard Combs	28 well height adjustable combs (4 Nos), 1mm thick
Maximum sample capacity	168 samples
Comb Slots	6 slots
Gel Casting Tray	Included as standard
Connecting Cord	1 Pair (Red & Black) included as standard



120 | ABDOS HTP Horizontal Electrophoresis

NEW

- Abdos High Throughput Horizontal Electrophoresis offers longer run length of up to 32cm & 26cm width offers high number of sample loading.
- Large gel tray size of 26x32cm offers wide range of applications such as rapid screening of clonal or PCR products and RFLP analysis.
- Height adjustable combs offers complete control over depth of the wells and sample loading capacity.
- Combs that allows easy loading from 96 well PCR & Microtiter plates in the wells.
- UV Transparent Gel Trays can directly be put over the UV Transilluminator.
- Easy to replace removable electrode casing.



ABDOS HTP Horizontal Electrophoresis

Code	Product	No./case	Price/case (₹)
EI2200	HTP Horizontal System includes Basic unit with removable Platinum Electrode Assembly, Gel Running tray of 26 x 32cm (1 No.), 1mm thick 6 combs of 28 Wells, casting unit & connecting Cord (1 Pair)	1	87000

Spare Accessories

Code	Product	No./case	Price/case (₹)
EI2213	28 Well Height Adjustable Comb 1 mm	1	3800
EI2207	UV Transparent Tray Gel Running Tray 26 X 32cm	1	9000
EI2208	28 Well Height Adjustable Comb 1.5mm	1	3800
EI2209	52 Well Height Adjustable Comb 1mm	1	3800
EI2210	52 Well Height Adjustable Comb 1.5mm	1	3800
EI2211	Gel Casting Tray for 26 X 32cm	1	9500
EI2212	Connecting Cord	1 Pair	1500
EI2214	Negative Electrode casing with wire & Electrode for EI2200	1	POR
EI2215	Positive Electrode casing with wire & Electrode for EI2200	1	POR

MODEL

Dimensions (WxLxH)
Construction Material
Gel Size (WxL)
Buffer Required
Platinum Electrodes
Standard Combs
Maximum sample capacity
Comb Slots
Gel Casting Tray
Connecting Cord

HTP HORIZONTAL ELECTROPHORESIS

36 x 40 x 8.5 cm
Acrylic
26 x 32cm
1500 ml
1 set anode & cathode removable electrode casing.
28 well height adjustable combs (6 Nos), 1mm thick
416 samples
8 slots
Included as standard
1 Pair (Red & Black) included as standard

121 | ABDOS Vertical Dual Mini Gel System

- Abdos Vertical dual mini system is designed to run two mini PAGE or SDS-PAGE hand cast gels.
- The system comes with standard casting unit, combs & spacers of 1 & 1.5mm thickness & a set of glass plates.
- Low buffer consumption design having small footprint area, occupies minimal lab bench space.
- Unique "T" spacers for leak proof casting.



ABDOS Vertical Dual Mini Gel System

Code	Product	No./case	Price/case (₹)
EI2226	Vertical Mini Dual Gel System Includes – Dual Vertical Assembly, 2 sets of Glass Plates (Rectangular & Notched), 7 wells 2 Combs each of 1 mm & 1.5mm thickness, 4 nos. spacers of 1 mm & 1.5 mm Thickness, Gel Casting Stand – 1 No, Supporting Screws–2 No's, Safety Lid – 1 No, Connecting Cord – 1 Pair	1	26046

Spare Accessories

Code	Product	No./case	Price/case (₹)
EI2227	Glass Plates(Notched & Rectangular)	1 Set	1736
EI2228	Regular Mini Gel Casting Unit (For 2 Gels)	1	17364
EI2229	Teflon Comb 7 well 0.5 mm	1	1852
EI2230	Teflon Comb 7 well 0.75 mm	1	1852
EI2231	Teflon Comb 7 well 1.0 mm	1	1852
EI2232	Teflon Comb 7 well 1.5 mm	1	1852
EI2233	Teflon Comb 10 well 0.5 mm	1	2315
EI2234	Teflon Comb 10 well 0.75 mm	1	2315
EI2235	Teflon Comb 10 well 1.0 mm	1	2315
EI2236	Teflon Comb 10 well 1.5 mm	1	2315
EI2237	Teflon Spacers 0.5 mm	6	1389
EI2238	Teflon Spacers 0.75 mm	6	1389
EI2239	Teflon Spacers 1.0 mm	6	1389
EI2240	Teflon Spacers 1.5 mm	6	1389
EI2241	ACRYLIC Clamp(1 pcs) and Screws(2 pcs)	1 Set	1273
EI2242	Gel Developing Tray with Gel Holder 8 x 7 cm	1	3241
EI2243	Glass Plate Stand	1	4284
EI2244	Connecting Cords	1 Set	1621

MODEL

Dimensions (LXWXH)
Construction Material
Gel Size (Max) (WxH)
Buffer Required
Electrodes, Wires
Standard Combs –Teflon
Standard Spacers– Teflon
Maximum Sample Capacity
Time Consumed
Recommended Power Supply

VERTICAL MINI DUAL GEL SYSTEM

14.5 X 20.5 X 15.5 cm
Acrylic
8 X 7cm, 2 gels
200 + 50 ml
Brass, Platinum
7 Well-1.0mm and 1.5mm (2 Nos each)
1.0mm and 1.5mm (2Nos each)
20
2 to 3 hrs.
EI21377

122 | ABDOS Vertical Midi - Gel System

- The system is designed to run One 16x14cm midi hand cast PAGE & SDS PAGE gels.
- Ventilation holes in the system prevent the build-up of condensation during electrophoresis.
- The system comes with standard casting unit, combs & spacers of 1 & 1.5mm thickness & a set of glass plates.
- Low buffer consumption design having small footprint area, occupies minimal lab bench space.
- Unique "T" spacers for leak proof casting.



ABDOS Vertical Midi Gel Electrophoresis System

Code	Product	No./case	Price/case (₹)
E12276	Vertical Midi Gel System Includes – Midi Vertical Assembly, 2 sets of Glass Plates (Rectangular & Notched), 13 wells 2 Combs each of 1 mm & 1.5mm thickness, 4 nos. spacers of 1mm & 1.5 mm Thickness, Gel Casting Stand - 1No, Supporting Screws-2 No's, Safety Lid - 1 No, Connecting Cord - 1 Pair	1	29519

Spare Accessories

Code	Product	No./case	Price/case (₹)
E12277	Glass Plates (Notched & Rectangular)	1 Set	2315
E12278	Regular Midi Gel Casting Unit (For 2 Gels)	1	25468
E12279	Gel Developing Tray with Gel Holder for 16x14 cm	1	4051
E12280	Gradient Maker, total Capacity 25 + 25 ml	1	3472
E12281	Teflon Comb 13 well 0.5 mm	1	2578
E12282	Teflon Comb 13 well 1.0 mm	1	2578
E12283	Teflon Comb 13 well 1.5 mm	1	2578
E12284	Teflon Comb 20 well 0.5 mm	1	2578
E12295	Teflon Comb 20 well, 1 mm	1	2578
E12296	Teflon Comb 20 well, 1.5 mm	1	2578
E12285	Teflon Spacers 0.5 mm	6	1736
E12286	Teflon Spacers 1.0 mm	6	1736
E12287	Teflon Spacers 1.5 mm	6	1736
E12291	ACRYLIC Clamp (1 pcs) and Screws (2 pcs)	1	1620
E12292	Leveling Screws	3	810
E12293	Glass Plate Stand	1	8103
E12244	Connecting Cords	1 Set	1620



MODEL

VERTICAL MIDI GEL SYSTEM

Dimensions (LXWXH)	25 x 20 x 27 cm
Construction Material	Acrylic
Gel Size (Max) (WxH)	16x14cm , 1 gel
Buffer Required	500ml
Electrodes, Wires	Brass, Platinum
Standard Combs –Teflon	13 Well-1.0mm and 1.5mm (2Nos each)
Standard Spacers- Teflon	1.0mm and 1.5mm (2Nos each)
Maximum Sample Capacity	40
Time Consumed	4 to 5 hrs.
Recommended Power Supply	E12377 or E12379

123 | ABDOS Vertical Dual Midi Gel System

- The system is a twin plate 16x14cm midi-gel unit designed specifically for PAGE & SDS-PAGE techniques requiring self-cast gels.
- The system comes with standard casting unit, combs & spacers of 1 & 1.5mm thickness & a set of glass plates.
- Low buffer consumption design having small footprint area, occupies minimal lab bench space.
- Unique "T" spacers for leak proof casting.




ABDOS Vertical Midi Dual Gel Electrophoresis System

Code	Product	No./case	Price/case (₹)
E12326	Vertical Midi Dual Gel System Includes – Dual Midi Vertical Assembly, 2 sets of Glass Plates (Rectangular & Notched), 13 wells 2 Combs each of 1 mm & 1.5mm thickness, 4 nos. spacers of 1mm & 1.5 mm Thickness, Gel Casting Stand - 1No, Supporting Screws-2 No's, Safety Lid - 1 No, Connecting Cord - 1 Pair	1	46822

Spare Accessories

Code	Product	No./case	Price/case (₹)
E12327	Glass Plates(Notched & Rectangular)	1 Set	2083
E12328	Regular Midi Gel Casting Unit (For 2 Gels)	1	15049
E12329	Gel Developing Tray with Gel Holder for 16x14 cm	1	3704
E12330	Gradient Maker, total Capacity 25 + 25 ml	1	3472
E12331	Teflon Comb 13 well 0.5 mm	1	2894
E12332	Teflon Comb 13 well 1.0 mm	1	2894
E12333	Teflon Comb 13 well 1.5 mm	1	2894
E12334	Teflon Comb 20 well 0.5 mm	1	2083
E12295	Teflon Comb 20 well, 1 mm	1	2083
E12296	Teflon Comb 20 well, 1.5 mm	1	2083
E12335	Teflon Spacers 0.5 mm	6	2315
E12336	Teflon Spacers 1.0 mm	6	2315
E12337	Teflon Spacers 1.5 mm	6	2315
E12341	ACRYLIC Clamp (1 pcs) and Screws (2 pcs)	1	1736
E12342	Leveling Screws	3	810
E12343	Glass Plate Stand	1	5557
E12244	Connecting Cords	1 Set	1389



MODEL	VERTICAL MIDI GEL SYSTEM
Dimensions (LXWXH)	23 x 18 x 27.5 cm
Construction Material	Acrylic
Gel Size (Max) (WxH)	16x14cm , 2 gel
Buffer Required	200+250ml
Electrodes, Wires	Brass, Platinum
Standard Combs –Teflon	13 Well-1.0mm and 1.5mm (2Nos each)
Standard Spacers- Teflon	1.0mm and 1.5mm (2Nos each)
Maximum Sample Capacity	40
Time Consumed	2 to 5 hrs.
Recommended Power Supply	E12377 or E12379



- Abdos programmable power supplies are compact and lightweight comes with 2 models (300V & 500V).
- Large Digital Display for input and output values.
- Runs Four Gels simultaneously with Parallel outputs.
- 16 programs memory
- Safety Features - Short circuit & overload protection, Pause Key, Auto Recovery after Power failure, timer function up to 23.59 hours, audio & visual alarm.



Code	Product Description	No./case	Price/case (₹)
E12377	Microprocessor Based Programmable Power Supply, 0-300V, 0-400mA, 120W, 4 Outputs	1	71400

MODEL	E12377	E12379
Dimensions (LXWXH)	24 x 20 x 12 cm	24 x 20 x 12 cm
Construction Material	MS Powder Coated	MS Powder Coated
Output Voltage	0 – 300V (Increment by 1V)	0 – 500V (Increment by 1V)
Output Current	0-400mA (Increment by 1mA)	0-500mA (Increment by 1mA)
Output Wattage	120 W	250 W
Output Terminals	4 Parallel Output	4 Parallel Output
Timer	0-23.59 Hours	0-23.59 Hours
Storage	16 Programs	16 Programs
Input Rating	200-260vac/50hz	200-260vac/50hz



125 | ABDOS Single Wavelength UV Transilluminators

NEW

- Abdos offers three models in it's single wavelength UV transilluminator
- range from 254, 312 & 365nm.
- Compact 20x20cm size, Comes with UV protection filter cover for added safety.
- Flicker free Six UV tubes of 8 watts ensures even distribution of light for better viewing of EtBr Stained bands.



ABDOS Single Wavelength UV Transilluminators – Ordering Information

Code	Product Description	No./case	Price/case (₹)
E12380	Single wavelength UV Transilluminator, 254nm, 20x20cm	1	125000
E12381	Single wavelength UV Transilluminator, 312nm, 20x20cm	1	125000
E12382	Single wavelength UV Transilluminator, 365nm, 20x20cm	1	125000

MODEL	E12380	E12381	E12382
Dimensions (LXWXH)	35x30x15cm	35x30x15cm	35x30x15cm
Construction Material	MS Powder Coated	MS Powder Coated	MS Powder Coated
Viewing Area	20x20cm	20x20cm	20x20cm
Wavelength	254nm	312nm	365nm
Detection Limit	1ng	1ng	1ng
No of UV Tubes	6 Nos	6 Nos	6 Nos
Wattage	8 Watt Each	8 Watt Each	8 Watt Each
Filter	UV Protection Filter	UV Protection Filter	UV Protection Filter

126 | ABDOS Dual Wavelength UV Transilluminators

NEW

- Abdos Dual wavelength UV transilluminators offers widest range of versatility with its three combinations of 254/365, 254/312 & 254/302nm.
- Compact 20x20cm size comes with UV protection filter cover for added safety.
- Flicker free Eight UV tubes of 8 watts ensures even distribution of light for better viewing of EtBr Stained bands.
- Button to switch between the two wavelengths with markings.



ABDOS Dual Wavelength UV Transilluminators – Ordering Information

Code	Product Description	No./case	Price/case (₹)
E12385	Dual wavelength UV Transilluminator, 254/365nm, 20x20cm	1	130000

MODEL	E12385	E12386	E12387
Dimensions (LXWXH)	35x30x15cm	35x30x15cm	35x30x15cm
Construction Material	MS Powder Coated	MS Powder Coated	MS Powder Coated
Viewing Area	20x20cm	20x20cm	20x20cm
Wavelength	254/365nm	254/312nm	254/302nm
Detection Limit	1ng	1ng	1ng
No of UV Tubes	8 Nos	8 Nos	8 Nos
Wattage	8 Watt Each	8 Watt Each	8 Watt Each
Filter	UV Protection Filter	UV Protection Filter	UV Protection Filter



08

Multipurpose Racks and Boxes

ROTATOR WORKSTATION

MULTI COMBINATION RACKS

FROSTY MATE RACKS

STORAGE RACKS

TEST TUBE RACKS

#CommittedtotheEarth

127 | Rotator Workstation, PP

- Abdos rotator workstation is a unique ultimate workstation helping you organize your laboratory work.
- Cube shaped multi-hole rack suitable for different products, has a unique rotate and lock design that helps add or subtract racks according to end user's needs.
- These racks can withstand temperature range from -80°C to 121°C.



Code	Tube Capacity	L x W x H	No./case	Price/case (₹)
P20208	PCR Tubes & Plates, 0.5ml & 1.5ml & 2.0ml, 15ml & 50ml	108 x 68 x 108 mm	4 (assorted colours)	2924

Product Compatibility chart for Rotatory Workstation:

PRODUCT	NO. PER UNIT
50 ml Centrifuge Tube	2 per unit
15 ml Centrifuge Tube	8 per unit
1.5 ml or 2.0 ml Micro Centrifuge Tube	9 per unit
0.5 ml Micro Centrifuge Tube	6 per unit
PCR Plates (unskirted or semi skirted 96 well)	1 per 2 unit locked together
PCR 8-tube strip	6 per unit
PCR 12-tube strip	8 per 2 unit
PCR 0.2 ml tubes	48 per unit

Assorted colours consist of Blue (B), Green (G), Yellow (Y) & Red (R).



128 | Multi Combination Racks, PP

- Abdos multi-combination rack is a unique combination for various tubes and vials.
- Multi-Hole for keeping different products as per own requirement, and has a unique rotate and lock design that helps add or subtract racks according to end user's needs.
- These racks can withstand a temperature of -80°C to 121°C.



Code	Tube Capacity	L x W x H	No./case	Price/case (₹)
P20209	0.5ml & 1.5ml & 2.0ml, 12 x 75 Tube, 15ml & 50ml	175 x 90 x 65 mm	4 (assorted colours)	1359

Product Compatibility chart for Rotatory Workstation:

PRODUCT	NO. PER UNIT
50 ml Centrifuge Tube	4 per unit
15 ml Centrifuge Tube	12 per unit
1.5 ml or 2.0 ml Micro Centrifuge Tube	32 per unit
0.5 ml Micro Centrifuge Tube	32 per unit
RIA Vial 12 x 75 mm (5ml tube)	32 per unit

Assorted colours consist of Blue (B), Green (G), Yellow (Y) & Red (R).



129 | Expanding Tube Rack, PP


- Abdos Expanding tube racks are designed to reduce sample handling time and the need for several racks when working with samples for cold temperature storage.
- The opening and closing mechanism allows the rack to expand, creating more space for sample handling. When done, simply collapse the rack back to its compact form and its ready for the freezer.
- Stackable, with alphanumeric well identifications.
- Temperature range of -80°C to 121°C .



Code	Tubes	Capacity	Places	L x W x H	No./case	Price/case (₹)
P20230	12 mm	1.5 & 2.0 mL	64	310 x 128 x 335 mm	1	3188
P20231	7.8 mm & 5.1 mm	0.5 ml & 0.2 ml	64 - 0.5 ml & 96 - 0.2 ml	310 x 128 x 310 mm	1	3188

130 | Reversible Rack with Cover, PP

- Manufactured in the state of the art facility using high purity virgin polypropylene.
- Hold micro centrifuge tubes of 1.5/2.0ml on one side and 0.5ml tubes on the other.
- 16 x 5 Array on the 80 Place rack for 0.5, 1.5 & 2.0 ml micro centrifuge tubes and 12 x 8 array on the 96 place rack for 0.5, 1.5 ml & 2.0 ml micro centrifuge tubes.
- Moulded Indexing for easy reference of tubes and vials.



Code	Tubes Capacity	Places	L x W x H	No./case	Price/case (₹)
P20206	1.5/2.0 ml & 0.5 ml	96 (12 x 8 Array)	220 x 150 x 50 mm	6	3478
P20206 Assorted	1.5/2.0 ml & 0.5 ml	96 (12 x 8 Array)	220 x 150 x 50 mm	6 (2 pieces of each colour)	3478
P20207	1.5/2.0 ml & 0.5 ml	80 (16 x 5 Array)	240 x 85 x 50 mm	6	1850
P20207 Assorted	1.5/2.0 ml & 0.5 ml	80 (16 x 5 Array)	240 x 85 x 50 mm	6 (2 pieces of each colour)	1850

Add colour of your choice- Green (G), Yellow (Y), Blue (B).

131 | Twisty Tube Rack, PP

- These racks make dilution and concentration study easier as they can transfer samples between 0.2ml PCR tubes to 0.5, 1.5 and 2.0ml tubes.
- Can be rotated and customized according to the end-user application.
- These racks have tapered wells that securely suspend tubes and make removal easy.
- Moulded in indexing for easy retrieval of tubes.
- These Racks can withstand a temperature of -80°C to 121°C .
- The Blue section holds 48 (0.5ml) tubes and the reverse side holds 48 (1.5ml) tubes whereas the purple section holds 96 (0.2ml) tubes and 48 (1.5ml) tubes on the reverse side.



Code	Tubes Capacity	Colour	Places	L x W x H	No./case	Price/case (₹)
P20210	0.2ml, 0.5ml, 1.5ml & 2.0 ml	Blue, Purple	0.2 ml - 96 0.5 ml - 48 1.5/2.0 ml - 48	296 x 118 x 34 mm	1 Kit (Blue + Purple)	3794

132 | Frosty Mate™ Storage Racks, PC


- These racks have consistent thermal protection to maintain low temperatures.
- These racks are suitable for storage for PCR reagents, cells, enzymes or other temperature-sensitive reagents for protecting the critical sample from temperature fluctuations.
- Moulded indexing makes identification faster and easier.
- These racks are available in two temperature ranges:
 - (a) -20°C unit will maintain a temperature between -10°C & -20°C for up to three hours.
 - (b) 0°C unit will maintain a temperature of 0°C for 5 hours.
- These racks are filled with an inert, non-toxic gel.



-20°C Frosty Mate™ Freezer Storage Racks					
Code	Capacity	Places	L x W x H	No./case	Price/case (₹)
PI1104	1.5 - 2.0 ml Micro Tube, 1.0 - 2.0 ml Cryo Tube & 0.5 ml Micro Tube with external attachment	32 (8 x 4 Array)	240 x 120 x 120 mm	1	8096

0°C Frosty Mate™ Freezer Storage Racks					
Code	Capacity	Places	L x W x H	No./case	Price/case (₹)
PI1105	1.5 - 2.0 ml Micro Tube, 1.0 - 2.0 ml Cryo Tube & 0.5 ml Micro Tube with external attachment	32 (8 x 4 Array)	240 x 120 x 120 mm	1	8096

Graph representing temperature stability VS Time



Note - Before use, Frosty Mate™ should be kept for 24 hours at - 40°C temperature deep freeze.

133 | Frosty Mate™ Colour Change Racks, PP


- These racks maintain a temperature of less than 4°C for about 3.5 hours (when the lid is on the rack) at room temperature.
- Frosty Mate™ can be used to transport biological samples, chemicals etc. at a stable temperature for a long period.
- Consistently cooled samples – FROSTY MATE™ colour changes drastically when the temperature samples drops below 4°C.
- A clear visible colour change from Green to Yellow.



MCT Freezer Change Racks							
Code	Colour at cold temperature	Colour at warm temperature	Capacity	Places	L x W x H	No./case	Price/case (₹)
PII106	Green	Yellow	1.5 - 2 ml Micro Tube & 0.5 ml Micro Tube with external attachment	24 (6 x 4 Array)	150 x 100 x 75 mm	1	6400

PCR Freezer Change Racks, PP							
Code	Colour at cold temperature	Colour at warm temperature	Capacity	Places	L x W x H	No./case	Price/case (₹)
PII107	Green	Yellow	PCR tubes/ 96 well plates/ strip tubes	96 (12 x 8 Array)	150 x 100 x 75 mm	1	6400



Graph representing temperature stability VS Time



Note - Before use, Frosty Mate™ should be kept for 24 hours at - 40°C temperature deep freeze.

134 | Test Tube Rack, RPP & PC

- Holes are aligned with moulded-in numbers and letters for easy identification.
- Ergonomics design facilitates easy handling.
- Can be used in a wide temperature range.
- Superior chemical resistance.




Test Tube Rack, RPP						
Code	Tube	Places	Capacity	L x W x H	No./case	Price/case (₹)
P20701	13 mm	31 Places	White, Yellow, Blue	275 x 65 x 110 mm	4	1202
P20702	16 mm	31 Places	White, Yellow, Blue	275 x 65 x 110 mm	4	1202
P20703	20 mm	20 Places	White, Yellow, Blue	324 x 73 x 127 mm	4	1385
P20704	25 mm	18 Places	White, Yellow, Blue	324 x 73 x 127 mm	4	1385
P20705	32 mm	12 Places	White, Yellow, Blue	280 x 84 x 127 mm	4	1601

Test Tube Rack, PC						
Code	Tube	Places	Capacity	L x W x H	No./case	Price/case (₹)
P20706	13 mm	31 Places	White, Yellow, Blue	275 x 65 x 110 mm	4	2386
P20707	13 mm	62 Places	White, Yellow, Blue	275 x 133 x 112 mm	2	2379
P20708	16 mm	31 Places	White, Yellow, Blue	275 x 65 x 110 mm	4	2386
P20709	16 mm	62 Places	White, Yellow, Blue	275 x 133 x 112 mm	2	2379
P20710	20 mm	20 Places	White, Yellow, Blue	324 x 73 x 127 mm	4	2656
P20711	20 mm	40 Places	White, Yellow, Blue	324 x 143 x 127 mm	2	2656
P20712	25 mm	18 Places	White, Yellow, Blue	324 x 73 x 127 mm	4	2656
P20713	25 mm	36 Places	White, Yellow, Blue	324 x 143 x 127 mm	2	2656
P20714	32 mm	12 Places	White, Yellow, Blue	280 x 84 x 127 mm	4	3019
P20715	32 mm	24 Places	White, Yellow, Blue	280 x 170 x 128 mm	2	3019

Add colour of your choice- White (W), Yellow (Y), Blue (B).

135 | Double Jumbo Test Tube Rack, RPP

- These innovative double jumbo test tube racks are used for high capacity storage for tubes, vials and vessels.
- Extremely suitable for high throughput labs requiring large sample storage.
- Manufactured from robust, sturdy and lightweight material suitable for easy movement and transport.
- Holes are aligned with moulded-in numbers and letters for easy identification.
- Due to its sheer size, these racks eliminates the risk of using other multiple racks.
- Double Jumbo racks can be used for storing various grouping samples.



Double Jumbo Test Tube Rack, RPP						
Code	Tube	Places	Capacity	L x W x H	No./case	Price/case (₹)
P20441	10 - 13 mm	432 Places	White, Blue	673 x 230 x 80 mm	1	9142
P20442	13 - 16 mm	240 Places	White, Blue	521 x 260 x 89 mm	1	9142

Jumbo Test Tube Rack, RPP						
Code	Tube	Places	Capacity	L x W x H	No./case	Price/case (₹)
P20443	10 - 13 mm	216 Places	White, Blue	337 x 267 x 91 mm	1	4832
P20444	13 - 16 mm	120 Places	White, Blue	337 x 267 x 91 mm	1	4832

Add colour of your choice- White (W), Blue (B).


136 | Polygrid Test Tube Racks, PP

- Manufactured in the state of the art moulding facility using high purity virgin polypropylene (PP).
- Can be used in a wide temperature range.
- Racks have precise grid and vents.
- Superior chemical resistance.



Code	Tube	Places	L x W x H	No./case	Price/case (₹)
P20716	13 mm	90 Places	248 x 116 x 64 mm	4	1496
P20717	17 mm	60 Places	245 x 118 x 70 mm	4	1496
P20718	21 mm	40 Places	248 x 116 x 70 mm	4	1496

Add colour of your choice- White (W), Blue (B).



137 | Polywire Racks, Delrin

- Polywire racks are made of a single continuous mold, so no assembly required as there are no detachable pieces.
- Manufactured from Delrin®, a material that is incredibly durable and highly resistant to heat, acid and bases.
- Superior performance to Nylon.
- Moulded indexing for easy identification.
- These racks have flat labelling area for easier identification.
- Stable in water bath.
- Can be used throughout a wide temperature range from - 40°C to 140°C.



Polywire Rack Half, Delrin						
Code	Tube	Places	Colour	L x W x H	No./case	Price/case (₹)
P20720	13 mm	36 Places	White, Blue, Red	248 x 116 x 64 mm	4	4195
P20721	16 mm	36 Places	White, Blue, Red	245 x 118 x 70 mm	4	5591
P20722	20 mm (15 ml tube)	20 Places	White, Blue, Red	248 x 116 x 70 mm	4	5724
P20723	25 mm	16 Places	White, Blue, Red	120 x 122 x 92 mm	4	5724
P20724	30 mm (50 ml tube)	9 Places	White, Blue, Red	110 x 110 x 85 mm	4	5724

Polywire Rack Full, Delrin						
Code	Tube	Places	Colour	L x W x H	No./case	Price/case (₹)
P20725	13 mm	72 Places	White, Blue, Red	104 x 202 x 59 mm	4	5591
P20726	16 mm	72 Places	White, Blue, Red	127 x 250 x 70 mm	4	7548
P20727	20 mm (15 ml tube)	40 Places	White, Blue, Red	100 x 252 x 83 mm	4	7688
P20728	25 mm	40 Places	White, Blue, Red	120 x 300 x 92 mm	4	9785
P20729	30 mm (50 ml tube)	24 Places	White, Blue, Red	110 x 282 x 85 mm	4	9785

Add colour of your choice- White (W), Blue (B), Red (R).





INSTRUCTIONS
This bottle is the ideal most option for storing
Reagents, Titrants, Media & Distilled Water.
Using this bottle only the handle provided at the top
should be used. Stopcock should never be used as handle.
The stopcock should be fully seated on the glass to prevent
leakage.
& stopcock should be removed before autoclaving this
Aspirator Bottle.

09

Bottles & Carboys

NARROW & WIDE MOUTH BOTTLES

ASPIRATOR BOTTLES

CARBOYS & MORE

#CommittedtotheEarth

138 | Narrow Mouth Bottle, PP

- These bottles come with inner thread for superior sealing and better security.
- These bottles are used for packing, shipping and storage purposes.
- Superior resistance to chemicals.
- Complete emptying is guaranteed through the inclination of shoulders.



Code	Capacity	Mouth Diameter	Height	No./case	Price/case (₹)
PII135	4 ml	12.2 mm	39.0 mm	72	808
PII136	8 ml	17.5 mm	42.3 mm	72	1042
PII137	15 ml	17.5 mm	56.1 mm	72	1201
PII138	30 ml	17.5 mm	60.0 mm	72	1616
PII131	60 ml	17.5 mm	82.4 mm	72	2173
PII132	125 ml	21.0 mm	97.6 mm	72	2984
PII133	250 ml	21.0 mm	130.7 mm	72	4826
PII134	500 ml	24.6 mm	165.5 mm	48	4290



139 | Narrow Mouth Bottle, LDPE

- These bottles come with inner thread for superior sealing and better security.
- These bottles are used for packing, shipping and storage purposes.
- Superior resistance to chemicals.
- Complete emptying is guaranteed through the inclination of shoulders.
- Suitable for storage of low-density liquids.



Code	Capacity	Mouth Diameter	Height	No./case	Price/case (₹)
PII145	4 ml	12.2 mm	39 mm	100	1127
PII146	8 ml	17.5 mm	42.3 mm	72	808
PII147	15 ml	17.5 mm	56.1 mm	72	970
PII148	30 ml	17.5 mm	60 mm	72	1366
PII141	60 ml	17.5 mm	82.4 mm	72	1779
PII142	125 ml	21 mm	97.6 mm	72	2408
PII143	250 ml	21 mm	130.7 mm	72	3851
PII144	500 ml	24.6 mm	165.5 mm	48	3154



140 | Narrow Mouth Bottle, HDPE

- These bottles come with inner thread for superior sealing and offers higher strength.
- These bottles are used for packing, shipping and storage purposes.
- Superior resistance to chemicals.
- Complete emptying is guaranteed through the inclination of shoulders.
- Compatible with a wide range of laboratory reagents.



Code	Capacity	Mouth Diameter	Height	No./case	Price/case (₹)
PII155	4 ml	12.2 mm	39.0 mm	72	718
PII156	8 ml	17.5 mm	42.3 mm	72	970
PII157	15 ml	17.5 mm	56.1 mm	72	1044
PII158	30 ml	17.5 mm	60.0 mm	72	1440
PII151	60 ml	17.5 mm	82.4 mm	72	1933
PII152	125 ml	21.0 mm	97.6 mm	72	2653
PII153	250 ml	21.0 mm	130.7 mm	72	4262
PII154	500 ml	24.6 mm	165.5 mm	48	3537



141 | Amber Narrow Mouth Bottle, HDPE

- These bottles come with inner threads for superior sealing and offers higher strength.
- Opaque amber colour reduces UV light transmissions to protect light sensitive samples.
- These bottles are used for packing, shipping and storage purposes.
- Superior resistance to chemicals.
- Complete emptying guaranteed through the inclination of shoulders.
- Compatible with a wide range of laboratory reagents.



Code	Capacity	Mouth Diameter	Height	No./case	Price/case (₹)
PII155A	4 ml	12.2 mm	39.0 mm	72	893
PII156A	8 ml	17.5 mm	42.3 mm	72	1132
PII157A	15 ml	17.5 mm	56.1 mm	72	1293
PII158A	30 ml	17.5 mm	60.0 mm	72	1942
PII151A	60 ml	17.5 mm	82.4 mm	72	2502
PII152A	125 ml	21.0 mm	97.6 mm	72	3372
PII153A	250 ml	21.0 mm	130.7 mm	72	5294
PII154A	500 ml	24.6 mm	165.5 mm	48	4764



142 | Narrow Mouth Bottle (Carboy Type), PP

- These bottles come with long inner threads for superior sealing and better security.
- These bottles are used for packing, shipping and storage purposes.
- Superior resistance to chemicals.
- Complete emptying is guaranteed through the inclination of shoulders.



Code	Capacity	Mouth Diameter	Height	No./case	Price/case (₹)
PII127	2000 ml	24.9 mm	248.1 mm	6	2735
PII128	4000 ml	25.6 mm	333 mm	6	5324
PII129	8000 ml	38.3 mm	410 mm	6	9123



143 | Wide Mouth Bottle, PP

- These bottles come with inner threads for superior sealing and better security.
- Wide mouth of bottles allows for easy filling and emptying.
- These bottles are used for packing, shipping and storage purposes.
- Superior resistance to chemicals.
- Complete emptying is guaranteed through the inclination of shoulders.



Code	Capacity	Mouth Diameter	Height	No./case	Price/case (₹)
PII160	30 ml	21.2 mm	58.9 mm	72	1942
PII161	60 ml	24.8 mm	81 mm	72	2587
PII162	125 ml	32 mm	94.5 mm	72	3534
PII163	250 ml	32.2 mm	126.7 mm	72	5541
PII164	500 ml	47.5 mm	163.2 mm	48	4975



144 | Wide Mouth Bottle, LDPE

- These bottles come with inner threads for superior sealing and better security.
- Wide mouth of bottles allows for easy filling and emptying.
- These bottles are used for packing, shipping and storage purposes.
- Superior resistance to chemicals.
- Complete emptying is guaranteed through the inclination of shoulders.
- Suitable for storage of low-density liquids.



Code	Capacity	Mouth Diameter	Height	No./case	Price/case (₹)
PII170	30 ml	21.2 mm	58.9 mm	72	1616
PII171	60 ml	24.8 mm	81 mm	72	2098
PII172	125 ml	32 mm	94.5 mm	72	2906
PII173	250 ml	32.2 mm	126.7 mm	72	4492
PII174	500 ml	47.5 mm	163.2 mm	48	4121



145 | Wide Mouth Bottle, HDPE

- These bottles come with inner threads for superior sealing and better security.
- Wide mouth of bottles allows for easy filling and emptying.
- These bottles are used for packing, shipping and storage purposes.
- Superior resistance to chemicals.
- Complete emptying is guaranteed through the inclination of shoulders.
- Compatible with a wide range of laboratory reagents.



Code	Capacity	Mouth Diameter	Height	No./case	Price/case (₹)
PII180	30 ml	21.2 mm	58.9 mm	72	1779
PII181	60 ml	24.8 mm	81 mm	72	2330
PII182	125 ml	32 mm	94.5 mm	72	3210
PII183	250 ml	32.2 mm	126.7 mm	72	4977
PII184	500 ml	47.5 mm	163.2 mm	48	4496



146 | Amber Wide Mouth Bottle, HDPE

- These bottles come with inner thread for superior sealing and better security.
- Opaque amber colour reduces UV light transmissions to protect light sensitive samples.
- Wide mouth of bottles allows for easy filling and emptying.
- These bottles are used for packing, shipping and storage purposes.
- Superior resistance to chemicals.
- Complete emptying is guaranteed through the inclination of shoulders.
- Compatible with a wide range of laboratory reagents.



Code	Capacity	Mouth Diameter	Height	No./case	Price/case (₹)
PII180A	30 ml	21.2 mm	58.9 mm	72	2268
PII181A	60 ml	24.8 mm	81 mm	72	2816
PII182A	125 ml	32 mm	94.5 mm	72	3943
PII183A	250 ml	32.2 mm	126.7 mm	72	6019
PII184A	500 ml	47.5 mm	163.2 mm	48	5459



147 | Aspirator Bottle with Stopcock, PP

- Aspirator bottles are manufactured using high-purity virgin USP Class VI Medical grade polypropylene (PP).
- These bottles come with a secure sealing cap for better security and long-term storage.
- These bottles are used for storing and shipping reagents, chemicals, culture media, and standards.
- Sturdy and durable for extended use over time with a strong carrying handle.
- Comes with high quality, durable stopcock or tap for easy withdrawal of liquids, chemicals, reagents, culture media and standards.
- Can be used at a temperature below 0°C.
- Superior resistance to chemicals.



Code	Capacity	Mouth Diameter	Height	No./case	Price/case (₹)
PI1515	5 LTS	51.4 mm	374 mm	1	1931
PI1516	10 LTS	51.4 mm	445 mm	1	3159
PI1517	20 LTS	51.4 mm	525 mm	1	4345



148 | Carboy, PP

- Abdos Carboys are manufactured using high-purity virgin USP Class VI Medical grade polypropylene (PP).
- These carboys come with a secure sealing cap for better security and long-term storage.
- These carboys are used for storing and shipping reagents, chemicals, culture media, and standards.
- These are very strong and durable for extended use over time with a strong carrying handle on both sides of the carboy.
- Can be used at a temperature below 0°C.
- Superior resistance to chemicals.



Code	Capacity	Mouth Diameter	Height	No./case	Price/case (₹)
PI1518	10 LTS	63.8 mm	378 mm	1	2556
PI1519	20 LTS	64.2 mm	525 mm	1	3625



149 | Carboy with Stopcock, PP

- Abdos Carboys are manufactured using high-purity virgin USP Class VI Medical grade polypropylene (PP).
- These carboys come with a secure sealing cap for better security and long-term storage.
- These carboys are used for storing and shipping reagents, chemicals, culture media, and standards.
- These are very strong and durable for extended use over time with a strong carrying handle on both sides of the carboy.
- Comes with high quality and durable stopcock or tap for easy withdrawal of liquids, chemicals, reagents, culture media and standards.
- Can be used at a temperature below 0°C.
- Superior resistance to chemicals.



Code	Capacity	Mouth Diameter	Height	No./case	Price/case (₹)
PI1520	10 LTS	63.8 mm	378 mm	1	3625
PI1521	20 LTS	64.2 mm	525 mm	1	4991



150 | Carboy Wide Mouth, PP

- Abdos Carboys are manufactured using high-purity virgin USP Class VI Medical grade polypropylene (PP).
- These carboys come with a secure sealing cap for better security and long-term storage.
- These carboys are used for storing and shipping reagents, chemicals, culture media, and standards.
- These are very strong and durable for extended use over time with a strong carrying handle on both sides of the carboy.
- Comes with wide mouth easy withdrawal and refill of liquids, chemicals, reagents, culture media and standards.
- Can be used at a temperature below 0°C.
- Superior resistance to chemicals.
- Wide mouth allows inlet & outlet of liquid more efficiently with chances of less spillage.



Code	Capacity	Mouth Diameter	Height	No./case	Price/case (₹)
PII522	10 LTS	76 mm	378 mm	1	2556
PII523	20 LTS	85 mm	525 mm	1	3625



151 | Heavy Duty Wide Mouth Carboy with Stopcock, HDPE

- Abdos Carboys are manufactured using high-purity virgin USP Class VI Medical grade polypropylene (PP).
- These carboys come with a secure sealing cap for better security and long-term storage.
- These carboys are used for storing and shipping reagents, chemicals, culture media, and standards.
- These heavy-duty carboys are large with wide mouth capable of handling large volume.
- These are very strong and durable for extended use over time with a strong carrying handle on both sides of the carboy.
- Comes with high quality and durable stopcock or tap for easy withdrawal of liquids, chemicals, reagents, culture media and standards.
- Superior resistance to chemicals & laboratory reagents.



Code	Capacity	Mouth Diameter	Height	No./case	Price/case (₹)
PII511	30 LTS	250 mm	440 mm	1	9023
PII512	50 LTS	250 mm	650 mm	1	13449
PII513	100 LTS	250 mm	800 mm	1	20258
PII510	Spare Stopcock	9 mm	NA	1	1085



152 | Spray Bottle, LDPE

- These bottles are used to spray, clean and disinfect bench-top space, laminar flow, incubators, bench-top instruments and production floor.
- Can also be used for spraying into areas difficult to access as well as applications in thin-layer chromatography.
- Spray bottles have stable smooth operated pump triggers and adjustable spray nozzle that can be regulated from the finest mist to precise liquid jet.
- Superior resistance to chemicals.



Code	Capacity	No./case	Price/case (₹)
PII191	500 ml	6	3898
PII192	1000 ml	6	4253
PII200	Spare Pump	1	449



153 | Dropping Bottle, LDPE

- These dropping bottles are used for routine storage and pouring applications in the laboratory.
- These bottles can be squeezed to ensure precise and steady dripping of liquid from the bottle.
- Moulded from high-quality virgin low-density polyethylene to ensure excellent results.
- Superior resistance to chemicals.



Code	Capacity	Mouth Diameter	Height	No./case	Price/case (₹)
PII301	60 ml	23.6 mm	94.2 mm	12	422
PII302	125 ml	22.8 mm	101.8 mm	12	619



154 | Dropping Bottle Euro Type, LDPE

- These dropping bottles are used for routine storage and pouring applications in the laboratory.
- These bottles can be squeezed to ensure precise and steady dripping of liquid from the bottle.
- Moulded from high-quality virgin low-density polyethylene to ensure excellent results.
- Superior resistance to chemicals.



Code	Capacity	Mouth Diameter	Height	No./case	Price/case (₹)
PII305	30 ml	17.5 mm	60 mm	12	523
PII306	60 ml	17.5 mm	82.4 mm	12	633
PII307	125 ml	23.6 mm	94.2 mm	12	826
PII308	250 ml	22.8 mm	101.8 mm	12	1252



155 | Wash Bottle, LDPE

- Moulded from high-quality virgin low-density polyethylene to ensure excellent results.
- These wash bottles are used for routine storage and pouring applications in the laboratory.
- These bottles have an internal spray to ensure precise dripping of liquid from the bottle.
- Superior chemical resistance.



Code	Capacity	Mouth Diameter	Height	No./case	Price/case (₹)
PII311	250 ml	24 mm	148 mm	12	882
PII312	500 ml	23.8 mm	173 mm	6	632



156 | Wash Bottle (Comet), LDPE

- Moulded from high-quality virgin low-density polyethylene to ensure excellent results.
- These wash bottles are used for routine storage and pouring applications in the laboratory.
- These bottles have an internal spray to ensure precise dripping of liquid from the bottle.
- These bottles are ideal for Distilled water and suitable for foodstuff.



Code	Capacity	Mouth Diameter	Height	No./case	Price/case (₹)
PII313	250 ml	28.2 mm	134.5 mm	12	1212
PII314	500 ml	28.2 mm	165.7 mm	6	671



A photograph of various laboratory glassware and equipment on a black countertop. In the foreground, there is a large beaker with blue liquid, a graduated cylinder with green liquid, a funnel, and a small dish with orange powder. In the background, there is a white container, a pink graduated cylinder, and a stainless steel pot. The image is overlaid with a blue geometric design on the left side.

10

General Laboratory Products

BEAKERS & MEASURING CYLINDERS

VOLUMETRIC FLASKS & DESSICATORS

SCOOPS & SPATULA

STIRRER BARS & MORE

#CommittedtotheEarth

157 | Beakers Without Handle, PP & TPX

- Manufactured in state of the art moulding facility using high purity virgin polypropylene (PP) & polymethylpentene (TPX).
- PP Material conforming to US FDA 21 CFR.
- TPX Material has distinct advantage of high transparency & chemical resistivity, also has higher thermal withstand capacity over PP beakers.
- Tapered stacking style saves space and makes it easy to handle.
- All sizes have easy to read silk-screened graduations.
- Precise pouring spouts.



Beakers Without Handle, PP

Code	Capacity	Height	No./case	Price/case (₹)
P50601	50 ml	59 mm	12	326
P50602	100 ml	73 mm	12	367
P50603	250 ml	94 mm	12	652
P50604	500 ml	128 mm	6	504
P50605	1000 ml	150 mm	4	619
P50606	2000 ml	192 mm	4	1217
P50607	5000 ml	263 mm	2	1491
P50608	10000 ml	328 mm	1	1309



Beakers Without Handle, TPX

Code	Capacity	Height	No./case	Price/case (₹)
P50701	50 ml	59 mm	12	685
P50702	100 ml	73 mm	12	948
P50703	250 ml	94 mm	12	1974
P50704	500 ml	128 mm	6	1796
P50705	1000 ml	150 mm	4	1852
P50706	2000 ml	192 mm	4	2978
P50707	5000 ml	263 mm	2	2951
P50708	10000 ml	328 mm	1	2948

158 | Beakers With Handle, PP & TPX



Beakers With Handle, PP

Code	Capacity	Height	No./case	Price/case (₹)
P50802	100 ml	73 mm	6	287
P50803	250 ml	94 mm	6	490
P50804	500 ml	128 mm	6	867
P50805	1000 ml	150 mm	4	1143
P50806	2000 ml	192 mm	4	1717
P50807	5000 ml	263 mm	2	1889
P50808	10000 ml	330 mm	1	1888



Beakers With Handle, TPX

Code	Capacity	Height	No./case	Price/case (₹)
P50902	100 ml	73 mm	6	612
P50903	250 ml	94 mm	6	1092
P50904	500 ml	128 mm	6	1981
P50905	1000 ml	150 mm	4	2320
P50906	2000 ml	192 mm	4	3426
P50907	5000 ml	263 mm	2	3000
P50908	10000 ml	330 mm	1	3000

159 | Measuring Cylinder, PP Class "B"

- Moulded-in large easy to read graduation.
- Moulded-in from highest quality translucent virgin polypropylene.
- Cylinders have generous pour spout for smooth flow of liquid during pouring.
- Hexagonal shape gives stability to the base.



Code	Capacity	Sub division	Error Limit	Height	No./case	Price/case (₹)
P50301	10 ml	0.2 ml	± 0.2 ml	138 mm	12	1988
P50302	25 ml	0.5 ml	± 0.5 ml	170 mm	12	2370
P50303	50 ml	1 ml	± 1 ml	198 mm	12	2673
P50304	100 ml	1 ml	± 1 ml	257 mm	6	1712
P50305	250 ml	2 ml	± 2 ml	314 mm	6	2752
P50306	500 ml	5 ml	± 5 ml	344 mm	3	1781
P50307	1000 ml	10 ml	± 10 ml	412 mm	3	2310
P50308	2000 ml	20 ml	± 20 ml	482 mm	3	5530



160 | Measuring Cylinder, TPX Class "B"

- These transparent graduated cylinders have excellent value.
- Moulded-in large, neat and easy to read graduations.
- Hexagonal shape gives stability to the base.
- Cylinders have generous pour spout for smooth flow of liquid during pouring.



Code	Capacity	Sub division	Error Limit	Height	No./case	Price/case (₹)
P50401	10 ml	0.2 ml	± 0.2 ml	138 mm	12	3304
P50402	25 ml	0.5 ml	± 0.5 ml	170 mm	12	4398
P50403	50 ml	1 ml	± 1 ml	198 mm	12	5043
P50404	100 ml	1 ml	± 1 ml	257 mm	6	3101
P50405	250 ml	2 ml	± 2 ml	314 mm	6	4957
P50406	500 ml	5 ml	± 5 ml	344 mm	3	3680
P50407	1000 ml	10 ml	± 10 ml	412 mm	3	5593
P50408	2000 ml	20 ml	± 20 ml	482 mm	3	9888



161 | Measuring Cylinder, TPX Class "A"

- These transparent graduated cylinders have excellent value.
- Moulded-in large, neat and easy to read graduations.
- Hexagonal shape gives stability to the base.
- Cylinders have generous pour spout for smooth flow of liquid during pouring.
- Meet accuracy requirements of class A under "DIN 12681/ISO 6706".
- Supplied with conformity test certificate that indicates batch number and year of production that is also marked on the cylinder.



Code	Capacity	Sub division	Error Limit	Height	No./case	Price/case (₹)
P50501	10 ml	0.2 ml	± 0.1 ml	138 mm	1	978
P50502	25 ml	0.5 ml	± 0.25 ml	170 mm	1	1250
P50503	50 ml	1 ml	± 0.5 ml	198 mm	1	1427
P50504	100 ml	1 ml	± 0.5 ml	257 mm	1	1771
P50505	250 ml	2 ml	± 1 ml	314 mm	1	2809
P50506	500 ml	5 ml	± 2.5 ml	343 mm	1	4139
P50507	1000 ml	10 ml	± 5 ml	412 mm	1	6110
P50508	2000 ml	20 ml	± 10 ml	482 mm	1	10050



162 | Volumetric flask. TPX, Class A

- These Volumetric Flasks are manufactured from the medical grade TPX polymer conforming to 21 CFR free of heavy metal and natural rubber.
- These Flasks are made from Glass like TPX offering excellent clarity.
- These Volumetric Flask Come with polypropylene stopper.
- Meet accuracy requirements of class A under "ISO 1042".
- Supplied with conformity test certificate that indicates batch number & year of production.
- These flasks are recommended to be washed at max 60°C.
- Can be autoclaved.



Code	Capacity	Error Limit	Bulb Diameter	Height with stopper	Neck Size	No./case	Price/case (₹)
P50201	25 ml	±0.04 ml	40 mm	115 mm	10/19	1	1454
P50202	50 ml	±0.06 ml	50 mm	150 mm	12/21	1	2081
P50203	100 ml	±0.10 ml	60 mm	180 mm	14/23	1	2369
P50204	250 ml	±0.15 ml	80 mm	235 mm	19/26	1	2797
P50205	500 ml	±0.25 ml	100 mm	270 mm	19/26	1	3041
P50206	1000 ml	±0.40 ml	125 mm	310 mm	24/29	1	3613



163 | Volumetric flask. TPX, Class B

NEW

- These Volumetric Flasks are manufactured from the medical grade TPX polymer conforming to 21 CFR free of heavy metal and natural rubber.
- These Flasks are made from Glass like TPX offering excellent clarity.
- These Volumetric Flask Come with polypropylene stopper.
- Supplied with conformity test certificate that indicates batch number & year of production.
- These flasks are recommended to be washed at max 60°C.
- Can be autoclaved.



Code	Capacity	Error Limit	Bulb Diameter	Height with stopper	Neck Size	No./case	Price/case (₹)
P50101	25 ml	+/- 0.08 ml	40 mm	115 mm	10/19	1	1142
P50102	50 ml	+/- 0.12 ml	50 mm	150 mm	12/21	1	1449
P50103	100 ml	+/- 0.20 ml	60 mm	180 mm	14/23	1	1514
P50104	250 ml	+/- 0.30 ml	80 mm	235 mm	19/26	1	1737
P50105	500 ml	+/- 0.50 ml	100 mm	270 mm	19/26	1	2063
P50106	1000 ml	+/- 0.80 ml	125 mm	310 mm	24/29	1	2368



164 | Scoop, HDPE

- These scoops are used for withdrawal and movement of solid, granulates, gels and other samples.
- Round bottom for better use.
- With precise formed filling edge and comfortable, stable and robust handle.
- Natural in colour.
- Superior chemical resistance.



Code	Capacity	Total Length	No./case	Price/case (₹)
PI1901	90 ml	180 mm	12	3176
PI1902	250 ml	240 mm	12	4129
PI1903	600 ml	300 mm	6	2985
PI1904	1100 ml	360 mm	6	3494
PI1905	1500 ml	400 mm	3	2859



165 | Dual Purpose Scoop, HDPE

- ABDOS Dual purpose Scoop is designed to combine the function of a scoop, weigh boat, and funnel to make this product economically beneficial.
- These Scoops are made from high quality anti-static polystyrene that is waterproof and reduces the probability of materials sticking to the scoop.
- These scoops have locking tabs that help to retain materials.
- These scoops can withstand powders, gels, and semi-solids.
- The broad tip design keeps the scoop stable while on the scale and enables materials to be easily scooped and dispensed.
- The dosage requirements for electron beam sterilization that results in sterilized products is determined by procedures that are compliant with ISO 11137.



STERILE E



Code	Size	Dimension	Colour	No./case	Price/case (₹)
PI1907	Large	127 x 90 mm	White	100	4643
PI1908	Small	127 x 63 mm	White	100	5169

166 | Conical Flask, PP

- Moulded from high quality virgin Polypropylene to ensure excellent results.
- These Conical Flasks are used for routine storage and pouring applications in the laboratory.
- These Flasks have a screw cap designed with inner thread for superior sealing and better security.



121 °C

Code	Capacity	No./case	Price/case (₹)
PI1620	125 ml	12	1224
PI1621	250 ml	12	1486
PI1622	500 ml	12	2471



167 | Weighing Boats, PS

- Abdos weighing boats are flexible with smooth surfaces to provide accurate pour-outs with minimal sample loss.
- Biologically inert and resistant to dilute weak acids, aqueous solutions, alcohols, and bases.
- All Abdos weighing boats are anti-static and facilitate the weighing of the static-affected sample.
- These boats can withstand temperature between 10°C to 70°C.
- Can be used with microwave moisture analysers.
- Suitable for use with food.
- Standard Weighing Boats are shallow with a wide, flat bottom to resist tipping.
- They have rounded corners to simplify transfer.
- Pour spout weighing boat have an innovative unique design for easy dispense of the sample without flexing the dish. 12-mil thickness provides good strength, stability and handling.



121 °C

Weighing Boats Standard, PS					
Code	Size	Colour	L x W x H	No./case	Price/case (₹)
P70501	Small	Blue	46 x 46 x 8 mm	250	1940
P70502	Medium	Blue	85 x 85 x 24 mm	250	3220
P70505	Large	Blue	140 x 140 x 22 mm	250	5763

Weighing Boat with Pour Spout, PS					
Code	Size	Colour	L x W x H	No./case	Price/case (₹)
P70503	Small	White	43 x 58 x 13 mm	250	3199
P70504	Medium	White	83 x 132 x 26 mm	250	5787
P70506	Large	White	108 x 183 x 26 mm	250	10487



168 | Spatula, PP

- Abdos Spatula is moulded in polypropylene.
- Spatula consists of a spoon on one side while the other end is a flat construction with a knife edge.
- The edge is helpful in breaking up crystals of different salts while the spoon is used to draw salts from containers.
- Suitable for use with food.



Spatula			
Code	Length	No./case	Price/case (₹)
P70707	150 mm	120	2332
P70708	200 mm	120	3031



169 | Funnel, PP

- Designed specifically for analytical chemistry.
- Each size takes a standard size filter paper.
- The body of the funnel is 60° angle.
- Provided with external and internal ribs.



Spatula					
Code	Size Diameter	Internal Diameter	Stem Length	No./case	Price/case (₹)
P70314	50 mm	50 mm	50 mm	36	529
P70315	62 mm	62 mm	67 mm	36	642
P70316	75 mm	75 mm	77 mm	36	831
P70317	100 mm	100 mm	95 mm	12	707



170 | Funnel Holder, PP

- These are corrosion free and can hold funnels with diameter 3 in to 6 in.
- Extra plate provided can be placed to hold funnels with diameter 1 in to 3 in.
- Two tapered wedges are provided to have a firm grip on rods.



Code	Places	No./case	Price/case (₹)
P70311	Single	6	1265
P70312	Double	6	1744



171 | Powder Funnel, PP

- These Powder Funnels are used for transferring material in narrow bottles without spillage.
- Various sizes for different container sizes and volumes.
- Moulded from high quality virgin Polypropylene to ensure excellent results.



Code	Internal Diameter	No./case	Price/case (₹)
P70318	65 mm	36	831



172 | Separatory Funnel, PP

- ABDOS Separatory funnel is moulded from high quality virgin Polypropylene to ensure excellent clarity and strength.
- This Funnel is pear shaped and has screw cap for superior sealing and leak proof.
- This funnel comes with PTFE plug for easy usage.
- Push Fit Plugs make the assembly easy and convenient.



121 °C

Code	Capacity	No./case	Price/case (₹)
P70321	125 ml	2	949
P70322	250 ml	2	1009
P70323	500 ml	2	1328



173 | Separatory Funnel Holder, PP

- These are corrosion free with a front opening that allows a clear view of the solution and allows unobstructed placement of separating funnels.
- Two tapered wedges are provided to have a firm grip on rods.



121 °C

Code	Places	No./case	Price/case (₹)
P70313	Single	6	1982



174 | Retort Stand, PP/PE Coated Rod

- Retort stand is used to attach clamp that holds test tubes and other equipment like burettes.
- It is used for titration, distillation and filtering of samples.
- It is available in both central and side holes.
- Base of the stand is PP and the rod is coated in PE.

Code	L x B, mm	Height of Rod	No./case	Price/case (₹)
P70211	225 x 150 side hole	750 mm	1	1347
P70212	300 x 200 centre hole	750 mm	1	1705
P70213	301 x 200 side hole	750 mm	1	1705



175 | Burette Clamp, PP

- Burette clamps are used to hold burettes, test tubes, etc.
- Completely corrosion proof as it is moulded in polypropylene.
- Spring-loaded jack in the middle provides grip to the burette and prevents it from slipping.
- Two tapered wedges are provided to ensure firm grip on the rods.
- Available in both single and double clamp.

Code	Places	No./case	Price/case (₹)
P70601	Single	6	1277
P70602	Double	6	1744



176 | Assorted Workstation storage Bin, ACRYLIC

- Users can organize most of their commonly used laboratory disposables in one location.
- First section of the bins can be used to store tubes, vials, pipette tips, hair cap or masks.
- Second section of the bin is used to store and dispense tissue paper, Kimwipes and Parafilm M (supplied with super-sharp serrated blade).
- Third section of the bin is used to store and dispense gloves.

Code	No. of Compartment	L x W x H	No./case	Price/case (₹)
P70104	5	255 x 135 x 368 mm	1	8862



177 | Workstation storage/ Dispenser Bin, ACRYLIC

- Ideal for storing and dispensing small laboratory product such as Pipette tips, Pasture Pipette, Micro Centrifuge Tubes.
- Removable top cover allows easy filling in to the box.
- Hinged opening at the front to take out items from the bin.
- Holes at the back of the bin help it to be placed or stuck on to the wall.

Code	Size	L x W x H	No./case	Price/case (₹)
P70101	Small	200 x 140 x 190 mm	1	4314
P70102	Large	200 x 140 x 275 mm	1	6530



178 | Drying Rack, SS

- These Drying Racks are used for draining and drying test tubes, beakers, flasks & other lab ware.
- There are 55 pegs in the rack, 50 smaller pegs for products with small diameter & 5 large brackets are designed to hold Erlenmeyer flasks, beakers, etc.
- These pegs are plastic coated for better protection.
- The racks come with a tray at the bottom in order to avoid drops on the surface or table.

Code	Places	L x W x H	No./case	Price/case (₹)
P20302	55 places	360 x 160 x 650 mm	1	5255



181 | Utility Tray, PP

- Moulded from high quality virgin Polypropylene to ensure excellent results.
- These Utility Trays are used for routine washing and keeping labware and transporting material.
- This tray is designed for easy grip and handling heavy loads.



Code	L x W x H	No./case	Price/case (₹)
P90115	350 x 275 x 75 mm	10	4274
P90116	360 x 310 x 130 mm	6	4488



182 | Magnetic Retrievers, PTFE/ALNICO V MAGNET

- Used to retrieve stirrer bar.
- Inert & leak Free.
- Moulded in from FDA approved PTFE and LNICO V MAGNET.
- Strong alloy magnets sheathed in pure white inert PTFE.
- Resistant to virtually all chemical attack and temperatures up to 260°C.



Code	OD(ø) X L (mm)	No./case	Price/case (₹)
P80187	10 x 150	2	2953
P80188	10 x 250	2	3729
P80189	10 x 350	2	4195



Plain Desiccator

- Desiccators are enclosures containing desiccants for preserving moisture sensitive products.
- These desiccators are moulded-in from high quality plastics which is light and easy to handle.
- Silicone O-ring assures tight seal down to 0°C without using grease.
- Bottom part of the desiccators comes with thick perforated polypropylene disc with big holes in the middle for easy lifting.
- Use with disposable or reusable desiccant.
- Bottom part of the desiccators is white in color.

Vacuum Desiccator

- Vacuum desiccator are moulded in high quality plastics which is light and easy to handle.
- Silicone O-ring assures tight seal down to 0°C without using grease.
- Polypropylene stopcock with PTFE.
- Bottom part of the desiccators comes with thick perforated polypropylene disc with big holes in the middle for easy lifting.
- Bottom part of the desiccators is transparent in all clear vacuum desiccator.



Plain Desiccator
(PP/PC)



Vacuum Desiccator
(PP/PC)



All Clear Vacuum Desiccator
(PC/PC)

Code	Product	Plate Diameter	Inside Diameter	Flange Outer Diameter	Overall Height	No./case	Price/case (₹)
E11601	Plain Desiccator	150 mm	145 mm	170 mm	210 mm	1	1491
E11602	Plain Desiccator	200 mm	195 mm	230 mm	270 mm	1	2792
E11603	Plain Desiccator	250 mm	240 mm	275 mm	330 mm	1	3871
E11604	Plain Desiccator	300 mm	297 mm	338 mm	410 mm	1	5899
E11605	Vacuum Desiccator	150 mm	145 mm	170 mm	210 mm	1	2531
E11606	Vacuum Desiccator	200 mm	195 mm	230 mm	270 mm	1	3878
E11607	Vacuum Desiccator	250 mm	240 mm	275 mm	330 mm	1	4869
E11608	Vacuum Desiccator	300 mm	297 mm	338 mm	410 mm	1	6986
E11609	All Clear Vacuum Desiccator	150 mm	145 mm	170 mm	210 mm	1	3105
E11610	All Clear Vacuum Desiccator	200 mm	195 mm	230 mm	270 mm	1	4761
E11611	All Clear Vacuum Desiccator	250 mm	240 mm	275 mm	330 mm	1	6108
E11612	All Clear Vacuum Desiccator	300 mm	297 mm	338 mm	410 mm	1	9116

SPARE ACCESSORIES FOR ALL DESICCATOR

Code	Product	No./case	Price/case (₹)
E11620	Stop Cock for Vacuum Desiccator	1	1084
E11621	Silicone Ring for 150 mm Desiccator	1	198
E11622	Silicone Ring for 200 mm Desiccator	1	290
E11623	Silicone Ring for 250 mm Desiccator	1	364
E11624	Silicone Ring for 300 mm Desiccator	1	464

184 | Vacuum Gauge Round / Cubic Desiccator

- These vacuum desiccators feature a round design with light weight yet high tensile strength.
- Maximum vacuum of 1 Torr (1.33 x 10⁻⁴ Mpa) for 72 hours.
- High quality silicone gasket ensures greaseless airtight seal for cost effective and clean test environment.
- Highly transparent, shatterproof, non-corrosive, and easy to clean polycarbonate construction.
- Three-way stopcock ensures consistent and uniform vacuum draw, vacuum release, or gas exchange. The barbed fitting on each side secures attachment of tubing.
- Flange lock holds the top and the bottom together during non-vacuum conditions.
- UV-blocking model minimizes damage and discoloration of light-sensitive samples.
- In Vacuum Gauge Round Desiccator, vacuum gauge is attached at the centre of the lid while it is attached at the front door in Vacuum Gauge Cubic Desiccator.



Vacuum Gauge Round Desiccator



Vacuum Gauge Cubic Desiccator

Code	Capacity	D x H	Colour	No./case	Price/case (₹)
E11617	6 LTS	242 x 354 mm	Natural	1	37365
E11617A	6 LTS	243 x 354 mm	Amber	1	49319
E11618	10 LTS	308 x 400 mm	Natural	1	46332
E11618A	10 LTS	308 x 400 mm	Amber	1	56794
E11619	20 LTS	385 x 475 mm	Natural	1	56794
E11619A	20 LTS	385 x 475 mm	Amber	1	67255

Code	Capacity	W x D x H	Colour	No./case	Price/case (₹)
E11613	11 LTS	322 x 285 x 271 mm	Natural	1	145184
E11613A	11 LTS	323 x 285 x 271 mm	Amber	1	152443
E11614	23 LTS	420 x 397 x 281 mm	Natural	1	181480
E11614A	23 LTS	421 x 397 x 281 mm	Amber	1	188739
E11615	35 LTS	420 x 397 x 381 mm	Natural	1	228664
E11615A	35 LTS	421 x 397 x 381 mm	Amber	1	238102
E11616	45 LTS	420 x 397 x 491 mm	Natural	1	290368
E11616A	45 LTS	421 x 397 x 491 mm	Amber	1	304887

SPECIFICATIONS :

Code	E11617 & E11617A	E11618 & E11618A	E11619 & E11619A	E11613 & E11613A	E11614 & E11614A	E11615 & E11615A	E11616 & E11616A
Internal Volume	6 L / 0.2 cu ft	10 L / 0.4 cu ft	20 L / 0.7 cu ft	11 L / 0.4 cu ft	23 L / 0.8 cu ft	35 L / 1.2 cu ft	45 L / 1.6 cu ft
Gauge Range	0 to -0.1 Mpa	0 to -0.1 Mpa	0 to -0.1 Mpa	0 to -0.1 Mpa	0 to -0.1 Mpa	0 to -0.1 Mpa	0 to -0.1 Mpa
Nozzle Diameter	9.5 mm / 0.37 inch	9.5 mm / 0.37 inch	9.5 mm / 0.37 inch	9.5 mm / 0.37 inch	9.5 mm / 0.37 inch	9.5 mm / 0.37 inch	9.5 mm / 0.37 inch
Max. Permissible Vacuum	1.33 x 10 ⁻⁴ Mpa	1.33 x 10 ⁻⁴ Mpa	1.33 x 10 ⁻⁴ Mpa	1.33 x 10 ⁻⁴ Mpa	1.33 x 10 ⁻⁴ Mpa	1.33 x 10 ⁻⁴ Mpa	1.33 x 10 ⁻⁴ Mpa
Max Load per shelf	-	-	-	3 Kg	5 Kg	5 kg	5 kg
Number of Shelves	-	-	-	2 standard / 4 maximum	2 standard / 4 maximum	3 standard / 5 maximum	3 standard / 6 maximum
Material - Body	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate
Material - Perforated Sample Tray	Polypropylene	Polypropylene	Polypropylene	Polycarbonate	Polycarbonate	Polycarbonate	Polycarbonate
Material - Drying Agent Tray / Locker	Polypropylene	Polypropylene	Polypropylene	Polypropylene	Polypropylene	Polypropylene	Polypropylene
Material - Vacuum Seal	Silicone Rubber	Silicone Rubber	Silicone Rubber	Silicone Rubber	Silicone Rubber	Silicone Rubber	Silicone Rubber
Dimension - Interior (W x D x H)	-	-	-	248 x 254 x 238 mm	346 x 365 x 246 mm	355 x 375 x 345 mm	355 x 374 x 445 mm
Dimension - Exterior (Dia X H)	242 x 354 mm	308 x 400 mm	385 x 475 mm	-	-	-	-
Dimension - Exterior (W x D x H)	-	-	-	322 x 285 x 271 mm	420 x 397 x 281 mm	420 x 397 x 381 mm	420 x 397 x 491 mm
Net Weight	1.5 Kg	2.5 Kg	4.2 Kg	4.2 Kg	8.2 Kg	10.8 Kg	12.2 Kg

E11617A, E11618A, E11619A, E11613A, E11614A, E11615A, E11616A codes are translucent (Amber colour) Vacuum desiccators with Ultra Violet block effect. All models come with vacuum gauge.

185 | Coplin Jar

- These Coplin Jars are Polypropylene staining jars that holds either 5 single or 10 back-to-back standard 75 x 25 mm slides.
- Interior of the Coplin Jar is grooved to hold the slides in an upright position.
- Flat Cap, features large milled edge for easy hand grip and has a built-in plug seal.



Code	Places	Height	No./case	Price/case (₹)
P90101	10	114 mm	12	938



186 | Slide Box, ABS

- These Slide Box are suitable for holding standard 25 x 75 mm microscope slides.
- Slide tray are mounted with cock sheet on the bottom and index list inside the lid for microscope slide identification.
- Uniform grooved slide slots separates slides and prevents it to come in contact with each other.



Code	Places	L x W x H	No./case	Price/case (₹)
P90103	25	95 x 82 x 32 mm	12	1503
P90104	50	199 x 82 x 32 mm	6	1255
P90105	100	192 x 162 x 32 mm	6	2435



187 | Slide Tray, PS

- These Slide Trays are suitable for holding standard 25 x 75 mm microscope slides
- Slide tray are manufactured in state in art molding facility using virgin Polysterene.
- Thumb cut area provides apace for easy slide handling.



Code	Places	L x W x H	No./case	Price/case (₹)
P90102	20	300 x 194 x 12 mm	6	3790



188 | Slide Dispenser, PS

- These Slide Dispenser are suitable for holding standard 25 x 75 mm microscope slides.
- The overall design of the dispensers make it easy to load and dispense slides.
- User can effortlessly turn either side of wheel to dispense slides one at a time.



Code	Places	L x W x H	No./case	Price/case (₹)
P90106	72	120 x 120 x 163 mm	1	1074



189 | Slide Mailer, PP

- These Slide Mailer are suitable for holding standard 25 x 75 mm slides.
- They are ideal for secure shipping and storing of slides.
- Easy to close secure snaps for storage of valuable slides.



Code	Places	L x W x H	No./case	Price/case (₹)
P90107	1	85 x 42 x 5 mm	25	347
P90108	2	82 x 70 x 5 mm	25	550
P90109	3	100 x 84 x 5 mm	25	592
P90110	5	82 x 30 x 17 mm	25	636



190 | Micro Magnetic Stirrer Bar, PTFE/ALNICO V MAGNET

- For the stirring of liquids on magnetic stirrer and hot plates stirrers.
- Strong alloy magnets sheathed in pure white inert PTFE.
- Resistant to virtually all chemical attack and temperatures up to 260°C.
- For use in small vessels, e.g. test tubes, vials etc.



Code	OD(ø) X L (mm)	No./case	Price/case (₹)
P80136	2 x 2 mm	5	1222
P80137	2 x 5 mm	5	1222
P80101	2 x 7 mm	5	1222
P80102	3 x 10 mm	5	1222

**191 | Magnetic Stirrer Bar With Pivot Ring, PTFE/ALNICO V MAGNET**

- Central pivot ring ensures efficient spinning even on curved or uneven bases.
- For the stirring of liquids on magnetic stirrers and hot plates stirrers.
- Strong alloy magnets sheathed in pure white inert PTFE.
- Resistant to virtually all chemical attack and temperatures up to 260°C.



Code	OD(ø) X L (mm)	No./case	Price/case (₹)
P80138	4.5 X 12	10	1608
P80103	4.5 x 15	10	1608
P80124	6 X 12	10	1796
P80104	6 x 20	10	1977
P80123	6 x 25	10	2175
P80105	6 x 30	10	2373
P80139	6 x 35	10	2531
P80125	8 X 15	10	2287
P80106	8 x 40	10	2858
P80107	8 x 50	10	3234
P80126	10 X 25	10	2785
P80108	10 X 60	5	2653
P80109	10 X 70	5	2738
P80127	13 x 75	2	2289
P80140	24 X 57	2	4506
P80141	24 X 108	2	9323
P80142	24 X 159	2	11654

**192 | Cylindrical Magnetic Stirrer Bar, PTFE/ALNICO V MAGNET**

- Plain design with rounded ends, suitable for a wide range of flat bottomed containers.
- For the stirring of liquids on magnetic stirrers and hot plates stirrers.
- Strong alloy magnets sheathed in pure white inert PTFE.
- Resistant to virtually all chemical attack and temperatures up to 260°C



Code	OD(ø) X L (mm)	No./case	Price/case (₹)
P80143	6 X 10	10	1754
P80144	6 X 15	10	1664
P80110	6 x 20	10	1664
P80154	6 x 25	10	1785
P80111	6 x 30	10	1882
P80145	8 X 13	10	2174
P80146	8 X 20	10	2174
P80147	8 X 25	10	2625
P80148	8 X 30	10	2625
P80112	8 x 40	10	2391
P80113	8 x 50	10	3714
P80149	10 x 60	10	4971
P80114	10 x 70	10	6216
P80150	10 x 80	10	7303



193 | Plain Magentic Stirrer Bar, PTFE/ALNICO V MAGNET

- Plain design for more turbulence at low speed.
- For the stirring of liquids on magnetic stirrers and hot plates stirrers.
- Strong alloy magnets sheathed in pure white inert PTFE.
- Resistant to virtually all chemical attack and temperatures up to 260°C.



Code	OD(ø) X L (mm)	No./case	Price/case (₹)
P80155	6 X 10	10	1554
P80156	6 X 15	10	1709
P80157	6 x 20	10	2020
P80158	6 x 25	10	2253
P80159	6 x 30	10	2640
P80160	8 X 13	10	2409
P80161	8 x 25	10	3262
P80162	8 x 40	10	2438
P80163	8 x 50	10	3885
P80164	8 x 60	10	4506
P80165	10 x 25	10	3885
P80166	10 x 35	10	3885
P80167	10 x 50	10	4660
P80168	10 x 60	10	5128
P80169	10 x 70	10	5749
P80170	10 x 80	10	6214



194 | Octagonal Magentic Stirrer Bar, PTFE/ALNICO V MAGNET

- Shape gives increased turbulence at low speeds.
- Bars with central pivot ring.
- For the stirring of liquids on magnetic stirrers and hot plates stirrers.
- Strong alloy magnets sheathed in pure white inert PTFE.
- Resistant to virtually all chemical attack and temperatures up to 260°C.



Code	OD(ø) X L (mm)	No./case	Price/case (₹)
P80115	8 x 13	10	1975
P80116	8 x 25	10	2093
P80117	8 x 38	10	2607
P80128	8 x 51	10	2872
P80129	8 x 64	10	4060
P80151	10 x 13	10	2642
P80152	10 x 25	10	2642
P80153	10 x 38	10	2952
P80118	10 x 51	10	3952
P80119	13 x 75	10	7770



195 | Oval Magentic Stirrer Bar, PTFE/ALNICO V MAGNET

- Best suited for round bottom flask.
- For the stirring of liquids on magnetic stirrers and hot plates stirrers.
- Strong alloy magnets sheathed in pure white inert PTFE.
- Resistant to virtually all chemical attack and temperatures up to 260°C.



Code	OD(ø) X L (mm)	No./case	Price/case (₹)
P80171	5 x 10	10	2331
P80172	6 x 15	10	2331
P80173	10 x 20	10	3263
P80174	10 x 25	10	3885
P80175	10 x 30	10	4972
P80176	16 x 30	10	6060
P80177	16 x 35	10	6993
P80178	20 x 40	10	9168
P80179	20 x 50	10	12120
P80180	20 x 64	10	13830
P80181	20 x 70	10	15539



196 | Triangular Magnetic Stirrer Bar, PTFE/ALNICO V MAGNET

- Ideal for mixing difficult solutions e.g. dissolving solvents or mixing sediments.
- Spins well giving the best possible mixing action.
- For the stirring of liquids on magnetic stirrers and hot plates stirrers.
- Strong alloy magnets sheathed in pure white inert PTFE.
- Resistant to virtually all chemical attack and temperatures up to 260°C.



Code	OD(ø) X L (mm)	No./case	Price/case (₹)
P80130	14 x 25	2	1647
P80131	14 x 40	2	1959
P80132	14 x 55	2	2208
P80182	14 X 80	2	2873



197 | Wings Magnetic Stirrer Bar, PTFE/ALNICO V MAGNET

- Best suited for test tubes.
- For the stirring of liquids on magnetic stirrers and hot plates stirrers.
- Strong alloy magnets sheathed in pure white inert PTFE.
- Resistant to virtually all chemical attack and temperatures upto 260°C.



Code	OD(ø) X L (mm)	No./case	Price/case (₹)
P80183	8 x 11	2	2486
P80184	10 x 16	2	3108
P80185	13 x 10	2	2486
P80186	13 x 20	2	3108



198 | Double Ended Magnetic Stirrer Bars, PTFE/ALNICO V MAGNET

- Double ended stirrer bars have double paddle action for efficient stirring plus high stability.
- Strong alloy magnets sheathed in pure white inert PTFE.
- Resistant to virtually all chemical attack and temperatures up to 260°C.



Code	OD(ø) X L (mm)	No./case	Price/case (₹)
P80133	8 X 35	5	4118
P80134	8 X 55	5	4972




199 | Cross-spin Magnetic Stirrer Bars, PTFE/ALNICO V MAGNET

- Cross spin stirrer bars add speed and efficiency to your mixing requirements.
- The cross shape creates a deep vortex and provides stable and quite operation.
- Strong alloy magnets sheathed in pure white inert PTFE.
- Resistant to virtually all chemical attack and temperatures up to 260°C.



Code	OD(ø) X L (mm)	No./case	Price/case (₹)
P80135	8 x 20, 9 x 25, 10 x 30, 11 x 38, 15 x 50, 20 x 60	1 set consisting of 1 pcs each	5029



11

Utilities

BIOHAZARD & AUTOCLAVE DISPOSABLE BAGS

GLOVES & SAFETY GOGGLES

SHARP CONTAINERS

N95 MASKS & MORE

#CommittedtotheEarth

200 | Biohazard Disposable Bags, PP

- These bags include black biohazard symbol and precautionary procedures printed in four languages (English, Spanish, French, German) for added safety.
- These bags are easy to open and close and used to dispose biohazard waste and other plastic laboratory disposables.
- High temperature steam autoclavable up to 135°C (275°F).
- Pass ASTM 1922 Tear Resistance and ASTM 1709 Dart Impact Tests.



Code	W x L (inch)	Colour	No./case	Price/case (₹)
U40105	12 x 18 inches	Red, Yellow & Natural	200	2903
U40106	12 x 24 inches	Red, Yellow & Natural	200	3241
U40103	18 x 22 inches	Red, Yellow & Natural	200	4072
U40104	25 x 35 inches	Red, Yellow & Natural	200	8625
U40114	24 x 31.5 inches	Red, Yellow & Natural	200	8625
U40120	42 x 42 inches	Red, Yellow & Natural	100	11451

Note : U40120 is available only in HMHDPE



201 | Autoclavable Bags, PP

- These polypropylene autoclave bags made of 2 mil thickness are used for discarding used petri dishes, membrane filters, cell culture flasks, pipettes, culture plates & other plastic products.
- These bags are transparent.



Code	W x L (inch)	No./case	Price/case (₹)
U40112	8 x 12 inches	100	957
U40113	12 x 24 inches	100	1845
U40108	16 x 18 inches	100	2152
U40109	16 x 24 inches	100	4035



202 | Transport/ Resealable Bags with Zip Lock, PE

- These Bags can be used to store and ship samples, solids and food/suitable for use with food.
- Though it can be used for all applications it is especially used in food, water, forensic science and quality control laboratory.
- Using the rim and channel closure the bag can be closed by finger pressure and reopened repeatedly.
- Content stored in the bag would be dust free and free of contaminates.



Code	W x L (inch)	No./case	Price/case (₹)
U40110	9.8 x 10.2 inches	100	1001
U40111	13 x 13.35 inches	100	1539



203 | Sharp Container, PP

- A complete Line of Containers for needle, sharps and cutting waste, hospital waste.
- Secure lock on lid makes it safe to discard with sharp waste.
- Special design on lid makes it user-friendly to use with one hand while disposing sharp needles.
- Opening design inhibits hand entry to reduce the risk of needle stick when disposing sharps.
- Clear top and translucent containers allow you to monitor the fill level.
- Puncture-resistant, durable polypropylene, can be autoclaved or incinerated.
- Clearly marked with biohazard label.



Code	Capacity(ml)	No./case	Price/each	Price/case (₹)
P50111	800 ml	40	95	5645
P50112	1200 ml	60	135	11642
P50113	3000 ml	60	185	15876
P50114	5000 ml	60	230	19404



204 | Safety Goggles, PC

- Polycarbonate lens with side shield.
- Impact resistant and lightweight frames for comfortable eyewear.
- 99.9% UVA/UVB protection

Code	No./case	Price/case (₹)
U40101	2	734



205 | Safety Goggles Box, ACRYLIC

- This safety box can be set on the bench top or mounted on the wall for storage of goggles, glasses and other small lab products.
- Safety Lid keeps the box free of dust and contamination.
- Clear window helps to view the inventory from the outside.

Code	L x W x H	Size	No./Case	Price/case (₹)
P70106	23 x 16 x 18 cm	Small	1	2800
P70107	23 x 16 x 25 cm	Large	1	3300



206 | Safety Face Shield

- Clear face shield of polycarbonate provides high impact and splash protection.
- Ratched adjustment on the headgear provides comfortable fit.

Code	L x W x H	No./Case	Price/case (₹)
U40102	28.5 x 22.7 x 13 cm	1	3150



207 | Abdos N95 Respirator Mask

- These masks are disposable respirators that provide protection from particulates.
- Bacterial Filtration Efficiency $\geq 95\%$ approved as per guidelines.
- Confirm Minimum Splash Resistance Pressure.
- Satisfy all regulations of all accredited NABL labs.
- Particulate Filtration Efficiency $\geq 95\%$ Confirms FFP2 as BIS: IS: 9473-2002 with/without Expiratory Valve.



Code	Description	Size	Colour	No./case	Price/case (₹)
U20417A	N 95 Particulate respirator	Regular	White/Grey	100	6000



208 | Abdos DERMA GUARD Blue Nitrile Gloves – 9.5 inches length

- These gloves are ideal product to protect you from exposure to bacteria, viruses and chemicals. It also enhances your ability to offer maximum security against cross-contamination.
- Its unique blue color provides quick, visual differentiation from natural rubber latex and other synthetic gloves.
- Ambidextrous, textured fingertips and beaded cuff enhance wet and dry grip.
- Custom design enhance comfort and fit.
- These gloves are powder free, minimizing the potential for powder related complications.
- Conforms to ASTM D6319 and EN 455 Standards.

Code	Size	No./case	Price/case (₹)
U20341	Small	100	595
U20342	Medium	100	595
U20343	Large	100	595



209 | Abdos DERMA GUARD White Latex Gloves – 9.5 inches length

- These gloves are ideal product to protect you from exposure to bacteria, viruses and chemicals. It also enhances your ability to offer maximum security against cross-contamination.
- Ambidextrous, textured fingertips and beaded cuff enhance wet and dry grip.
- Softness provides superior comfort and natural fit.
- These gloves are powder free, minimizing the potential for powder related complications, irritation and dermatitis.
- Lower level of extractable proteins and chemical residue, hence lower incidences of allergic reactions.
- Conforms to ASTM D6319 and EN 455 Standards.

Code	Size	No./case	Price/case (₹)
U20344	Small	100	540
U20345	Medium	100	540
U20346	Large	100	540



210 | Kimtech Purple Nitrile Gloves, 9.5 & 12 inches length

- These gloves are ideal product to protect you from exposure to bacteria, viruses and chemicals. It also enhances your ability to offer maximum security against cross-contamination.
- Its unique purple color provides quick, visual differentiation from natural rubber latex and other synthetic gloves.
- Its textured fingertips enhance wet and dry grip.
- Custom design enhance comfort and fit.
- These gloves are powder free, minimizing the potential for powder related complications.

Kimtech Purple Nitrile Gloves - 9.5 inches length			
Code	Size	No./case	Price/case (₹)
U20301	Small	100	1700
U20302	Medium	100	1700
U20303	Large	100	1700

Kimtech Purple Nitrile Gloves - 12 inches length			
Code	Size	No./case	Price/case (₹)
U20304	Small	50	1500
U20305	Medium	50	1500
U20306	Large	50	1500



211 | Glove Box Holder, Acrylic

- They designate a place for gloves.
- Clear and pristine holder to give clean appearance.
- Top loading of the glove box.
- Easy to dispense the gloves through the holder.
- Each holder has holes that help it to be installed in a convenient location to the proximity of your work and tasks.

Code	No. of places	L x W x H, mm	No./case	Price/case (₹)
P70301	1	260 x 100 x 138	1	2268
P70302	2	260 x 100 x 270	1	3010
P70303	3	260 x 100 x 415	1	3985



212 | Kimtech Science Kimwipes Wipers

- These wipers are an ideal product for cleaning and wiping delicate surfaces such as beakers, lenses, slides, optical lenses, optical instruments, surface and glass layer.
- Low in lint and low extractable wipers.
- Non-abrasive wipers won't scratch on delicate surface when used wet.
- Absorbent wipers hence easily wipe up liquid and dust.
- LINTGUARD anti-static polyshield on each pop-up box helps to further reduce the lint and static buildup.
- Multi-fold dispensing format enables one-at-a-time dispensing which controls usage.
- Handy, portable pop-up box makes the product convenient to use.

Code	Sizes	Units/pack	No./case	Price/case (₹)
U20409	11.17 cm x 21.3 cm	280 sheets	60 packs	21654
U20410	37.33 cm x 42.16 cm	140 sheets	15 packs	20508



213 | Wypall X70 Wipers

- An ideal product to replace cloth towels or rags.
- They can exceptionally absorb oil, grease, solvents and water, reusable and durable.
- They are designed to perform the wiping function that helps to improve productivity and performance.
- They are made from advanced HYDROKNIT material that deliver products that are absorbent, higher in strength and have more bulk.
- They are bio-degradable hence reduce disposable cost and are environmental friendly.
- Available in 100 meters roll format in white and blue colour with perforation making it easy to use.

Code	Sizes	Colour	No./case	Price/case (₹)
U20407	24.7 cm x 20 cm	White	1 Roll-100 metres	4161
U20413	24.7 cm x 20 cm	Blue	1 Roll-100 metres	4161
U20414	26 cm x 26 cm	White	50 Sheets	785
U20415	25.4 cm x 38.1cm	Blue	50 Sheets	800



214 | Wypall L30 Wipers

- This product will consistently deliver the wiping performance that you need in convenient and cost effective manner.
- Wiper is highly absorbent, thus controls usage and reduces wastage.
- One time use and throw wipers, eliminates cross-contamination.
- Wipers have low lint hence do not leave particles behind.
- Versatile, highly absorbent wiper leaves surface clean and dry.
- Available in both sheet and roll format that makes it easy to use.

Code	Sizes (L X W)	Colour	No./case	Price/case (₹)
U20408	21.75 cm x 36.5 cm	White	56 sheets	721



215 | Parafilm M

- Parafilm M is a flexible, thermoplastic, waterproof self-sealing film that holds moisture loss to the minimum and offers secure sealing to the content of tubes, beakers, flasks, petri-dish and vials.
- It has excellent resistance to air, other gases, alcohol, common acids and moderately concentrated alkalis.
- At 21° C (70° F), it stretches 200% and returns partially to its original size at 82° C to 93° C (180° F to 200° F) and softens enough to make an adhesive bond between papers, cloths and leathers.

Code	Sizes (L X W)	No./case	Price/case (₹)
U30101	2 Inches x 250 feet	1 Roll	3151
U30102	4 Inches x 125 feet	1 Roll	2990



216 | Parafilm M Dispenser, ACRYLIC

- Ideal for storing, dispensing and cutting Parafilm® M, tape and labels.
- Openable top lid allows easy filling into the Dispenser.
- These dispensers can hold both 2 inches and 4 inches Rolls.
- Tapes and Labels can be easily cut through super-sharp serrated blade.

Code	Capacity	L x W x H, mm	No./case	Price/case (₹)
P70401	2 inch & 4 inch	180 x 120 x 160	1	4221

* Dispenser does not include Parafilm M



217 | Parafilm M Dispenser, ABS

- Ideal for storing, dispensing and cutting Parafilm® M, tape and labels.
- Openable top lid allows easy filling into the Dispenser.
- These dispensers can hold both 2 inches and 4 inches Rolls.
- These dispensers are designed with safety razor that sides and cuts with no danger to fingers.

Code	Capacity	L x W x H, mm	No./case	Price/case (₹)
P70402	2 inch & 4 inch	156 x 120 x 156	1	4793

* Dispenser does not include Parafilm M



218 | Freezer Thermometer

- These thermometer can be used as probe to investigate and protect frozen and chilled samples from potential spoilage.
- Monitor temperatures inside your freezer or refrigerator with the added convenience of sound and flashing LED lights to alert out-of-range temperatures.
- Suction cup attaches the probe inside freezer/refrigerator while the thermometer secures to the outside with hook-and loop tape
- Large digital display shows freezer/refrigerator temperature plus ambient temperature•
- Set freezer range: [-9.5° to -23°C]; set refrigerator range: [2° to 8°C]
- Can be used as Fahrenheit °F or Celsius °C
- Includes one AAA battery
- Probe cable measures 0.9 m; probe measures 5 mm OD x 17 mm L



Code	L x W x H, mm	No./case	Price/case (₹)
U20610	136 x 19 x 28	1	5280

219 | Container Seal

- Container Seal is a sealing tape designed for the vast range of bottles and containers used in laboratory application.
- Its unique elastomeric characteristics allow it to stretch and conform around the irregular perimeters of containers lids and covers to form a tight seal.
- Container Seal will block water vapor loss, reduce the rate of gas exchange and prevent entry of contaminants.
- Ideally sized (0.75" wide) tape can be easily removed from surface without leaving an adhesive residue.
- Container Seal stretches and conforms, can resist chemical & temperature range and is waterproof.
- Available in a wide variety of colours.

Code	Sizes	Colour	No./case	Price/case (₹)
U20101 C	0.75 inches x 108 feet	Clear	1 Roll	8659
U20101 W	0.75 inches x 108 feet	White	1 Roll	8659
U20101 B	0.75 inches x 108 feet	Blue	1 Roll	8659



220 | Cryo-Babies and Cryo-Tags

- Cryo-Babies are ideally used for 0.5ml and 2.0ml tubes and Cryo-Tags are used for general-purpose applications.
- Cryo-Babies and Cryo Tags can withstand freezer temperatures down to -196°C (liquid and vapor phase nitrogen), boiling water baths (100°C), autoclaving and moderate oven temperature (150°C). They will resist water soaking for at least 24 hours at room temperature and water vapor (100% relative humidity) at 35°C for at least 24 hours.
- These are chemically inert labels and resist most organic solvents and caustic agents.
- Made with a flexible, polyolefin label material and acrylic adhesive. This unique combination expands and contract together with temperature fluctuations resulting in strong adhesive bond.
- These labels can adhere to most plastics (100% virgin polypropylene tubes recommended), glass and metals without cracking, peeling or degrading.
- These labels accept writing from most lab markers.



Cryo - Babies			
Code	Size	No./case	Price/case (₹)
UI0401	0.94 inches x 0.50 inches	1000	4850
UI0402	1.28 inches x 0.50 inches	1000	4850

Cryo - Tags			
Code	Size	No./case	Price/case (₹)
UI0501	1.50 inches x 0.75 inches	1000	4850

221 | Tough Spots

- Tough Spots are ideally used for labeling 0.5ml, 1.5ml and 2.0ml micro centrifuge tubes.
- Tough Spots can withstand freezer temperatures down to -196°C (liquid and vapor phase nitrogen), boiling water bath (100°C), autoclaving and moderate oven temperature (80°C).
- Tough Spots can endure sustained humidity and soaking, submersion in boiling water bath, autoclaving, organic solvents, caustic agents and other challenges without peeling, degrading or becoming brittle.
- Made with a flexible, polyolefin label material and acrylic adhesive. This unique combination expands and contracts together with temperature fluctuation resulting in strong adhesive bond.
- These labels can adhere to most plastics (100% virgin polypropylene tubes recommended), glass and metals without cracking, peeling or degrading.
- These labels accept writing form most lab markers.

Code	Sizes	No./case	Price/case (₹)
UI0301	1/2 inches	1000	4150
UI0302	3/8 inches	1000	4150
UI0303	1/2 inches	5000	17399
UI0304	3/8 inches	5000	17399



222 | Tough Tag

- Tough Tags are ideally used for labeling 0.5ml, 1.5ml and 2.0ml tubes. White Tough Tags can also be used for labeling general purpose label and microplates.
- Tough Tags can withstand temperatures from -40°C to 121°C , boiling water bath, autoclaving and moderate freezer temperature.
- Chemically inert, polyester sheets resist most organic solvents and caustic agents.
- Tubes labeled with Tough-Tags easily slide in and out of centrifuge rotors without binding.
- These labels can adhere to most plastics (100% virgin polypropylene tubes recommended), glass and metals without cracking, peeling or degrading.
- Tough-Tags are pre-cut peel-off labels which accept any marking instrument. They are perfectly sized to fit microcentrifuge tubes and other container in the laboratory.
- Dispensing box assists in labeling individual tubes used in small experiments.

Code	Sizes	No./case	Price/case (₹)
UI0201	1.28 inches x 0.50 inches	1000	5544
UI0202	0.94 inches x 0.50 inches	1000	4848



223 | Tough - Tag Station

- Tough Tag Station can conveniently hold up to 6 roll of Tough-Tags, Tough-Spots or cryo-Tags.
- Users can utilize the ledge to easily write on labels for sample identification.

Code	No./case	Price/case (₹)
U10601	1	12350



224 | Petri-Seal

- Petri-Seal stretches and conforms to form a tight seal and is temperature resistant, water - proof and chemically resistant.
- It resists abrasion and puncture and blocks vapor loss while reducing the rate of gas exchange.
- Petri-Seal can be used with microtiter plates, petri dishes and culture plates to prevent entry of any contaminants.
- Petri-Seal remains flexible down to -30°C and can withstand continuous exposure from -40°C (with intermittent exposure up to 100°C).
- Tests have shown that PetriSeal leaves on adhesive residue even after two years.
- Available in a wide variety of colours.

Code	Sizes	Colour	No./case	Price/case (₹)
U10901 C	0.5 inches x 108 feet	Clear	1 Roll	6197
U10901 W	0.5 inches x 108 feet	White	1 Roll	6197
U10901 B	0.5 inches x 108 feet	Blue	1 Roll	6197
U10901 R	0.5 inches x 108 feet	Red	1 Roll	6197
U10901 Y	0.5 inches x 108 feet	Yellow	1 Roll	6197



225 | Multipurpose Labeling Tape

- These autoclavable tapes adhere to almost any dry surface-glass, plastic, metal, paper and rubber.
- These tapes sticks throughout the most demanding procedures, is oil-proof, waterproof and acid resistant and can be steam autoclaved.
- Holds in a wide range of temperatures and transfers and transfers cleanly from one surface to another, leaving no messy residue.
- These labels accept handwritten notations inscribed with pen, pencil or marker.


Code	Sizes	Colour	No./case	Price/case (₹)
U10701 W	0.75 inches x 500 inches	White	1 Roll	1400
U10701 B	0.75 inches x 500 inches	Blue	1 Roll	1400
U10701 G	0.75 inches x 500 inches	Green	1 Roll	1400
U10701 O	0.75 inches x 500 inches	Orange	1 Roll	1400
U10701 Y	0.75 inches x 500 inches	Yellow	1 Roll	1400



226 | Multi-Tape Dispenser

- These dispensers facilitate easy dispensing from one convenient location.
- Special design allows fast addition or replacement of label roll.

Code	Sizes	No./case	Price/case (₹)
U20501	for 500 inches Roll	1	10900



227 | Speciality Indicator Tape for Steam Autoclave

- Versatile tape indicates completion of normal steam sterilization process.
- All specialty steam indicator tape accepts handwritten notations, may be used to seal and identify almost all laboratory material before and after processing.
- Change of colour of the written matter from white to dark after completion of autoclave cycle.

Code	Size	No./case	Price/case (₹)
U20802	1 inch x 500 inches	1 Roll	3000





12

Equipments

MAGNETIC STIRRERS & HOTPLATES

DIGITAL DRY BATH & THERMO MIX

ROTATING MIXERS & SHAKERS

DIGITAL INCUBATORS

OIL FREE VACUUM PUMPS & MORE

#CommittedtotheEarth

230 | Swirltop – Ultra Flat & Eco Magnetic Stirrer

- SWIRLTOP magnetic stirrer is used in biotech labs, provides better mixing & is ideal for application of physical & chemical analysis.
- Its body is made of ABS material.
- It comes with automatic reverse rotation for better mixing result.
- Top plate is made from chemically resistant materials (PET).



Code	Product	Workplate Size	No./case	Price/case (₹)
E11307	Ultra Flat Magnetic Stirrer	90 x 90 mm	1	15281
E11308	Eco Magnetic Stirrer, Round	∅120 mm	1	11521
E11309	Eco Magnetic Stirrer, Square	120 x 115 mm	1	11521

SPECIFICATIONS :

Code	E11307	E11308	E11309
Voltage	220-240V	220-240V	220-240V
Frequency	50-60Hz	50-60Hz	50-60Hz
Motor Type	Motor less	Brushless DC Motor	Brushless DC Motor
Stirring position	01	01	1
Speed range	15-1500 rpm	300-2000 rpm	300-2000 rpm
Max. stirring quantity (H ₂ O)	0.8L	1.5L	1.5L
Maximum magnetic bar (length)	40mm	40mm	40mm
Dimensions of work plate	90x90mm	120x120mm	120x115 mm
Dimensions (W x D x H)	175 x 120 x 15 mm	150 x 145 x 50 mm	150 x 144 x 54 mm
Weight	0.3kg	0.3kg	0.3 kg
Speed setting	Button	Scale	Scale
Permissible ambient Temperature & Humidity	5-40°C	5-40°C	5-40°C
Permissible relative humidity	80%	80%	80%
Protection Class	IP65	IP21	IP21



E11307



E11308



E11309

231 | Swirltop – Digital (LED) Magnetic Stirrer & Hot Plate

- Swirl Top unit features an extremely durable, chemical resistant white stainless steel ceramic coated surface that allows immediate heat transfer.
- LED Display shows temperature and speed.
- External Temperature sensor accessory is available with accuracy of $\pm 0.5^{\circ}\text{C}$.
- Extremely accurate digital control system is ideal for applications of analytical and biological laboratory.
- Swirl Top has advanced microprocessor control with convenient turn knobs that allows quick, precise adjustment and maintains accurate temperature and speed.
- Large, backlit LCD display provides constant visualization of speed and temperature while safety LED indicates when the top plate is above 50°C .
- This digital system is compatible with a wide variety of popular glass beakers, flasks, bottles and vessels.
- Heat resistant ABS casing.



SWIRLTOP – LED Digital Magnetic Stirrer & Hot Plate

Code	Product	Circular Workplate Size	No./case	Price/case (₹)
E11231	LED Digital Magnetic Stirrer & Hot Plate with support rod & external temperature probe	13.5 cm	1	31395
E11234	LED Digital Magnetic Stirrer & Hot Plate	13.5 cm	1	27958

Spare Accessories

Code	Product	No./case	Price/case (₹)
E11232	SP – Support Rod	1	5313
E11233	ETP – External Temperature Probe	1	10984

SPECIFICATIONS :

Voltage	220–240V
Frequency	50–60Hz
Motor type	DC Motor
Maximum stirring capacity	3L
Work plate dimensions diameter	Diameter 5 Inch
Work plate material	SS Cover Ceramic
Shaking movement	Orbital
Temperature range	Room Temperature – 280°C
Speed range	200 – 1500 rpm
Dimensions (W x D x H)	150 x 260 x 100 mm
Weight	1.8 kg
Permissible ambient temperature	$5 - 40^{\circ}\text{C}$
Permissible relative humidity	80%
Protection Class	IP21



232 | SWIRLTOP- 380°C Digital Magnetic Stirrers & Hotplate

- Swirl top 380°C Digital Magnetic stirrers & Hotplate include all leading safety standards and is chemically-resistant with white ceramic work plate. They can be used in physical, chemical, analytical and biological laboratories.
- Digital temperature control with max. temperature at 380°C.
- Digital speed control with max. speed up to 1500rpm.
- High resolution LCD displays for actual temperature and speed.
- Brushless DC motor is maintenance free.
- Ceramic plate for chemical resistance and easy clean.
- Aluminium cover with ceramic work plate, allows for immediate heat transfer.
- Hot warning sign if temperature is above 50°C.
- Max. stirring quantity of H₂O at 5L.
- External temperature control is available as temperature sensor PT1000.

SWIRLTOP- 380°C Digital Magnetic Stirrers & Hotplate

Code	Product	Workplate Size	No./case	Price/case (₹)
E11224	380° Digital Magnetic Stirrer & Hot Plate with Support Rod and External Temperature Probe	14.0 x 14.0 cm	1	42810

Spare Accessories

Code	Product	No./case	Price/case (₹)
E11232	SP - Support Rod	1	5313
E11233	ETP - External Temperature Probe	1	10984

SPECIFICATIONS :

Voltage	220-240V
Frequency	50-60Hz
Motor type	DC Motor
Maximum stirring capacity	5L
Work plate dimensions diameter	140x140mm
Work plate material	Aluminium Cover Ceramic
Temperature range	Room Temperature +5°C – 380°C
Speed range	200 – 1500rpm
External Temperature Sensor	PT1000(Accuracy ±0.5°C)
Dimensions (W x D x H)	320x180x108mm
Weight	2.2kg
Permissible ambient temperature	5 – 40°C
Permissible relative humidity	80%
Protection Class	IP21



233 | Swirltop – 7 inch LED Digital Magnetic Stirrer & Hot Plate

- LED display for precise monitoring of speed and temperature for Magnetic stirrer & Hot plate.
- Built in PID Controller ensures the safe heating of the medium with overheating and protection.
- Max heating plate temperature 550°C.
- Glass ceramic work plate provides excellent chemical resistant performance and efficient heat transfer.
- External temperature control is possible by connecting the temperature sensor (PT 1000) with an accuracy at $\pm 0.2^{\circ}\text{C}$.
- Digital speed control.
- Maximum Speed at 1500rpm.
- Outstanding brushless DC motor performance enables more stirring power.
- Two rotating knobs enable the easy and direct change of speed and temperature.
- HOT WARNING will flash when the work plate temperature is above 50°C or even the hot plate is turned off.
- Remote Function provides PC Control and data transmission via RS232 using 3rd Party Software.



SWIRLTOP - LED Digital Magnetic Stirrer & Hot Plate				
Code	Product	Workplate Size	No./case	Price/case (₹)
E11650	LED DIGITAL Magnetic Stirrer & Hotplate with support Rod & External Temperature Probe	18.4 x 18.4 cm	1	66702
E11651	LED DIGITAL Hotplate with support Rod & External Temperature Probe	18.4 x 18.4 cm	1	48510
E11652	LED DIGITAL Magnetic Stirrer & Hotplate	18.4 x 18.4 cm	1	63063
E11653	LED DIGITAL Hotplate	18.4 x 18.4 cm	1	50906

Spare Accessories			
Code	Product	No./case	Price/case (₹)
E11654	SS/Support Rod-Seven Inch	1	5273
E11233	ETP - External Temperature Probe	1	10984



SPECIFICATIONS :

Code	E11650 & E11652	E11651 & E11653
Voltage	220-240V	220-240V
Frequency	50-60 Hz	50-60 Hz
Motor Type	Brushless DC Motor	Brushless DC Motor
Maximum stirring capacity	20 L	NA
Work plate dimensions diameter	184 x 184mm (7Inch)	184 x 184mm (7Inch)
Work plate material	Glass Ceramic	Glass Ceramic
Temperature range	Room Temperature – 550°C , Increment 1°C	Room Temperature – 550°C , Increment 1°C
Overheating protection	580°C	580°C
Temperature control accuracy	$\pm 0.1^{\circ}\text{C}$	$\pm 0.1^{\circ}\text{C}$
Speed display	LED	NA
Temperature display	LED	LED
Speed range	100 – 1500 rpm, resolution $\pm 1\text{rpm}$	NA
Maximum magnetic bar (length)	80mm	NA
Dimensions (W x D x H)	215 x 360 x 112mm	215 x 360 x 112mm
Weight	5.3 kg	5.3 kg
Permissible ambient temperature & Humidity	5 – 40°C	5 – 40°C
Permissible relative humidity	80%	80%
Protection class	IP21	IP21

234 | Swirltop – Multi Position Magnetic Stirrer & Hot Plate

- SWIRLTOP Unit features an extremely durable stainless steel plate with anti-slip and anti-corrosion silicon surface.
- SWIRLTOP advanced Microprocessor based electronic speed control motor provides constant speed.
- High performance multi-position magnetic stirrer with uniform temperature distribution.
- Micro-processor based stirring controls to provide consistency with various samples.
- Brushless DC Motor for maintenance free & quiet operations.



Code	Product	Workplate Size	No./case	Price/case (₹)
E11235	10 Channel Magnetic Stirrer	18 x 45 cm	1	112968
E11236	10 Channel Magnetic Stirrer & Hot Plate	18 x 45 cm	1	163176

SPECIFICATIONS :

Code	E11235	E11236
Voltage	220-240V	220-240V
Frequency	50-60 Hz	50-60 Hz
Dimension of work plate	180 x 450 mm	180 x 450 mm
Speed display	Scale	Scale
Shaking Movement	Orbital	Orbital
Temperature range	NA	Room Temperature – 120°C
Motor Type	DC Motor	DC Motor
Stirring Speed	0 – 1100 rpm	0 – 1100 rpm
Stirring Position	10	10
Maximum Stirring capacity	0.4 L(Each stirring position)	0.4 L(Each stirring position)
Max. Stirring Bar	40 mm	40 mm
Plate Material	Stainless Steel with silicon Film	Stainless Steel with silicon Film
Dimensions (W x D x H)	622 x 205 x 65mm	622 x 182 x 65mm
Weight	3.2 kg	3.2 kg
Permissible ambient temperature & Humidity	5 – 40°C	5 – 40°C
Permissible relative humidity	80%	80%
Protection class	IP42	IP42



- Swirlmax is a classic tube roller that can be used for rocking and rolling for complete mixing.
- It has a wide speed range of 0-70rpm.
- It has a total of six rollers with small footprints and it is very easy to clean.
- Swirlmax has a quiet DC brushless motor which is reliable, sound free and maintenance free.
- Swirlmax can be used in cold rooms or in incubators.



Code	Product	No./case	Price/case (₹)
E11230	Tube Roller	1	28681

SPECIFICATIONS :

Voltage	220-240V
Frequency	50Hz
Power	25W
Motor Type	DC Motor
Rocking Motion	Rocking and Rolling
Amplitude	24mm
Max. load capacity	4kg
Number of Rollers	6
Roller Size	280mm
Speed Range	0-70rpm
Speed Display	Scale
Operation Type	Continuous operation
Dimensions (W x D x H)	250 X 485 X 100 mm
Weight	4.5 kg
Permissible ambient temperature	5-40°C
Permissible ambient humidity	80%
Protection Class	IP21



236 | HOTBLOCK – LED Digital Dry Bath

- ABDOS-LED Digital Dry Bath Heaters are available in single and dual block configurations and provide a broad temperature range up to 150°C, which makes them useful for a variety of applications in molecular biology, histology, clinical, environmental, and industrial laboratories.
- They have been designed to incorporate the best combination of features including block capacity, dual displays, and an external temperature probe that gives life science researchers the confidence and efficiency they need when working with precious lab samples.
- This is ideal for including melting and boiling point determination, enzyme reactions, incubation and activation of cultures, immunoassays, DNA denaturation, culture and media tests, coagulation, tests, blood urea nitrogen determinations and in-situ hybridizations.
- The blocks are precision machined to match the conical size and shape of 0.5, 1.5, 2.0, 15 and 50ml tube sizes, providing unsurpassed temperature transfer. Assorted blocks are available for compatibility with nearly all common laboratory tubes and plates.
- Various optional blocks are available for best performance.
- Protection class according to DIN EN 60529.



HOTBLOCK – LED Digital Dry Bath					
Code	Product	Block Capacity	Temperature Size	No./case	Price/case (₹)
E11330	LED Digital Dry Bath with one Heating Block	Single	Ambient +5°C –120°C	1	44569
E11360	LED Digital Dry Bath with one heating Block	Single	Ambient +5°C –105°C	1	42446
E11370	LED Digital Dry Bath with two Heating Block	Dual	Ambient +5°C –105°C	1	71111
E11380	LED Digital Dry Bath with one heating Block	Single	Ambient +5°C –150°C	1	52920
E11390	LED Digital Dry Bath with two Heating Block	Dual	Ambient +5°C –150°C	1	77726

Spare Accessories of E11330				
Code	Product	Places	No./case	Price/case (₹)
E11331	Heating Block, used for 0.2 ml	54	1	15050
E11332	Heating Block, used for 0.5 ml	40	1	15050
E11333	Heating Block, used for 1.5 ml	40	1	15050
E11338	Heating Block, used for 2.0 ml	40	1	15050
E11334	Heating Block, used for 5/15 ml	28	1	15050
E11335	Heating Block, used for 50 ml	8	1	15050
E11336	Heating Block, used for 0.2, 0.5, 1.5/2.0 ml	18	1	15050
E11337	Heating Block, used for 96/384 Microplate	96 /384 Microplate	1	15050
E11339	Heating Block, used for 2.0 ml (Thin)	40	1	15050
E11368	Heating Block, used for 1.5 ml (Thin)	40	1	15050

Spare Accessories of E11360, E11370, E11380, E11390				
Code	Product	Places	No./case	Price/case (₹)
E11361	Heating Block, used for 0.2 ml	30	1	15050
E11362	Heating Block, used for 0.5 ml	20	1	15050
E11363	Heating Block, used for 1.5 ml	20	1	15050
E11364	Heating Block, used for 2 ml	20	1	15050
E11365	Heating Block, used for 5 ml	12	1	15050
E11366	Heating Block, used for 15 ml	12	1	15050
E11367	Heating Block, used for 50 ml	4	1	15050



E11331



E11333



E11335



E11336



E11361



E11364



E11365



E11367

SPECIFICATIONS :	E11330	E11360	E11370	E11380	E11390
Voltage	220-240V	220-240V	220-240V	220-240V	220-240V
Frequency	50-60Hz	50-60Hz	50-60Hz	50-60Hz	50-60Hz
Adaptor block material	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
Maximum heating rate	5.5°C/min	5.5°C/min	5.5°C/min	5.5°C/min	5.5°C/min
Heating temperature Range	Room Temperature +5-120°C	Room Temperature +5-105°C	Room Temperature +5-105°C	Room Temperature +5-150°C	Room Temperature +5-150°C
Temperature Setting Range	25-120	25-105	25-105	25-150	25-150
Temperature Control accuracy	±0.5°C	25-90 : ±0.3 90-105 : ±0.6	25-90 : ±0.3 90-105 : ±0.6	25-90 : ±0.3 90-150 : ±0.6	25-90 : ±0.3 90-150 : ±0.6
Temperature Uniformity @ 37°C	±0.5	±0.2	±0.2	±0.2	±0.2
Sound Alarming Function	-	Yes	Yes	Yes	Yes
Timer	Yes	Yes	Yes	Yes	Yes
Time setting range	1 Min - 99Hr 59Min	0 Min - 99Hr 59Min	0 Min - 99Hr 59Min	0 Min - 99Hr 59Min	0 Min - 99Hr 59Min
Operation type	Continuous/timed operation	Continuous/timed operation	Continuous/timed operation	Continuous/timed operation	Continuous/timed operation
External Sensor	-	Yes	Yes	Yes	Yes
USB Interface	-	Yes	Yes	Yes	Yes
Dimension (W x D x H)	175 x 220 x 85mm	290 x 210 x 120mm	290 x 210 x 120mm	290 x 210 x 120mm	290 x 210 x 120mm
Permissible ambient temperature	5-40°C	5-40°C	5-40°C	5-40°C	5-40°C
Permissible humidity	80%	80%	80%	80%	80%
Protection Class	IP21	IP21	IP21	IP21	IP21



E11330



E11360 & E11380



E11370 & E11390

237 | THERMO MIX – LCD Digital

- ABDOS Thermo Mix Series allows for precise and efficient shaking and mixing as well as excellent temperature accuracy and uniformity, offering a wide range of applications, such as Gene Synthesis, Gene Purification, Gene Denaturation, Protein Denaturation, Enzymatic reaction, Bacterial growth and many more.
- ABDOS Thermo Mix is equipped with quick interchange of blocks with magnet Adhesion technology and without any tools.
- It is programmable and has three points calibration with precise temperature control for heating and cooling.




Thermo Mix – LCD Digital			
Code	Product	No./case	Price/case (₹)
EI1340	LCD Digital Thermo Mix with Heating and Cooling and Mixing with 1.5 ml Heating Block	1	P.O.R.
EI1341	LCD Digital Thermo Mix with Heating and Cooling with 1.5 ml Heating Block	1	P.O.R.
EI1342	LCD Digital Thermo Mix with Heating and Mixing with 1.5 ml Heating Block	1	P.O.R.


Spare Accessories					
Code	Product	Speed	Places	No./case	Price/case (₹)
EI1343	Heating Block, used for 0.2 ml / 96 well PCR plate	1500rpm	96	1	P.O.R.
EI1344	Heating Block, used for 96/384 well microplate	1500rpm	96/384	1	P.O.R.
EI1345	Heating Block, used for 0.5 ml	1500rpm	24	1	P.O.R.
EI1346	Heating Block, used for 1.5 ml	1500rpm	24	1	P.O.R.
EI1347	Heating Block, used for 2.0 ml	1500rpm	24	1	P.O.R.
EI1348	Heating Block, used for 5 ml (Round Bottom)	1500rpm	8	1	P.O.R.
EI1358	Heating Block, used for 5ml (Conical Bottom)	1400rpm	8	1	P.O.R.
EI1349	Heating Block, used for 15 ml	800rpm	8	1	P.O.R.
EI1350	Heating Block, used for 50 ml	600rpm	4	1	P.O.R.

SPECIFICATIONS :


Code	EI1340	EI1341	EI1342
Voltage	220-240 V	220-240 V	220-240 V
Frequency	50-60 HZ	50-60 HZ	50-60 HZ
Functions	Heating, cooling & Mixing	Heating & Cooling	Heating & Mixing
Adaptor Block Material	Aluminium	Aluminium	Aluminium
Temperature Range	Heating : 25°C-100°C Cooling : 25°C - below room temp.	Heating : 25°C-110°C Cooling : 25°C - below room temp.	Heating : 25°C-100°C
Setting Temperature Range	15°C	25°C	15-100°C
Temperature Uniformity @ 20-45°C	0.1-100°C	-5 to 110°C	±0.5°C
Temperature control accuracy@ 20-45°C	±0.5°C	±0.5°C	±0.5°C
Maximum Heating Rate	5.5°C/min	5.5°C/min	-
Maximum Cooling Rate	5.5°C/min(100°C-25°C) 0.5°C/min(below 25°C)	2.5°C/Min(100°C-25°C) 0.5°C/Min(below 25°C)	-
Mixing Frequency	200-1500 rpm	NA	200-1500 rpm
Mixing Orbit	3 mm	NA	3 mm
Program	9	9	9
Overheating Protection	150°C	150°C	150°C
Dimension(WXDXH)	200 x 235 x 120mm	200 x 235 x 120mm	200 x 235 x 120mm
Weight	7.3 kg	7.3 kg	7.3 kg




E11345



E11346



E11347



E11348




E11349



E11350



E11344



E11343

238 | Swirlex – LCD Digital Overhead Stirrer

- Swirlex overhead stirrer is widely used in chemical synthesis, pharmaceutical synthesis, physical and chemical analysis, petrochemical industry and more.
- Reliability, long continuous service and outstanding performance are its hallmarks.
- Digital LCD display for precise monitoring of set and actual speed.
- LCD Torque displays real time information on viscosity changes.
- Protection and safety circuits ensure automatic cut-off in an anti-stall or overload conditions.
- Provides a constant speed even with changes in viscosities of sample.
- RS232 interface PC can control and document all operation values



Swirlex – Digital Overhead Stirrer				
Code	Product	Maximum Stirring Quantity	No./case	Price/case (₹)
E11310	LED Digital Overhead Stirrer with Universal Plate Stand including support (holder) and fixing device and (E11312) Stainless Steel crossed Stirrer(E11313)	20L	1	79498
E11311	LED Digital Overhead Stirrer with Universal Plate Stand including support (holder) and fixing device and (E11312) Stainless Steel crossed Stirrer(E11313)	40L	1	99411
E11321	LCD Digital Overhead Stirrer with Timer with Universal Plate Stand including support (holder) and fixing device and (E11312) Stainless Steel grand crossed Stirrer(E11324)	70L	1	149625
E11322	LCD Digital Overhead Stirrer with Timer with Grand Plate Stand including support (holder) and fixing device and (E11323) Stainless Steel grand crossed Stirrer(E11324)	70L	1	157106

Spare Accessories for E11310, E11311, E11321 & E11322				
Code	Product	Dimensions	No./case	Price/case (₹)
E11312	Universal Plate Stand including support (holder) & fixing device	20 x 31 cm (L x W)	1	12156
E11313	Stainless Steel Crossed Stirrer	40 x 5 cm (L x Ø)	1	1460
E11314	Stainless Steel Straight Stirrer	40 x 6 cm (L x Ø)	1	3647
E11315	Stainless Steel Blade Stirrer	40 x 6.8 cm (L x Ø)	1	3647
E11316	Stainless Steel Centrifugal Stirrer	40 x 9 cm (L x Ø)	1	3647
E11317	PTFE Crossed Stirrer	35 x 6.5 cm (L x Ø)	1	5615
E11318	PTFE Straight Stirrer	35 x 7 cm (L x Ø)	1	5615
E11319	PTFE Blade Stirrer	35 x 6.8 cm (L x Ø)	1	5615
E11320	PTFE Centrifugal Stirrer	35 x 8.5 cm (L x Ø)	1	5615

Spare Accessories for E11321 & E11322				
Code	Product	Dimensions	No./case	Price/case (₹)
E11323	Universal Grand Plate Stand including support (holder) & fixing device	33.5 x 46.3 cm (L x W)	1	44100
E11324	Stainless Steel Grand Crossed Stirrer	60 x 10 cm (L x Ø)	1	4409
E11325	Stainless Steel Grand blade Stirrer	60 x 10 cm (L x Ø)	1	4409
E11326	Stainless Steel grand anchor Stirrer	60 x 10 cm (L x Ø)	1	4409
E11327	Stainless Steel grand Centrifugal Stirrer	60 x 10 cm (L x Ø)	1	4409



SPECIFICATIONS :

Code	E11310	E11311	E11321 & E11322
Voltage	220-240V	220-240V	220-240V
Frequency	50-60Hz	50-60Hz	50-60Hz
Power	70W	130W	200W
Speed Range	50 – 2200rpm	50 – 2200rpm	50 – 1100rpm
Speed Display	LED	LED	LCD
Max. Stirring Quantity	20L	40L	70L
Max Torque	40Ncm	60Ncm	300Ncm
Max Viscosity	10000mPas	50000mPas	100000mPas
Chuck range diameter	0.5 – 10mm	0.5 – 10mm	0.5 – 10mm
Overload Protection Display	LED Lights, Motor Automatically Stops	LED Lights, Motor Automatically Stops	LED Lights, Motor Automatically Stops
Dimensions (W x D x H)	83 x 186 x 220 mm	83 x 186 x 220 mm	83 x 186 x 220 mm
Weight	2.8 kg	2.8 kg	3.2 kg
Data Interface RS232	No	No	Yes
Permissible ambient Temperature	5-40°C	5-40°C	5-40°C
Permissible ambient Humidity	80%	80%	80%
Protection class according to DIN/EN 60529	IP21	IP21	IP21

E11312



E11313



E11314



E11315



E11316



E11317



E11318



E11319



E11320



E11324



E11325



E11326



E11327

239 | Swirlex – Vortex Shaker

- Swirlex-Vortex is suitable for touch or continuous or fixed operation.
- Used for gentle mixing to vigorous re-suspension of biological cells and canonical liquid components in tubes using eccentric mechanism.
- These vortex shakers contain specially designed silicone feet and steel base excellent for damping vibration.
- Swirlex vortex Shaker is eccentric with oil less ball bearing.
- A wide range of accessories are also available.



SWIRLEX – Vortex Shaker				
Code	Product	Work Plate Dimensions	No./case	Price/case (₹)
E11190	Swirlex Adjustable Vortex Shaker	4 mm	1	13394

Spare Accessories				
Code	Product	No./case	Price/case (₹)	
E11191	Tube holding Rod	1	4757	
E11192	Universal 100mm top plate with 4 vacuum suction feet	1	1607	
E11198	Platform pad for tubes and vessels ø 99 mm	1	1800	
E11197	Tube Adapter for 48 holes test tube ø 6mm	1	1800	
E11193	Tube Adapter for 15 holes test tube ø 10mm	1	1800	
E11194	Tube Adapter for 16 holes test tube ø 12mm	1	1800	
E11195	Tube Adapter for 8 holes test tube ø 16mm	1	1800	
E11196	Tube Adapter for 8 holes test tube ø 20mm	1	1800	

Kindly Note: E11192 is required to run E11198, E11197, E11193, E11194, E11195, E11196 & E11196 Adapter.

SPECIFICATIONS :

Voltage	220-240V
Frequency	50-60Hz
Speed Range	0 – 3000 rpm
Shaking Movement	Orbital
Motor Type	Shaded Pole Motor
Outer Diameter	4mm
Speed Display	Analog Type
Run Type	Continuous/Touch operation
Dimensions (W x D x H)	127 x 160 x 130mm
Weight	3.5 kg
Power	60W
Permissible ambient temperature	5-40°C
Permissible relative humidity	80%
Protection Class	IP21

Note : Accessories to be purchased seperately



240 | Swirlex – Microplate Mixer

- SWIRLEX-Micro plate Mixer is used for holding single or double micro plates with an SBS footprint.
- This is widely used in life sciences including microbiology, cell and molecular biology, immunology and biotechnology for various mixing applications with optional adapters.
- The high speed and small diameter combine to offer a true vortexing action in each well of the micro plate. This action ensures both complete and uniform mixing.



SWIRLEX – Microplate Mixer			
Code	Product	No./case	Price/case (₹)
E11200	Swirlex Microplate Mixer Including Microplate Clamp(E11201) as standard	1	38500

Spare Accessories			
Code	Product	No./case	Price/case (₹)
E11201	Microplate clamp	1	916
E11202	Double microplate clamps	1	1030



E11202

SPECIFICATIONS :

Voltage	220-240V
Frequency	50-60Hz
Shaking Movement	Orbital
Speed Range	Single Microplate : 0-1500 rpm Double Microplate : 0-1000 rpm
Orbit Diameter	4.5 mm
Maximum Shaking Weight (With accessory)	0.5 Kg
Motor Type	Brushless DC Motor
Dimensions (W x D x H)	150 x 260 x 80mm
Permissible ambient temperature	5-40°C
Permissible relative humidity	80%
Protection Class	IP21

241 | Wavex – Classic Tube Rotator

- Wavex tube rotators provide gentle but effective mixing of biological samples, held in 1.5 ml to 50 ml tubes.
- Used in a variety of applications including immune precipitations, prevention of blood coagulation & latex diagnostics.
- Wavex-Classic Tube Rotator has Disk Type Design.



SWIRLEX – Classic Tube Rotator			
Code	Product	No./case	Price/case (₹)
E11300	Wavex-Classic Tube Rotator	1	39531

Spare Accessories			
Code	Product	No./case	Price/case (₹)
E11301	Plastic Clips for 1.5 ml x 12 micro centrifuge tubes,Disk accessory	12	661
E11302	Plastic Clips for 15 ml x 12 micro centrifuge tubes, Disk accessory	12	825
E11303	Plastic Clips for 50 ml x 12 micro centrifuge tubes,Disk accessory	12	1046

SPECIFICATIONS :

Voltage	220-240V
Frequency	50-60Hz
Power	20W
Motor Type	DC Motor
Tilt Angle	90°
Speed Range	0-80rpm
Speed Display	Scale
Operation Type	Continuous
Dimensions (W x D x H)	220 x 300 x 310 mm
Weight	2 kg
Permissible ambient Temperature	5-40°C
Permissible ambient Humidity	80%
Protection Class	IP21



242 | Wavex – LCD Tube Rotator

- Wavex tube rotators provide gentle but effective mixing of biological samples, held in 1.5 ml to 50 ml tubes.
- Used in a variety of applications including immune precipitations, prevention of blood coagulation & latex diagnostics.
- Wavex tube rotator has a disk type design.
- LCD displays and digital speed control allows procedures to be accurate.
- Speed range of 10 to 70 rpm.
- Wavex tube rotator has an adjustable mixing angle between 0 - 90°.
- Wavex tube rotator has dual dish accessories for larger tubes.





SWIRLEX – Microplate Mixer			
Code	Product	No./case	Price/case (₹)
E11270	Wavex-LCD Digital Tube Rotator with Disk accessory for 50ml x 8 Centrifuge Tubes	1	82555

Spare Accessories			
Code	Product	No./case	Price/case (₹)
E11271	Disk accessory for 1.5 ml x 60 micro centrifuge tubes	1	11907
E11272	Disk accessory for 50 ml x 8 centrifuge tubes	1	5954
E11273	Disk accessory for 15 ml x 16 centrifuge tubes	1	6550
E11274	Disk support rods used with disk accessories	4	3033

SPECIFICATIONS :


Voltage	220-240V
Frequency	50Hz
Power	40 W
Motor Type	DC Motor
Tilt Angle	0 - 90°
Speed Range	10-70 rpm
Speed & Timer Display	LCD
Time Setting Range	1 - 1199 min.
Operation Type	Continuous / timed operation
Dimensions (W x D x H)	210 x 280 x 300 mm
Weight	8 kg
Permissible ambient Temperature	5-40°C
Permissible ambient Humidity	80%
Protection Class	IP 21



E11271



E11272



E11273



E11274

243 | Wavex – Classic Rotating Mixer

- Wavex tube rotators provide gentle but effective mixing of biological samples, held in 1.5 ml to 50 ml tubes.
- Used in a variety of applications including immune precipitations, prevention of blood coagulation and latex diagnostics.
- Wavex-Classic Tube Rotator has Disk Type Design.




SWIRLEX – Vortex Shaker			
Code	Product	No./case	Price/case (₹)
E11305	Wavex-Classic Rotating Mixer	1	37800

Spare Accessories			
Code	Product	No./case	Price/case (₹)
E11301	Plastic Clips for 1.5 ml x 12 micro centrifuge tubes,Disk accessory	12	661
E11302	Plastic Clips for 15 ml x 12 micro centrifuge tubes,Disk accessory	12	825
E11303	Plastic Clips for 50 ml x 12 micro centrifuge tubes,Disk accessory	12	1046

SPECIFICATIONS :

Voltage	220-240V
Frequency	50-60Hz
Power	20W
Motor Type	DC Motor
Tilt Angle	90°
Speed Range	0-80rpm
Speed Display	Scale
Operation Type	Continuous
Dimensions (W x D x H)	530 x 150 x 190 mm
Weight	1.7 kg
Permissible ambient Temperature	5-40°C
Permissible ambient Humidity	80%
Protection Class	IP21



244 | Wavex-LCD Rotating Mixer

- Wavex -LCD Rotating Mixer give gentle but effective mixing of biological samples to be held in 1.5 ml to 50 ml tubes used in a variety of applications including immune precipitations, prevention of blood coagulation and latex diagnostics.
- Wavex rotating mixer has a rotisserie type design.
- LCD displays and digital speed control allows procedures to be accurate.



Wavemax - LCD Rotating Mixer		
Code	Product	No./case Price/case (₹)
E11280	LCD Digital Rotating Mixer with Rotisserie accessory for 50 ml x 24 centrifuge tubes horizontally	1 82831

Spare Accessories		
Code	Product	No./case Price/case (₹)
E11281	Rotisserie accessory for 1.5 ml x 48 micro centrifuge tubes horizontally	1 12012
E11282	Rotisserie accessory for 50 ml x 24 centrifuge tubes horizontally	1 10811
E11283	Rotisserie accessory for 15 ml x 24 centrifuge tubes horizontally	1 10811
E11284	Rotisserie accessory for 1.5 ml x 32 micro centrifuge tubes vertically	1 10811
E11285	Rotisserie accessory for 50 ml x 16 centrifuge tubes vertically	1 10811
E11286	Rotisserie accessory for 15 ml x 16 centrifuge tubes vertically	1 10811
E11274	Disk support rods with disk accessories	4 3033

SPECIFICATIONS :

Voltage	220-240V
Frequency	50Hz
Power	40 W
Motor Type	DC Motor
Tilt Angle	0 - 90°
Speed Range	10-70 rpm
Speed & Timer Display	LCD
Time Setting Range	1 - 1199 min.
Operation Type	Continuous / timed operation
Dimensions (W x D x H)	510 x 220 x 260 mm
Weight	8 kg
Permissible ambient Temperature	5-40°C
Permissible ambient Humidity	80%
Protection Class	IP 21




E11281



E11282




E11283



E11284



E11285



E11286

245 | Wavemax – Digital Rocking Shaker

- Abdos Digital rocking shakers are used for staining and destaining gels, hybridization procedures, haematology and blotting techniques. Designed to provide precise speed and tilt angles required for broad range of molecular and biological mixing applications.
- It boasts of digital speed control and large LED display, speed and timer can be viewed simultaneously.
- Aluminium-alloyed platform provides strong bearing capability, with non-slip mat that holds vessels and prevents it from slipping.
- Specially designed and developed compact space-saving design fits easily in the incubator.
- Space Accessories have a wide range of platforms for use with a variety of vessels.



WAVEMAX – LED Digital Rocking Shaker			
Code	Product	No./case	Price/case (₹)

E11495	Wavemax – Digital Rocking Shaker with platform with Dish Attachment with non-Slip Mat	1	95700
--------	---	---	-------

Spare Accessories for Digital Rocking Shaker (E11495)			
Code	Product	No./case	Price/case (₹)

E11451	Universal attachment with 3 Bars	1	12703
E11452	Dish attachment with non-slip mat	1	12034
E11453	Fixing clip attachment	1	6686
E11415	Fixing clip for 25 ml flask	1	1263
E11416	Fixing clip for 50 ml flask	1	1263
E11417	Fixing clip for 100 ml flask	1	1263
E11418	Fixing clip for 200/250 ml flask	1	2386
E11419	Fixing clip for 500 ml flask	1	2386

* Pls note E11453 is required to run E11415, E11416, E11417, E11418 & E11419.

SPECIFICATIONS :

Voltage	220–240V
Frequency	50–60Hz
Power	50W
Motor type	DC Motor
Rocking motion	See-saw rocking
Maximum load capacity (With Platform)	10 kg
Tilt angle	9°
Speed range	10–70rpm
Speed & timer display	LCD
Time range	1 min – 19 h 59 min
Operation Type	Continuous /timed operation
Dimensions (W x D x H)	360 x 410 x 200 mm
Weight	9 Kg
Permissible ambient temperature	5–40°C
Permissible ambient Humidity	80%
Protection class	IP21



Universal attachment with bars



Dish attachment with non-slip mat

246 | Wavemax – Digital (3D) Dancing Shaker

- Wavemax classic dancing shakers are used for staining and destaining gels, hybridization procedures, haematology and blotting techniques.
- This 3 dimensional shaker is designed to provide precise speed and tilt angles required for broad range of molecular and biological mixing applications.
- Abdos LED dancing shaker boasts of digital speed control and large LED display, speed and timer can be viewed simultaneously.
- Aluminium-alloyed platform provides strong bearing capability, with non-slip mat that holds vessels and prevents it from slipping.
- Specially designed and developed compact space-saving design fits easily in the incubator.
- Space accessories have a wide range of platforms for use with a variety of vessels.



WAVEMAX – Digital (3D) Dancing Shaker			
Code	Product	No./case	Price/case (₹)
E11895	Wavemax – Digital Dancing Shaker with platform with Dish Attachment with non-Slip Mat	1	95700

Spare Accessories for Digital (3D) Dancing Shaker (E11895)			
Code	Product	No./case	Price/case (₹)
E11451	Universal attachment with 3 Bars	1	11548
E11452	Dish attachment with non-slip mat	1	10940
E11453	Fixing clip attachment	1	6078
E11415	Fixing clip for 25 ml flask	1	1148
E11416	Fixing clip for 50 ml flask	1	1148
E11417	Fixing clip for 100 ml flask	1	1148
E11418	Fixing clip for 200/250 ml flask	1	2169
E11419	Fixing clip for 500 ml flask	1	2169

*Please note E11453 is required to run E11415, E11416, E11417, E11418 & E11419.

SPECIFICATIONS :

Voltage	220–240V
Frequency	50–60Hz
Power	40W
Motor type	DC Motor
Rocking motion	3 Dimensional
Maximum load capacity (With Platform)	5 kg
Tilt angle	9°
Speed range	10–70 rpm
Speed & timer display	LCD
Time range	1 min – 19h59min
Operation Type	Continuous /timed operation
Dimensions (W x D x H)	360 x 430 x 106 mm
Weight	9 Kg
Permissible ambient temperature	5–40°C
Permissible ambient Humidity	80%
Protection class	IP21



Universal attachment with bars



Dish attachment with non-slip mat

247 | Wavemax – Orbital Shaker Junior

- Abdos orbital shaker has digital speed control of upto 300 rpm.
- These shakers have horizontal circular 19 mm orbit for aeration and mixing.
- Universal magnetic clamp can be instantly exchanged.
- These shakers have a capacity of up to 20 x 50ml, 12 x 125 ml, 8 x 250 ml, 5 x 500 ml, 4 x 1L flasks.



WAVEMAX – Orbital Shaker Junior				
Code	Product	Platform Dimension	No./case	Price/case (₹)
EII260	Wavemax – Orbital Shaker Junior with flat mat	9.5" x 8"	1	70000

Spare Accessories				
Code	Product	Platform Dimension	No./case	Price/case (₹)
EII261	Universal Magnetic platform for flasks and tube racks	11" x 9.5"	1	16698
EII262	Adjustable Spring platform for unique vessel types	–	1	23120

Kindly Note: Flask clamps and Fixed Platforms are sold separately. See page No. 179 for complete listing

SPECIFICATIONS :

Voltage	220-240 V
Frequency	50 Hz
Shaking Movement	Orbital
Timer	1 min-99 hrs59min
Speed Range	50 – 300 rpm, Variable
Speed Increment	10 rpm
Orbit	19 mm
Load Capacity	Maximum 4 kg
Dimension (W x D x H)	333 x 298 x 120 mm
Weight	5.5 kg
Permissible ambient temperature	+4 to +65° C
Permissible relative humidity	80%



248 | Wavemax – Orbital Shaker

- Abdos powerful orbital shaker is capable of mixing liquids upto a load capacity of 6 kg in bottles, flasks, test tubes & dishes.
- Abdos orbital shaker has digital speed control of upto 300 rpm.
- These shakers have high capacity of upto 24 x 125 ml, 14 x 250 ml, 9 x 500 ml, 5 x 1l and 2 x 2l flasks and bottles.
- These shakers have horizontal circular 19 mm orbit for aeration and mixing.
- Universal magnetic clamp can be instantly exchanged.



WAVEMAX – Orbital Shaker				
Code	Product	Platform Dimension	No./case	Price/case (₹)
EII290	Wavemax – Orbital Shaker with flat mat	13" x 12"	1	187425

Spare Accessories				
Code	Product	Platform Dimension	No./case	Price/case (₹)
EII291	Universal Magnetic platform for flasks and tube racks	14" x 12"	1	30870

Kindly Note: Flask clamps and Fixed Platforms are sold separately. See page No. 182 for complete listing

SPECIFICATIONS :

Voltage	220-240V
Frequency	50 Hz
Shaking Movement	Orbital
Speed Range	30 – 300 rpm, Variable
Speed Increment	1 rpm
Orbit	19 mm
Load Capacity	Maximum 6.4 kg
Dimension (W x D x H)	280 x 410 x 75 mm
Weight	11.25 kg
Permissible ambient temperature	+4 to +65° C
Permissible relative humidity	80%



249 | Wavemax – LED Digital Orbital Shaker

- Abdos orbital shakers are capable of mixing and shaking liquids in bottles, flasks, vessels, test tubes & dishes.
- Independent LED display for adjusting speed and time. Speed and timer can be viewed simultaneously.
- Maximum load capacity of 3.0 kg with platform.
- Specially designed and developed compact space-saving design fits easily in the incubator and refrigerator.
- Electronic time switching clock controls time or continuous operation mode.
- Space Accessories have a wide range of platforms for use with a variety of vessels.
- Over speed detection and protection.



WAVEMAX – Digital Orbital Shaker			
Code	Product	No./case	Price/case (₹)
E11460	Wavemax – LED Digital Orbital Shaker with dish attachment with non-slip mat.	1	48300

Spare Accessories for E11460			
Code	Product	No./case	Price/case (₹)
E11451	Universal attachment with 3 Bars	1	11548
E11452	Dish attachment with non-slip mat	1	10940
E11453	Fixing clip attachment	1	6078
E11415	Fixing clip for 25 ml flask	1	1148
E11416	Fixing clip for 50 ml flask	1	1148
E11417	Fixing clip for 100 ml flask	1	1148
E11418	Fixing clip for 200/250 ml flask	1	2169
E11419	Fixing clip for 500 ml flask	1	2169

* Pls note E11453 is required to run E11415, E11416, E11417, E11418 & E11419.


SPECIFICATIONS :	E11460
Voltage	220–240V
Frequency	50–60Hz
Power	20W
Motor Type	Brushless DC Motor
Shaking Motion	Orbital
Orbital Diameter	20mm
Maximum load capacity (With Platform)	2.0 kg
Speed Range	40–200rpm
Speed & Timer Display	LED
Time Range	1 min – 19h59min
Operation Type	Continuous /timed operation
Dimensions (W x D x H)	294 x 348 x 123 mm
Weight	3.1 Kg
Permissible ambient Temperature	5–40°C
Permissible ambient Humidity	80%
Protection Class	IP21



Universal attachment with bars



Dish attachment with non-slip mat




Fixing clamp attachment

250 | Wavemax – Heavy Duty LCD Digital Orbital & Linear Shaker

- Abdos orbital and linear shakers are capable of mixing and shaking liquids in bottles, flasks, vessels, test tubes & dishes.
- Independent LCD display for adjusting speed and time, speed and timer can be viewed simultaneously.
- Maximum load capacity of 7.5 kg with platform.
- Specially designed and developed compact space-saving design fits easily in the incubator and refrigerator.
- Electronic time switching clock controls time or continuous operation mode.
- Space Accessories have a wide range of platforms for use with a variety of vessels.
- Over speed detection and protection.



Fixing Clamps



Universal attachment with bars



Dish attachment with non-slip mat

WAVEMAX – Heavy Duty LCD Digital Orbital Shaker

Code	Product	No./case	Price/case (₹)
E11480	Wavemax – Heavy Duty Orbital Shaker with universal Attachment with 4 Bar	1	96581

WAVEMAX – Heavy Duty LCD Digital Linear Shaker

Code	Product	No./case	Price/case (₹)
E11490	Wavemax – Heavy Duty Linear Shaker with universal Attachment with 4 Bar	1	96581

Spare Accessories for E11480 & E11490

Code	Product	No./case	Price/case (₹)
E11411	Universal attachment with 4 Bars	1	13021
E11413	Dish attachment with non-slip mat & fixed string	1	11548
E11414	Fixing clip attachment	1	8509
E11415	Fixing clip for 25 ml flask	1	1148
E11416	Fixing clip for 50 ml flask	1	1148
E11417	Fixing clip for 100 ml flask	1	1148
E11418	Fixing clip for 200/250 ml flask	1	2169
E11419	Fixing clip for 500 ml flask	1	2169

* Pls note E11414 is required to run E11415, E11416, E11417, E11418 & E11419.

SPECIFICATIONS :

	E11480	E11490
Voltage	220-240V	220-240V
Frequency	50-60Hz	50-60Hz
Power	30W	30W
Motor Type	Brushless DC Motor	Brushless DC Motor
Shaking Motion	Orbital	Linear
Orbital Diameter	10 mm	10 mm
Maximum load capacity (With Platform)	7.5kg	7.5kg
Speed Range	100-500 rpm	100-350 rpm
Speed & Timer Display	LCD	LCD
Time Range	1 min – 19 h 59 min	1 min – 19 h 59 min
Operation Type	Continuous /timed operation	Continuous /timed operation
Data Connector	RS232	RS232
Dimensions (W x D x H)	370 x 420 x 100 mm	370 x 420 x 100 mm
Weight	13.5 Kg	13.5 Kg
Permissible ambient Temperature	5-40°C	5-40°C
Permissible ambient Humidity	80%	80%
Protection Class	IP21	IP21

251 | Wavemax-Digital Incubator

- Wavemax-Digital Incubators provide the facility to monitor the chamber temperatures in real time.
- Has large internal chambers with two adjustable shelves for increased space. Internal Power Outlet for Installation of other Equipment for sample agitation within the Digital Incubators.
- Wavemax-Digital Incubator is available in a heating unit or heating and cooling for lower temperature applications.



Wavemax - Digital Incubator				
Code	Product	No./case	Price/case (₹)	
EI1355	Heating Digital Incubator	1	72491	
EI1356	Heating & Cooling Digital Incubator	1	109394	

Spare Accessories				
Code	Product	Platform Dimension	No./case	Price/case (₹)
EI1357	Extra Shelf, 10.5 x 8 inch, Plastic (not autoclavable)	6" x 8"	1	6695

SPECIFICATIONS :	EI1355	EI1356
Voltage	220-240 V	220-240 V
Frequency	50-60 HZ	50-60 HZ
Temp. Range (Heating)	Ambient +5°C to 60°C	Ambient -15°C to 60°C
Temp. Operation	Only Heating	Heating & Cooling
Temp. Accuracy	±0.5°C (at 37°C)	±0.5°C (at 37°C)
Temp. Uniformity	±1.5°C (at 37°C)	±1.5°C (at 37°C)
Temp. Increment	1°C	1°C
Platform Dimensions	235 x 290 mm(6 x 8 in)	235 x 290 mm(6 x 8 in)
Operating Temp. Range	+5 to 45°C	+5 to 45°C
Exterior (W x D x H)	335 x 370 x 475 mm	335 x 370 x 475 mm
Interior (W x D x H)	260x235x325mm	260x235x325mm
Capacity	20L	20L
Weight	6.5 kg	6.5 kg

*Minimum temperature is approx. 10°C in 25°C room temp.



252 | Wavemax - Incu-shaker Mini

- Wavemax-Incu-Shaker Mini is a compact shaking incubator that can accept a variety of flasks, tubes, trays, etc.
- The standard platform features a non-slip surface ideal for staining trays, tissue culture flasks, and Petri dishes.
- Abdos Incu-Shaker offer exceptional temperature uniformity and accuracy due to a proprietary heat distribution technology that ensures temperatures are precisely maintained throughout the chamber within 0.25%, even in the corners.
- Featuring the MAGIC Clamp platform, this shaker lets you customize the size and types of vessels being used by simply exchanging clamp sizes. Clamps utilize a powerful magnetic base to securely attach to the shaking platform without screws, bolts, or tools.
- Speed, temperature, and time are controlled with a push of a button and are displayed on the LED panel.
- Over temperature and over speed controls ensure safety, long life, and sample integrity.
- Advanced motor isolation system minimizes noise and vibration.



WAVEMAX - INCU-SHAKER				
Code	Product	Platform Dimension	No./case	Price/case (₹)
EI1920	Wavemax-Incu-Shaker Mini with Non-Slip Rubber Mat	9.5" x 11.5"	1	P.O.R.

Spare Accessories				
Code	Product	Platform Dimension	No./case	Price/case (₹)
EI1925	Universal Magnetic Platform for Flasks and Tube racks (For EI1920)	9.5" x 11.5"	1	P.O.R.

Kindly Note: Flask clamps and Fixed Platforms are sold separately, see page No. 182 for complete listing

SPECIFICATIONS :

Voltage	220-240V
Frequency	50-60Hz
Speed	Variable, 30 to 300rpm
Speed Increments	1rpm
Shaking Orbit	19mm
Temperature Range	Room Temperature +5°C to 70°C
Temperature Increment	0.1°C
Temperature Accuracy	±0.1°C
Temperature Uniformity	±0.25°C
Timer	1 min to 48 hours/continuous
Platform Dimensions	23.5 x 29cm (9.5"x11.5")
Overall Dimensions (W x D x H)	280 x 410 x 330 mm
Weight	11.5 kg



Spare Accessories for E11260, E11290 & E11920

Code	Product	No./case	Price/case (₹)
E11928	Universal Magnetic Clamp for 125ml, 250ml, 500ml flasks	1	6687
E11929	Magnetic Clamp for 1000 ml flask	1	8512
E11930	Magnetic Clamp for 500 ml flask	1	5480
E11931	Magnetic Clamp for 250 ml flask	1	5480
E11932	Magnetic Clamp for 125 ml flask	1	4863
E11933	Magnetic Clamp for 50 ml flask	1	4499
E11934	Magnetic Clamp for one Microplate	1	11577
E11935	Magnetic Clamp for Tube Rack 30x15ml & 20x50ml tubes	1	12018
E11936	Magnetic Clamp for Tube Rack 72x14mm culture tubes	1	20838
E11937	Magnetic Clamp for Tube Rack 32x15ml, tubes	1	12018
E11938	Magnetic Clamp for Tube Rack 15x50ml, tubes	1	12018

Spare Accessories for E11290 & E11920

Code	Product	No./case	Price/case (₹)
E11939	Magnetic Clamp for Tube Rack 4x500ml or 600ml conical bottles	1	24311
E11940	Magnetic Clamp for Tube Rack 12x1.5/2.0 ml tubes horizontal	1	14471
E11941	Magnetic clamp for tube Rack 4x15ml tubes horizontal	1	14471
E11942	Magnetic Clamp for Tube Rack 2x50ml tubes horizontal	1	14471
E11943	Magnetic Clamp for tilted holder for 15ml and 50ml tube rack	1	16207
E11944	Universal spring Platform	1	P.O.R
E11948	Platform for 5 x 500 ml	1	P.O.R.
E11949	Platform for 8 x 250 ml	1	P.O.R.
E11950	Platform for 1 x 125 ml	1	P.O.R.
E11951	Platform for 4 microplates	1	P.O.R.

253 | AEROVAC-Oil-Free Vacuum Pumps

- ABDOS Aerovac Oil Free Vacuum Pump is a compact, lightweight and mobile oil-free piston Vacuum pump.
- It features manual pressure control and a gauge for pressure monitoring.
- The unit is maintenance-free and its oil-free design reduces its environmental impact.
- The pump can achieve flow rates of up to 80 L/min and an ultimate vacuum down to 13 mbar.
- A wide range of optional accessories are available.
- Application Areas: Abdos Vacuum Pump is useful for Biology laboratories, Food industry, Microbiological detection, Vacuum extraction, Liquid filtration, Vacuum drying, Suspended solids measurement.



Oil Free Vacuum Pump

Code	Product	Product Dimension	No./case	Price/case (₹)
E11800	Aerovac-300	Vacuum: 100mbar; Max. Flow Rate: 17 L/min(220V)	1	30319
E11801	Aerovac-400	Vacuum: 100 mbar; Max. Flow Rate: 34 L/min(220V)	1	35503
E11806	Aerovac-800	Vacuum: 100 mbar; Max. Flow Rate: 80 L/min(220V)	1	87318

Spare Accessories				
Code	Product	Product Dimension	No./case	Price/case (₹)
E11810	Connectors	Outlet diameter: 9.5mm	1	8005
E11815	L-shape connector	Outlet diameter: 8mm	1	14011
E11816	Quick connection outlet	Outlet diameter: 12mm	1	9339
E11821	Silencer	Suitable for Aerovac300 / Aerovac400 / Aerovac410	1	8005
E11823	Vacuum regulator / filter	Incl. pressure gauge	1	31750
E11824	Vacuum regulator / filter	without pressure gauge	1	26017
E11825	Foot pedal	Suitable for Aerovac series vacuum pumps	1	18543
E11826	FEP tubing	Outer diameter: 6mm, Inner diameter: 4mm, Thickness: 1 mm, Length : 1m	1	4673
E11830	Silicon tubing	Outer diameter: 12mm, Inner diameter: 6mm, Thickness: 3mm, Length : 1m	1	3338

SPECIFICATIONS :

	E11800	E11801	E11806
Volt	220 V	220 V	220 V
Frequency	50 Hz	50 Hz	50 Hz
Maximum Power	60 W	80 W	220 W
Maximum Current	0.3 A	0.4 A	1.0 A
Maximum Vacuum	100 mbar	100 mbar	100 mbar
Maximum Flow Rate	17 L/min	34 L/min	80 L/min
Motor Rotation	1450 rpm	1450 rpm	1450 rpm
Dimension (W x D x H)mm	272 x 142 x 165	310 x 152 x 165	340 x 185 x 195
Weight	4.4 Kg	5.4 Kg	8.6 Kg
Noise Level	50 dB	60 dB	52 dB



General Conversion Table

Instructions for using the Table

To Convert one unit of (A) into (B) multiply by (C)

To Convert one unit of (B) into (A) multiply by (D)

A	B	C (X 1 unit of A = B)	D (X 1 unit of B = A)
Inches	Centimetres	2.54	0.3937
Feet	Centimetres	30.48	0.0328
Yards	Metres	0.194	1.094
Miles	Metres	1, 609.30	0.000621
Nautical miles	Metres	1, 853.2 7	0.000539
Square inches	Sq. cms	6.45	0.155
Square feet	Sq. Metres	0.093	10.764
Square yards	Sq. Metres	0.836	1.196
Cubic inches	Cub. cms .	16.39	0.061
Cubic feet	Litres	28.3	0.0353
Cubic feet	Gallons	6.24	0.1602
Cubic yards	Cub. metres	0.765	1.308
Pounds (Troy)	Kilogrammes	0.3732	2.68
Ounces (Troy)	Grammes	31.1	0.03216
Pounds (Avoir.)	Kilogrammes	0.4536	2.2046
Pounds (Avoir.)	Grains (Troy)	7, 000	0.000143
Ounces (Avoir.)	Grammes	28.35	0.0353
Grains	Grammes	0.065	15.38
Cwt.	Kilogrammes	50.8	0.01968
Tons	Kilogrammes	1, 016	0.000984
Gallons	Litres	4.546	0.22
Gallons of water	Pounds	10	0.1
Pounds of water	Litres	0.454	2.202
Lb per sq. in .	Gm./sq. cm.	70.3	0.0142
Lb per sq. in .	H'd of water (ft.)	2.3	0.434

To obtain

From

Multiply-by
above

A	B	C (X 1 unit of A = B)	D (X 1 unit of B = A)
Lb. per sq. in	H'd of water (M.)	0.7	1.4285
Lb. per sq. in	Atmospheres	0.068	14.7
Tons per sq. in	Kgm. / sq. mm.	1.575	0.635
Lb. per sq. ft	Kgm. / sq. metre	4.883	0.205
Lb. per cub. yd.	Kgm. / cub. metre	0.593	1.686
Lb. per cub. ft	Kgm. / cub. metre	16.02	0.0624
Lb. per gallon	Kgm. / litre	0.0998	10.02
Foot-lb	K'gram-metres	0.1833	7.23
Foot-tons	Tonne-metres	0.33	3
Hors-Power	Force de Cheval	1.014	0.9861
Hors-Power	Watts	746	0.00134
Hors-Power	Ft.-lb / min	33, 000	0.00003
Hors-Power	Kg.-m. / sec. .	73	0.01316
Watts	Ft.-lb. / min	44	0.0227
Watts	Kg.-m. / sec	0.1	10
Heat units	Cal ories	0.252	3.97
Atmospheres	Lb. / sq. inch	14.7	0.068
German candles	English candles	0.90	1.1111
Carrels	Candles.	9.55	0.1047
Joules	Ft. / lb	0.737	1.357
Miles / hour	Ft. / Min	88	0.01134
Metres / sec	Ft / Min .	197	0.00508
C.H.U	B. Th. U .	1.8	0.5555
Centipoise	Lb. force sec. / Sq. ft.	0.208	4.8

To obtain

From

Multiply-by
above

PERIODIC TABLE OF THE ELEMENTS

Non-Metals	Alkali Metals	Alkaline-Earth Metals	Transition Metals	Semi-Metals
Other Metals	Halogens	Inert Gases	Lanthanides	Actinides

1. hydrogen 1 H 1.0079	2. lithium 3 Li 6.941	beryllium 4 Be 9.0122	3. sodium 11 Na 22.990	magnesium 12 Mg 24.305	calcium 20 Ca 40.078	potassium 19 K 39.098	rubidium 37 Rb 85.468	cesium 55 Cs 132.91	francium 87 Fr [223]	18. helium 2 He 4.0026
KEY										17. fluorine 9 F 18.998
hydrogen 1 H 1.0079										neon 10 Ne 20.180
Atomic Number										nitrogen 7 N 14.007
Atomic Symbol										oxygen 8 O 15.999
Atomic Weight										carbon 6 C 12.011
13.										boron 5 B 10.811
14.										aluminum 13 Al 26.982
15.										silicon 14 Si 28.086
16.										phosphorus 15 P 30.974
17.										sulfur 16 S 32.065
18.										chlorine 17 Cl 35.453
19.										argon 18 Ar 39.948
20.										krypton 36 Kr 83.798
21.										xenon 54 Xe 131.29
22.										radon 86 Rn [222]
23.										oganesson 118 Og [294]

lanthanum 57 La 138.91	cerium 58 Ce 140.12	praseodymium 59 Pr 140.91	neodymium 60 Nd 144.24	promethium 61 Pm [145]	samarium 62 Sm 150.36	europtium 63 Eu 151.96	gadolinium 64 Gd 157.25	terbium 65 Tb 158.93	dysprosium 66 Dy 162.50	holmium 67 Ho 164.93	erbium 68 Er 167.26	thulium 69 Tm 168.93	ytterbium 70 Yb 173.05	lutetium 71 Lu 174.97
actinium 89 Ac [227]	thorium 90 Th 232.04	protactinium 91 Pa 231.04	uranium 92 U 238.03	neptunium 93 Np [237]	plutonium 94 Pu [244]	americium 95 Am [243]	curium 96 Cm [247]	berkelium 97 Bk [247]	californium 98 Cf [251]	einsteinium 99 Es [252]	fermium 100 Fm [257]	mandeleium 101 Md [258]	nobelium 102 No [259]	lawrencium 103 Lr [262]

Physical Properties Of Abdos Labware

Resin	Max Use	Brittleness	Transparency	Sterilization					Specific Gravity	Flexibility	Water Absorption
	Temp °C	Temp °C		Autoclaving	Gas	Dry Heat	Radiation	Disinfectant			
HDPE	120	-100	Translucent	No	Yes	No	Yes	Yes	0.95	Rigid	< 0.01
LDPE	80	-100	Translucent	No	Yes	No	Yes	Yes	0.92	Excel	< 0.01
PC	135	-135	Clear	Yes+	Yes	No	No	Yes	1.20	Rigid	0.35
PMMA	50	20	Clear	No	Yes	No	Yes	Some	1.20	Rigid	0.30
PP	135	0	Translucent	Yes	Yes	No	No	Yes	0.90	Rigid	< 0.02
PS	90	20	Clear	No	Yes	No	Yes	Some	1.05	Rigid	0.05
PSF	165	-10	Clear	Yes	Yes	Yes+	Yes	Yes	1.24	Rigid	0.30
PTFE	270	-200	Opaque	Yes	Yes	Yes	No	Yes	2.17	Excel	< 0.01
PVDF	110	-62	Translucent	Yes	Yes	No	No	Yes	1.75	Rigid	0.05
TPX*	175	20	Clear	Yes	Yes	Yes+	No	Yes	0.83	Rigid	< 0.01

Sterilization

• Autoclaving (121°C, 15 psi for 20 minutes) Clean and rinse item with distilled water before autoclaving. Certain chemicals which have no appreciable effect on resins at room temperature may cause deterioration at autoclaving temperatures.

ALWAYS COMPLETELY DISENGAGE THREADS BEFORE AUTOCLAVING.

• Gas - Ethylene oxide, formaldehyde.

• Dry Heat - 106°C for 120 minutes.

• Disinfection - Benzalkonium chloride, Formalin, Ethanol, etc.

• Radiation - Gamma irradiated at 2.5 Mrad with unstabilized plastic.

+ Sterilizing reduces mechanical strength. Do not use PC vessels for vacuum application if they have been autoclaved.

Chemical Resistance for ABDOS Labware

Class of Substance at Room Temperature	HDPE	LDPE	PC	PMMA	PP	PS	PSF	PTFE	PVDF	TPX*
Acids, Dilute or Weak	E	E	E	G	E	E	E	E	E	E
Acids, Strong and Concentrated	E	E	N	N	E	F	G	E	E	E
Alcohols, Aliphatic	E	E	G	N	E	E	G	E	E	E
Aldehydes	G	G	F	G	G	N	F	E	E	G
Bases	E	E	N	F	E	E	E	E	E	E
Esters	G	G	N	N	G	N	N	E	G	G
Hydrocarbons, Aliphatic	G	F	F	G	G	N	G	E	E	F
Hydrocarbons, Aromatic	G	F	N	N	F	N	N	E	E	F
Hydrocarbons, Halogenated	F	N	N	N	F	N	N	E	N	N
Ketones	G	G	N	N	G	N	N	E	N	F
Oxidizing Agents, Strong	F	F	N	N	F	N	G	E	G	F

Resin Code

HDPE	High-density polyethylene
LDPE	Low-density polyethylene
PC	Polycarbonate
PMMA	Polymethyl methacrylate
PP	Polypropylene
PS	Polystyrene
PSF	Polysulfone
PTFE	Polytetrafluoroethylene
PVDF	Polyvinylidene fluoride
TPX*	Polymethylpentene

Chemical Resistance Classification

E E = Excellent - 30 Days of constant exposure cause no damage. Plastics may even tolerate for years.

G G = Good - Little or no damage after 30 Days of constant exposure to the reagent.

F F = Fair - Some effect after 7 days of constant exposure to the reagent, like cracking, loss of strength or discoloration.

N N = Not Recommended - Not for continuous use. Immediate damage may occur.

*TPX is the registered Trade Mark of Mitsui & Company Limited

Thermoplastics Chemical and Properties

CHEMICAL STABILITY OF PLASTICS

MEDIUM	PTFE		PMP(TPX)		PP		HDPE		LDPE		PC		POM		PA		SAN		PMMA		PS		NR	
	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C
Acetaldehyde	E	E	G	F	E	F	E	G	E	F	G	F	E	E	G		F	F	F	F	F	F	F	F
Acetic acid (glacial acetic acid), 100%	E	E	E	G	E	G	E	E	E	G	F	F	F	F	F	F					F	F	G	
Acetic acid 50%	E	E	E	E	E	E	E	E	E	E	E	G	G	F	F	F	E	G	F	F	G	G	F	
Acetic anhydride	E	E	E	G	G	G	G	G	F	F	F	F	F	F	G	G					F	F	G	
Acetone	E	E	E	E	E	E	E	E	E	G	F	F	E	E	E		F	F	F	F	F	F	G	
Acetonitrile	E	E	G	F	E	G	E	G	E	G	F	F	E		E		F	F	F	F	F	F	F	
Acetophenone	E	E	G	F	G	G	G	G	F	F	F	F	E		E		F	F	F	F	F	F	F	
Acetyl chloride (acetic acid chloride)	E	E			E		E		E		F	F			F	F	F	F	F	F	F	F	F	
Acetylacetone	E	E	E		E		E		E		F	F	E				F	F	F	F	F	F	F	
ACRYLIC acid(2- propenic acid)	E	E	E		E		E		E		F	F	F	F			F	F	F	F	F	F	F	
Acrylonitrile	E	E	F	F	G	F	E	E	E	E	F	F	F	F	E		F	F	F	F	F	F	F	
Adipic acid	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E		E	E	E	E	E	E	E	
Allyl alcohol(2-propan-1-ol)	E	E	E	G	E	E	E	E	E	E	G	G	E	E	G		G	F	F	F	G	G	G	
Aluminium chloride	E	E	E	E	E	E	E	E	E	E	F	F	E	G	G	F	E	E	E	E	E	E	E	
Aluminium hydroxide	E	E	E	G	E	E	E	E	E	E	G	F	E	E	E	E	G	G	G	G	G	G	E	
Amino acid	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	
Ammonium chloride	E	E	E	E	E	E	E	E	E	E	G	G	E	E	E		E	E	G	G	E	E	E	
Ammonium fluoride	E	E	E	E	E	E	E	E	E	E	G	G	E	E	E		E	E	G	G	E	E	F	
Ammonium hydroxide,30%(ammonia)	E	E	E	E	E	E	E	E	E	E	F	F	G	G	G		E	G	E	E	G	F	E	
Ammonium sulphate	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E		E	E	E	E	E	E	G	
n-Amyl acetate (pentyl acetate)	E	E	E	G	G	F	E	G	G	F	F	F	E	E	G		F	F	E	E	F	F	G	
Amyl alcohol (pentanol)	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E		E	E			G	G	G	
Amyl chloride (chloropentane)	E	E	F	F	F	F	F	F	F	F	F	F	E	E	E		F	F	F	F	F	F	F	
Aniline	E	E	E	G	E	E	E	E	E	G	G	F	G	G	G	F	F	F	F	F	F	F	F	
Aqua regia	E	E	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	
Barium chloride	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E		E	E	E	E	E	E	E	
Benzaldehyde	E	E	E	E	E	E	E	E	E	E	G	F	E	E	G		F	F	F	F	F	F	F	
Benzene	E	E	G	G	E	G	E	E	G	F	F	F	E	G	E		F	F	F	F	F	F	F	
Benzoyl chloride	E	E	G	G	E	G	E	E	G	F	F	F	E	G	F	F	F	F	F	F	F	F	F	
Benzyl alcohol	E	E	G	F	G	F	G	F	G	F	G	G	E	E	F	F	F	F	F	F	F	F	F	
Benzyl chloride	E	E											E		E						F	F	F	
Benzylamine	E	E	G		G		G		G	F	F	F	E				F	F	F	F	F	F	F	
Boric acid, 10%	E	E	E	E	E	E	E	E	E	F	E	E	E	E	E		E	E	E	E	E	E	E	
Bromine	E	E	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	
Bromobenzene	E	E	F	F	F	F	F	F	F	F	F	F			E		F	F	F	F	F	F	F	
Bromoform	E	E	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	
Bromonapthalene	E	E															F	F			F	F		
Butanediol	E	E	E	E	E	E	E	E	E	E			E	E	E		F	F			F	F	G	
1-Butanol (butyl alcohol)	E	E	E	G	E	E	E	E	E	E	G	G	E	E	E	G	E	G	G	F	G	F	E	
n-Butyl acetate (acetic acid n-butyl ester)	E	E	E	G	G	G	E	E	G	G	F	F	E	G	E		F	F	F	F	F	F	F	
Butyl methyl ether	E	E	E	F	E	G	G	F	G	F	F	F	E	E			F	F	F	F	F	F	F	
Butylamine	E	E											E	E			F	F			F	F	F	
Butyric acid (butanoic acid)	E	E			F	F	G	F	F	F	G	F			G	G	F	F			F	F	F	
Calcium carbonate	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	
Calcium Chloride	E	E	E	E	E	E	E	E	E	E	E	E	E	E	F	F	E	E	E	E	E	E	E	
Calcium hydroxide	E	E	E	E	E	E	E	E	E	E	F	F	E	E	E		E	G	E	E	E	G	E	
Calcium hypochlorite	E	E	E	G	E	E	E	E	E	E	G	F	E	E	E	F	E	E	G	G	E	E	F	
Carbon disulphide	E	E	F	F	F	F	F	F	F	F	F	F	E	E	G		F	F	F	F	F	F	F	
Carbon tetrachloride	E	E	F	F	F	F	G	F	G	F	F	F	G	G	F	F	F	F	G	F	F	F	F	
Chloroacetaldehyde, 45%	E	E													F	F	F	F	F	F	F	F		
Chloroacetic acid (monochloroacetic acid)	E	E	E	G	E	G	E	E	E	E	G	F	F	F	F	F	F	F	G	F	G	F	F	
Chloroacetone	E	E															F	F	F	F	F	F	G	

MEDIUM	PTFE		PMP(TPX)		PP		HDPE		LDPE		PC		POM		PA		SAN		PMMA		PS		NR
	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C
Chlorobenzene	E	E	F	F	F	F	F	F	F	F	F	F			F	F	F	F	F	F	F	F	F
Chlorobutane	E	E	G	F	G	F	G	F	G	F			F	F			F	F	F	F	F	F	F
Chloroform	E	E	G	F	F	F	G	F	G	F	F	F	F	F	G	F	F	F	F	F	F	F	F
Chloronapthalene	E	E											F	F									F
Chlorosulphonic acid	E	E											F	F	F	F							F
Cromic acid, 10%	E	E	E	E	E	E	E	E	E	E	E	G	G	G	F	F	F	F	G	F	F	F	F
Cromic acid , 50%	E	E	G	G	G	G	E	G	E	G	G	F	F	F	F	F	G	G	F	F	F	F	F
Cromic sulphuric acid	E	E	G	F	F	F	F	F	F	F	F	F	F	F	F	F	G	G	F	F	G	G	F
Copper sulphate	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E		E	G	E	E	E	E	G
Cresol	E	E	F	F	G	G	G	F	F	F	F	F			F	F					F	F	F
Cumene(Isopropylbenzene)	E	E	F	F	G	F	E	G	G	F	F	F	E	F			F	F	F	F	F	F	F
Cyclohexane	E	E	F	F	G	F	G	F	G	F	F	F	E	E	E						F	F	F
Cyclohexenone	E	E	G	G	G	F	G	F	F	F	F	F			E						F	F	F
Cyclopentane	E	E	G	F	G	F	G	F	F	F	F	F									F	F	F
Decane	E	E	G		G		G	F			G		E										F
1-Decanol	E	E	E		E		E				G		E				G				G		G
Di-ethylene glycol	E	E	E	E	E	E	E	E	E	E	G	G	E	G	G		E	E	F	F	G	F	E
Dibenzyl ether	E	E	G		E		E						E				F	F	F	F	F	F	F
Dibromoethane	E	E																					
Dibutylphthalate	E	E	E	G	E	G	G	F	G	F	F	F	E	E			F	F	F	F	F	F	F
Di-chloroacetic acid	E	E	E	E	G	F	G	G	G	F	G	F			F	F					G	F	F
Dichlorobenzene	E	E	F	F	G	F	G	F	G	F	F	F	F	F	E		F	F	F	F	F	F	F
Dichloroethane	E	E	G	F	G	F	G	F	G	F			F	F	G								F
Dichloromethane (Methylene chloride)	E	E	G	F	G	F	G	F	G	F	F	F			G	F					F	F	F
Diesel oil	E	E	G	F	E	G	E	G	G	F	F	F	E	E	E	E	F	F	G	F	F	F	F
Diethanolamine	E	E			G		G				F	F					F	F	F	F	F	F	
Diethyl ether	E	E	F	F	G	F	G	F	F	F	F	F	E	E	E	E	F	F	F	F	F	F	F
Di-ethylamine	E	E	G	G	G	F	G	F	F	F	F	F									G	G	G
1,2 Diethylbenzene	E	E	F	F	F	F	G	F	F	F	G	F									F	F	F
Dimethyl sulphoxide(DMSO)	E	E	E	E	E	E	E	E	E	E	F	F					F	F	F	F	F	F	
Dimethylaniline	E	E									F	F					F	F	F	F	F	F	F
Dimethylformamide(DMF)	E	E	E	E	E	E	E	E	E	E	F	F	E	E	E		F	F	F	F	F	F	G
1,4-Dioxane	E	E	G	G	E	G	E	E	E	G	G	G	G	G	E		F	F	F	F	F	F	F
Diphenyl ether	E	E											G		G		F	F	F	F	F	F	F
1,2 Ethanediol (ethylene glycol, glycol)	E	E	E	E	E	E	E	E	E	E	E	E	E	E	G	G	E	E	E	E	E	E	F
Ethanol (ethyl alcohol)	E	E	E	G	E	E	E	E	E	E	E	G	E	E	E		G	F	F	F	G	F	G
Ethanolamine	E	E			E																		F
Ethyl acetate (acetic acid ethyl ester)	E	E	G	F	E	G	E	E	E	E	F	F			E						F	F	F
Ethyl methyl Ketone(MEK)	E	E	F	F	E	G	G	F	G	F	F	F	F	F	E		F	F			F	F	F
Ethylbenzene	E	E	F	F	F	F	F	F	F	F	F	F					F	F	F	F	F	F	F
Ethylene Oxide	E	E	G	F	G	F	G	G	G	G	G	F	E	E	G		F	F	F	F	F	F	F
Fluroacetic acid	E										F	F	F	F			F	F	F	F	F	F	F
Formaldehyde, 40%	E	E	E	E	E	E	E	E	E	E	E	G	E	E	E	G	E	E	F	F	F	F	G
Formamide	E	E	E	E	E	E	E	E	E	E			F	F	E								E
Formic acid, 98-100%	E	E	E	G	E	E	E	E	E	E	E	G	F	F	F	F	G	G	F	F	E	G	G
Gasoline	E	E	G	G	G	G	E	E	G	F	G	F	E	E	E		F	F	E		F	F	F
Glycerine	E	E	E	E	E	E	E	E	E	E	E	E	G	G	E	E	E	E	E	E	E	E	G
Glycolic acid, 70%	E	E	E	E	E	E	E	E	E	E					F	F							E
Heating oil (Diesel oil)	E	E	G	F	E	G	E	G	G	F	F	E	E	E			F	F	G	F	F	F	F
Heptane	E	E	G	G	G	G	G	G	G	F	E	G			E				G	F	F	F	F
Hexane	E	E	G	F	E	G	E	G	G	F	F	F	E	E	E		E	E	G	G	F	F	F
Hexonic acid	E	E																	E				
Hexanol	E	E	E	E	E	E	E	E	E	E									E				G
Hydrochloric acid,10%	E	E	E	E	E	E	E	E	E	E	F	F	F	F	F	F	G	F	G		E	E	G
Hydrochloric acid,20%	E	E	E	E	E	E	E	E	E	E	F	F	F	F	F	F	G	F	G	F	E	E	G
Hydrochloric acid, 37%	E	E	E	E	E	E	E	E	E	E	F	F	F	F	F	F	G	F	G	F	G	G	G

MEDIUM	PTFE		PMP(TPX)		PP		HDPE		LDPE		PC		POM		PA		SAN		PMMA		PS		NR
	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C
Hydrofluoric acid, 40%	E	E	E	E	E	E	E	E	E	E	F	F	F	F	F	F	E	G	F	F	E	E	F
Hydrofluoric acid, 70%	E	G	E	G	E	G	E	G	E	F	F	F	F	F	F	F	F	F	F	F	F	F	F
Hydrogen bromide	E	E	E	E	E	E	E	E	E	E	E	E	F	F	F	F					G	F	G
Hydrogen peroxide, 35%	E	E	E	E	E	E	E	E	E	E	E	E	E	F	F	F	E	E	F	F	E	E	F
Hydroiodic acid	E	E	E	E	E	E	E	E	E	E													
Isoamyl alcohol (3-methyl-1-butanol)	E	E	E	E	E	E	E	E	E	E			E	E									G
Isobutanol (isobutyl alcohol)	E	E	E	E	E	E	E	E	E	E	E	E	E	E			G	F	G	F	G	G	E
Isooctane	E	E									G				E		G	F			G	F	F
Isopropanol [2-propanol]	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E		E	F	G	F	G	G	E
Isopropyl ether	E	E	F	F	F	F	F	F	F	F	F	F			F	F					F	F	F
Lactic acid (2-hydroxypropionic acid)	E	E	E	E	E	E	E	E	E	E	E	E	E	F	G	F	E	E	G	F	E	E	G
Lugol's solution (Iodine/potassium iodine solution)	E	E	E	G	E	E	F	F	F	F	G	F	G	G			G	F	F	F	G	F	E
Mercury	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E		E	E	E	E	E	E	E
Mercury chloride	E	E	E	E	E	E	E	E	E	E	E	E	G	G	F	F	E	E	E	E	E	G	E
Methanol	E	E	E	E	E	E	E	E	E	G	E	G	E	E	G		G	F	F	F	G	F	G
Methoxybenzene	E	E									F	F	G				F	F	F	F	F	F	F
Methyl butyl ether	E	E	E	G	E	E	G	F	F	F	F	F	G				F	F	F	F	F	F	F
Methyl ethyl ketone(MEK)	E	E	F	F	E	G	G	F	G	F	F	F	F	F			F	F	F	F	F	F	F
Methyl formate (formic acid methyl ester)	E	E									F	F	E				F	F	F	F	F	F	F
Methyl propyl ketone	E	E	G	G	E	G	E	E	E	G	F	F	E	E			F	F	F	F	F	F	F
Methylene chloride (dichloromethane)	E	E	F	F	G	F	G	F	G	F	F	F	F	F	G	F	F	F	F	F	F	F	F
Mineral oil	E	E	E	E	E	E	E	E	E	G	F	F	E	E			E		E	E	E		F
Monochloroacetic acid	E	E	E	G	E	G	E	E	E	E	G	F	F	F	F	F	F	F	G	F	G	F	F
Nitric acid, 10%	E	E	E	E	E	E	E	E	E	E	E	G	F	F	F	F	E	G	E	G	F	F	F
Nitric acid, 30%	E	E	G	F	G	F	G	F	G	G	E	G	F	F	F	F	G	F	G	G	F	F	F
Nitric acid, 70%	E	E	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F	F
Nitrobenzene	E	E	F	F	F	F	G	F	F	F	F	F	G	F	F	F	F	F	F	F	F	F	F
Oleic acid	E	E													G		F	F	F	F	F	F	F
Oxalic acid	E	E	E	E	E	E	E	E	E	E	E	E	E	E	F	F	E	E	E	E	E	E	G
Ozone	E	E	E	E	G	F	G	F	G	F	F	F	F	F	F	F	G	G	E	G	G	G	F
n-Pentane	E	E													G								F
Peracetic acid	E	E									F	F	F	F									
Perchloric acid	E	E	G	F	E	F	E	F	E	F	F	F	F	F	F	F	F	F	F	F	F	F	F
Perchloroethylene	E	E	F	F	F	F	F	F	F	F	F	F	E	G	F	F	G	G	G	F	F	F	F
Petroleum	E	E	G	G	G	F	G	F	G	F	G	G	E	E	E				E		F	F	F
Petroleum ether	E	E							G				E	E	E				E		F	F	F
Phenol	E	E	G	G	E	E	E	E	E	G	F	F	F	F	F	F	F	F	F	F	F	F	F
Phenyl ethanol	E	E			G		G								G								
Phenylhydrazine	E	E			G		G																G
Phosphoric acid, 85%	E	E	E	E	E	E	E	E	E	E	E	E	E	F	F	F	E	E	F	F	E	G	F
Piperadine	E	E			E		E																F
Potassium chloride	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E		G	G	E	E	G	G	E
Potassium Dichromate	E	E													F	F							G
Potassium hydroxide	E	E	E	E	E	E	E	E	E	E	F	F	E	E	E		G	G	E	E	G	G	G
Potassium permanganate	E	E	E	E	E	E	E	E	E	E	E	E	G	G	F	F	E	G	E	E	E	E	F
Propanol	E	E	E	E	E	E	E	E	E	E	G		E	E	E	E	E	E	G		G		E
Propionic acid	E	E	E	G	E	G	E	G	G	F	F	F	F	F	G	G					G	F	F
Propylene glycol (propanediol)	E	E	E	E	E	E	E	E	E	E	E	G	E	E	F	F	F	F	G	G	E	E	E
Pyridine	E	E	E	G	G	G	E	G	E	G	F	F	E	G	E		F	F	F	F	F	F	F
Salicylaldehyde	E	E	E	E	E	E	E	E	E	E	G	G					F	F			F	F	
Salicylic acid	E	E	E	E	E	E	E	E	E	E			F	F	E		E	E			E	E	E
Silver acetate	E	E	E	E	E	E	E	E	E	E	E	E	G	G			G	G	G	G	G	G	E
Silver nitrate	E	E	E	E	E	E	E	E	E	E	E	E	G	G	E		E	E	E	E	G	G	E
Sodium acetate	E	E	E	E	E	E	E	E	E	E	E	E	E	G	E		E	E	F	F	E	E	E
Sodium Chloride	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E		E	E	E	E	E	E	E
Sodium dichromate	E	E	E	E	E	E	E	E	E	E	E	F	E	E	E		E	G	E	G	E	G	E
Sodium fluoride	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E		E	E	E	E	E	E	G
Sodium hydroxide	E	E	E	E	E	E	E	E	E	E	F	F	E	E	E	G	E	E			E	E	G

Medium	PTFE		PMP(TPX)		PP		HDPE		LDPE		PC		POM		PA		SAN		PMMA		PS		NR
	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C	50°C	20°C
Sulphuric acid, 60%	E	E	E	E	E	E	E	E	E	E	G	G	F	F	F	F	E	G	F	F	F	F	F
Sulphuric acid, 98%	E	E	E	E	F	F	G	F	G	F	F	F	F	F	F	F	F	F	F	F	F	F	F
Tartaric acid	E	E	E	E	E	E	E	E	E	E	E	E	E	E	G	G	E	E	G	G	E	E	E
Tetrachloroethylene	E	E													F	F							F
Tetrahydrofuran(THF)	E	E	G	F	F	F	G	F	G	F	F	F	G	G	E		F	F	F	F	F	F	F
Tetramethylammonium hydroxide	E	E									F	F	F	F									
Toluene	E	E	G	F	G	F	G	G	G	F	F	F	E	E	E		F	F	F	F	F	F	F
Tri-ethylene glycol	E	E	E	E	E	E	E	E	E	E	E	G	E	G			E	E	G	G	E	E	G
Tri-propylene glycol	E	E	E	E	E	E	E	E	E	E	E	G	E	G			E	E	G	G	E	E	E
Trichloroacetic acid	E	E	E	E	G	F	G	G	G	F	G	F			F	F					G	F	G
Trichlorobenzene	E	E	G	G	F	F	F	F	F	F	F	F									F	F	
Trichloroethane	E	E	F	F	F	F	G	F	F	F	F	F	G	F	G		F	F	F	F	F	F	F
Trichloroethylene	E	E	F	F	F	F	G	F	F	F	F	F	F	F	G		F	F	F	F	F	F	F
Trichlorotrifluoroethane	E	E													G		F	F			F	F	
Triethanolamine	E	E															F	F			F	F	G
Trifluoroacetic acid (TFA)	E	G											F	F			F	F			F	F	
Trifluoroethane	E	E															F	F			F	F	F
Turpentine	E	E	G	G	F	F	G	F	G	F	F	F	E	E	E		G	G	E	E	F	F	F
Urea	E	E	E	E	E	E	E	E	E	E	F	F	E	E	E		E	E	E	E	E	E	E
Xylene	E	E	G	F	F	F	G	F	G	F	F	F	E	E	E		F	F	F	F	F	F	F
Zinc Chloride, 10%	E	E	E	E	E	E	E	E	E	E	E	E	E	G	F	F	E	E	F	F	E	E	E
Zinc Sulphate, 10%	E	E	E	E	E	E	E	E	E	E	E	E	G	F	F	F	E	E	G	G	E	E	G

E = Continuous exposure to media and solvents causes no harm to the product.

G = Continuous exposure for 7 -30 days to media and solvents causes minor damage to the product.
(e.g. swelling, softening, mechanical strength, discolouration).

F= Not Suitable for continuous exposure to media and solvents. May damage the product.
(e.g. deformation, cracking, liquification).

The above Chemical resistance chart is meant to be used as a guide only. As temperature, exposure time and functional conditions affect resistance and can vary for each application, Abdos highly recommends users to evaluate products under their own conditions prior to use. Abdos does not warrant (neither expressed or implied) that the information in this chart is accurate or that any material is suitable for any purpose.

FUNDAMENTAL FACTS

WHAT IS GAMMA RADIATION?

Gamma rays are a form of electromagnetic radiation-like x-rays, but with higher energy. The primary industrial sources of gamma rays are radionuclide elements such as Cobalt 60, which emit gamma rays during radioactive decay. Gamma rays pass readily through plastics and kill bacteria by breaking the covalent bonds of bacterial DNA. They are measured in units called kiloGrays (kGy).

Gamma irradiation provides a number of benefits in cost and sterility assurance. It can be applied under safe, well-defined, and controlled operating parameters, and is not a heat or moisture generating process. Consequently, there is no heat stress and condensate drainage or outgassing is not required. Most importantly, there is no residual radioactivity after irradiation.

DOSE VALIDATION

Gamma Radiation dose is validated according to IS. EN. ISO 11137-2

Method 1 to confirm the SAL 10^{-6}

For that routine testing of bioburden & Sterility test carried out at our manufacturing facility.

VALIDITY OF STERILITY

We assure all sterile products have been sterile through Co-60 gamma radiation with valid certified dose and has been PASSED for all sterility tests. We confirm that the Sterile product would be Sterile until unless the packing pouch is not tampered/punctured/open or 3 yrs from date of Radiation.

SUITABILITY OF ABDOS PLASTICS FOR FOODSTUFF

The phthalates for which opinions have been given by EFSA (European Food Safety Authority and TDI's (Tolerable Daily Intake) established for use in plastics for containers in food application, are not intentionally added in the manufacture of or the formulation of this product. The phthalates are di-isononly phthalate (DINP), DI-(2-ethylhexyl) phthalate (DEHP), di-n-butyl phthalate (DBP), di-iso-decyl phthalate (DIDP), butylbenzyl phthalate (BBP). In addition, di-iso-butyl phthalate (DIBP) has recently been classified by TC C&L of ECB (Commission Working Group on Classification & Labeling – European Chemicals Bureau) in accordance with the requirements of Directive 67/548/EC (Classification and labeling of dangerous substance), taking into account a NOAEL, the toxicity of DIBP is more than 100 times lower than DNBP's (product assessed by EFSA for use in plastics in contact with food). Phthalates are not used in the manufacture of or the formulation of any Abdos manufactured products.

Abdos manufactured products have passed the USP tests for a Class VI, physio-chemical testing and meets USP limits.

Abdos manufactured products are made from the base resin which meets the FDA requirements contained in the Code of Federal Regulation in 21 CFR 177.1520 (a)(3)(i) and (c)3. 1a. 3. 2a. All other ingredients meet the requirements of their respective FDA regulations and 21 CFR 177.1520(b). All Abdos manufactured products meet the FDA criteria in 21 CFR 177.1520 for food contact applications, including cooking.

AUTOClave GUIDE LINE

To ensure successful steam sterilization of your plastic labware please adhere to the following guideline: Autoclave all plastic consumables at 121°C for 20 minutes, 15psi/1 atm. Do not use a dry cycle as this may cause deformation or weakening of the plastic. Allow temperature within the autoclave to return to at least 80°C before removing product.

Autoclaving (steam sterilisation) is defined as the destruction or irreversible inactivation of all reproducible microorganisms under exposure to "saturated steam at a minimum of 120 °C." (DIN 58946-1, 1987). DIN EN 285 specifies a minimum exposure time (t_e) of 20 minutes (killing time and safety margin) at a sterilisation temperature of 121 °C. For the correct sterilisation procedure, including biological safety (DIN EN285), please contact your hygiene specialist.

Prior to autoclaving plastic labware, ensure that no soiling or residual contamination remains on the equipment. Otherwise, the residual contamination will bake on solidly during the autoclaving process.

Even substances that have no effect on the plastic at room temperature can still lead to destruction of the plastic during the autoclaving process. Additionally, microorganisms might not be killed effectively if they are protected by the residual contamination.

NOTES ON AUTOCLAVING

- Containers with screw tops or stoppers must be open during autoclaving to allow for pressure equalisation.
- Autoclaving of a closed container will lead to the deformation or destruction of the container.
- Plastic labware should be stood upright on a level surface during autoclaving to avoid shape deformation.
- Plastic labware should not be laid on its side during autoclaving.
- No mechanical stresses should be present during autoclaving.
- For example, do not stack items.
- Do not autoclave any container that contains residual contamination or even rinsing agent.
- Not all plastics are resistant to steam sterilisation! For example, polycarbonate loses its tensile strength.
- Mind the temperature limits for the plastics.
- Autoclavable products are identified with a "121 °C" symbol in this catalogue.

The surfaces of some plastics can be attacked by chemicals present during autoclaving, which can cause persistent clouding. Some transparent plastics can absorb minute quantities of steam, which can lead to reversible clouding. This clouding disappears upon drying, which can be accelerated through the use of a drying oven.

RPM VS. RCF "WHAT'S THE DIFFERENCE?"

RPM – stands for "Revolutions Per Minute" and is the speed that your rotor spins in your centrifuge.

RPM is specific to individual centrifuge brands and rotor sizes.

RCF – stands for "Relative Centrifugal Force" and is better known as g-force. This indicates the actual force resulting from the spinning action in the centrifuge.

It is g-force that drives sample separation.

The following equation can be used to convert RPM to RCF for any model centrifuge.

$$RCF = 0.0001118 \times \text{radius of rotation (cm)} \times \text{RPM}^2$$

Note: radius of rotation is given by the distance of the furthest most point of the tube from the axis of rotation. Please refer to your centrifuge user guide for radius value.

NON-PYROGENIC CERTIFICATE OF ANALYSIS

Every lot of Abdos Micro Tips, Micro Centrifuge Tubes, Centrifuge Tubes, Cryo Vials, Petri Dish, Radioimmunoassay (Ria) Vials, Pasteur Pipette & other products are tested for Pyrogenic.

This report certifies that samples of the above products obtained from finished products are Non-Pyrogenic. Endotoxin levels are ≤ 0.005 EU/device. Products were tested for Endotoxins as per USP by Chromogenic Assay Method.

PROCEDURE:

Lot samples of the products were extracted according to current FDA guidelines in Pyrogen free water and the extract solution was then assayed along with the positive and negative controls.

A. P11007 Lot no. A261118B
B. P60116 Lot no. A251019A
C. P10202 Lot no. M110919C07
D. P10163 Lot no. A281119A
E. P10401 Lot no. A110919A
F. P10301 Lot no. M140919C06
G. P10901 Lot no. M230919B12

RESULTS:

Endotoxin levels ≤ 0.005 EU/ml

COMMENTS:

Current FDA/USP guidelines set endotoxin limits for medical devices at 0.5 EU/ml, and 0.06 EU/ml for devices that contact cerebral spinal fluid. We test products according to the guidelines for medical devices that contact cerebral spinal fluid.

RNASE FREE CERTIFICATE OF ANALYSIS

Every lot of Abdos Micro Tips, Micro Centrifuge Tubes, Centrifuge Tubes, Cryo Vials, Petri Dish, Radioimmunoassay (Ria) Vials, Pasteur Pipette & other products are tested for RNase.

This report certifies that samples of the above products obtained from finished products are free of any detectable RNase contamination. Products were tested for RNase activity by the following protocol.

PROCEDURE:

Products were extracted in RNase free water. The extract was then added to an RNA standard. The RNA standard was incubated at 37°C for 1 hour then heated to 65°C for 5 minutes. RNA samples were then run on an agarose gel, photographed, and evaluated for degradation.

Lane (A) P10105 Lot No-1503001.(B) P60102 Lot No-1503007.(C) RNA standard exposed to RNase as a positive control (D) unexposed RNA standard as a negative control.

CONCLUSIONS:

No visible degradation is present in the product samples confirming that the products can be considered RNase free.




DNASE FREE CERTIFICATE OF ANALYSIS

Every lot of Abdos Micro Tips, Micro Centrifuge Tubes, Centrifuge Tubes, Cryo Vials, Petri Dish, Radioimmunoassay (Ria) Vials, Pasteur Pipette & other products are tested for DNase.

This report certifies that samples of the above products obtained from the finished products are free of any detectable DNase contamination. Products were tested for DNase activity by the following protocol.

PROCEDURE:

Products were extracted in DNase free water. The extract was then added to a DNA standard. The DNA standard was incubated at 37°C for 1 hour then heated to 65°C for 5 minutes. DNA samples were then run on an agarose gel, photographed, and evaluated for degradation.



Lane (A) unexposed DNA standard as a negative control (B) DNA standard exposed to DNase as a positive control (C) P10105 Lot No-1503001, (D) P60102 Lot No-1503007, (E) P10202 Lot No-1503036, (F) P10401 Lot No-1503009, (G) P10403 Lot No-1503010, (H) P60103 Lot No-1502010.

CONCLUSIONS:

No visible degradation is present in the product samples confirming the products can be considered DNase free.

ATP FREE CERTIFICATE OF ANALYSIS

Every Lot of Abdos Micro Tips, Micro Centrifuge Tubes, Centrifuge Tubes, Cryo Vials, & Other Products are tested for ATP Free.

A. P11007 Lot no. A261118B
B. P60116 Lot no. A251019A
C. P10202 Lot no. M110919C07
D. P10163 Lot no. A281119A
E. P10401 Lot no. A110919A

PROCEDURE:

Procedure is to provide guidelines for ATP FREE Test (by Glucose Oxidase/ATP Method). Glucose is a widely distributed simple sugar with an active aldehyde group. Estimation of glucose by glucose oxidase gives the true glucose concentrations eliminating the interference by other reducing sugars.

PRINCIPLE:

Glucose oxidase catalyses the oxidation of alpha-D-glucose to D-glucono-1, 5 lactone (gluconic acid) with the formation of hydrogen peroxide. The oxygen liberated from hydrogen peroxide by peroxidase reacts with the O-dianisidine & oxidizes it to a red chromophore product. Read the colour intensity at 540 through UV Spectrophotometer or at 450 through ELISA.

Glucose + O₂

Glucose Oxidase \rightarrow H₂O₂ + Gluconic Acid

H₂O₂ + O-dianisidine Peroxidase \rightarrow Red colour product

CONCLUSIONS:

The tested products are free from ATP detectable contamination (<1.0 fg).

HUMAN DNA FREE CERTIFICATE OF ANALYSIS

Every Lot of Abdos Micro Tips, Micro Centrifuge Tubes, Centrifuge Tubes, Cryo Vials, & Other Products are tested for ATP Free.

A. P11007 Lot no. A261118B
B. P60116 Lot no. A251019A
C. P10202 Lot no. M110919C07
D. P10163 Lot no. A281119A
E. P10401 Lot no. A110919A

PROCEDURE:

Nucleic Acid (DNA) extraction and measurement were done by the procedures of Zachleder (50) as applied by Danovaro et al (9) and Danovaro(10), with a few modifications to enhance DNA extraction from the sediment. Briefly, 1g of sediment (three replicates) was treated with 3.0 ml of 0.5N Perchloric acid, stirred for 3min & sonicated three times for 1min (with intervals of 30 sec). Nucleic acid extraction was carried out 75 °C for 30min under continuous stirring on water bath. After centrifugation (3000 rpm, 10min), the absorbance of the Total Nucleic Acid (TNA) in the supernatant was measured at 260 nm. For RNA take absorbance on 230 nm & for protein on 280 nm.

CONCLUSIONS:

The tested products are free from Human DNA detectable contamination(<0.5 pg/microliter).

Index

Code	Page No.	Code	Page No.	Code	Page No.	Code	Page No.	Code	Page No.	Code	Page No.
E10001	46	E11155	44	E11272	173	E11948	182	E12195	113	E12291	115
E10002	46	E11156	44	E11273	173	E11949	182	E12196	113	E12292	115
E10003	46	E11157	44	E11274	173	E11950	182	E12197	113	E12293	115
E10004	46	E11158	44	E11280	175	E11951	182	E12198	113	E12326	116
E10005	46	E11161	50	E11501	28	E12000	108	E12200	114	E12327	116
E10006	46	E11162	50	E11502	28	E12001	108	E12207	114	E12328	116
E10007	46	E11163	50	E11503	28	E12002	108	E12208	114	E12329	116
E10008	46	E11164	50	E11510	29	E12003	108	E12209	114	E12330	116
E10009	46	E11171	76	E11511	29	E12004	108	E12210	114	E12331	116
E10010	46	E11172D	76	E11512	29	E12005	108	E12211	114	E12332	116
E11100	46	E11173D	76	E11513	29	E12006	108	E12212	114	E12333	116
E11101	46	E11174D	76	E11520	30	E12007	108	E12213	114	E12334	116
E11102	46	E11175D	76	E11521	30	E12008	108	E12214	114	E12335	116
E11103	46	E11176D	76	E11522	30	E12150	112	E12215	114	E12336	116
E11104	46	E11177D	76	E11523	30	E12160	109	E12218	111	E12337	116
E11105	46	E11178D	76	E11524	30	E12161	109	E12219	111	E12341	116
E11106	46	E11179D	76	E11525	30	E12162	109	E12226	114	E12342	116
E11107	47	E11180D	76	E11526	30	E12163	109	E12227	114	E12343	116
E11108	47	E11190	171	E11527	30	E12164	109	E12228	114	E12344	116
E11109	47	E11191	171	E11528	30	E12165	109	E12229	114	E12377	117
E11110	47	E11192	171	E11540	31	E12170	111	E12230	114	E12379	117
E11111	47	E11193	171	E11541	31	E12171	111	E12231	114	E12380	118
E11112	46	E11194	171	E11542	31	E12172	111	E12232	114	E12381	118
E11113	80	E11195	171	E11550	32	E12173	111	E12233	114	E12382	118
E11114	81	E11196	171	E11551	32	E12174	111	E12234	114	E12385	118
E11116	81	E11197	171	E11552	32	E12175	111	E12235	114	E12386	118
E11117	81	E11198	171	E11560	33	E12177	111	E12236	114	E12387	118
E11118	81	E11200	172	E11561	33	E12178	111	E12237	114	E12410	92
E11119	80	E11201	172	E11562	33	E12179	111	E12238	114	E12411	92
E11120	81	E11202	172	E11895	177	E12181	112	E12239	114	E12412	92
E11131	46	E11216	80	E11928	182	E12182	112	E12240	114	E12413	92
E11132	46	E11217	80	E11929	182	E12183	112	E12241	114	E12414	92
E11134	47	E11218	80	E11930	182	E12184	112	E12242	114	E12415	92
E11136	49	E11222	80	E11931	182	E12184	112	E12243	114	E12430	93
E11137	49	E11224	161	E11932	182	E12185	112	E12244	114	E12431	92
E11138	49	E11230	164	E11933	182	E12185	112	E12276	115	E12432	93
E11139	49	E11231	160	E11934	182	E12186	112	E12277	115	E12433	93
E11140	49	E11232	160	E11935	182	E12186	112	E12278	115	E12435	93
E11141	49	E11233	160	E11936	182	E12187	112	E12279	115	E12436	93
E11145	47	E11234	160	E11937	182	E12188	112	E12280	115	E12437	93
E11146	47	E11235	163	E11938	182	E12189	112	E12281	115	E12438	93
E11147	47	E11236	163	E11939	182	E12190	113	E12282	115	P10001	58
E11150	44	E11260	178	E11940	182	E12191	113	E12283	115	P10002	58
E11151	44	E11261	178	E11941	182	E12193	108	E12284	115	P10003	58
E11152	44	E11262	178	E11942	182	E12193	113	E12285	115	P10004	58
E11153	44	E11270	173	E11943	182	E12194	113	E12286	115	P10005	58
E11154	44	E11271	173	E11944	182	E12194	113	E12287	115	P10006	58

Code	Page No.	Code	Page No.	Code	Page No.	Code	Page No.	Code	Page No.	Code	Page No.
P10007	58	P10117	55	P10203	16	P10247	18	P10272	20	P10344A1	20
P10008	58	P10118	55	P10203A	16	P10248	18	P10272A	20	P10345	20
P10010	58	P10119	55	P10204	16	P10249	18	P10272A1	20	P10345A	20
P10011	58	P10120	55	P10204A	16	P10250	18	P10273	20	P10345A1	20
P10012	58	P10129	54	P10205	16	P10252	20	P10274	20	P10346	20
P10013	58	P10130	54	P10207	16	P10252A	20	P10274A	20	P10346A	20
P10014	58	P10137	54	P10208	16	P10252A1	20	P10274A1	20	P10346A1	20
P10015	58	P10138	54	P10209	16	P10253	20	P10275	20	P10347	20
P10016	58	P10139	55	P10210	16	P10253A	20	P10276	20	P10347A	20
P10020	58	P10140	55	P10221	18	P10253A1	20	P10277	20	P10347A1	20
P10021	58	P10141	55	P10222	18	P10254	20	P10278	20	P10348	20
P10022	58	P10142	55	P10223	18	P10254A	20	P10279	20	P10348A	20
P10023	58	P10144	54	P10223A	18	P10254A1	20	P10280	20	P10348A1	20
P10024	58	P10145	54	P10223A1	18	P10255	20	P10281	20	P10349	20
P10025	58	P10147	55	P10224	18	P10255A	20	P10301	84	P10349A	20
P10026	58	P10148	55	P10224A	18	P10255A1	20	P10301A	84	P10349A1	20
P10027	58	P10149	55	P10224A1	18	P10256	20	P10301A1	84	P10350	20
P10040	59	P10150	55	P10225	18	P10256A	20	P10302	84	P10351	20
P10041	59	P10152	55	P10226	18	P10256A1	20	P10303	84	P10352	20
P10042	59	P10153	55	P10227	18	P10257	20	P10304	84	P10353	20
P10043	59	P10154	55	P10228	18	P10257A	20	P10304A	84	P10354	20
P10044	59	P10155	55	P10228A	18	P10257A1	20	P10304A1	84	P10355	20
P10045	59	P10156	55	P10228A1	18	P10258	20	P10305	84	P10356	20
P10046	59	P10157	55	P10229	18	P10258A	20	P10305A	84	P10357	20
P10047	59	P10158	55	P10230	18	P10258A1	20	P10305A1	84	P10358	20
P10060	59	P10159	55	P10231	18	P10259	20	P10306	84	P10359	20
P10061	59	P10160	55	P10232	18	P10259A	20	P10307	84	P10360	20
P10062	59	P10161	54	P10232A	18	P10259A1	20	P10308	84	P10361	20
P10063	59	P10163	54	P10232A1	18	P10260	20	P10309	84	P10362	20
P10064	59	P10164	54	P10233	18	P10260A	20	P10310	84	P10363	20
P10065	59	P10165	54	P10234	18	P10260A	20	P10311	84	P10364	20
P10099	62	P10166	54	P10235	18	P10260A1	20	P10312	84	P10365	20
P10100	62	P10167	54	P10236	18	P10260A1	20	P10313	84	P10366	20
P10101	54	P10168	54	P10236A	18	P10261	20	P10340	20	P10367	20
P10102	54	P10169	54	P10236A1	18	P10261A	20	P10340A	20	P10368	20
P10105	54	P10170	54	P10237	18	P10261A1	20	P10340A1	20	P10369	20
P10106	54	P10171	55	P10238	18	P10262	20	P10341	20	P10401	22
P10107	55	P10172	63	P10239	18	P10263	20	P10341A	20	P10402	22
P10108	55	P10173	63	P10240	18	P10264	20	P10341A1	20	P10403	22
P10109	55	P10174	54	P10240A	18	P10265	20	P10342	20	P10404	22
P10110	55	P10175	54	P10240A1	18	P10266	20	P10342A	20	P10405	22
P10111	55	P10176	55	P10241	18	P10267	20	P10342A1	20	P10405T	22
P10112	55	P10177	55	P10242	18	P10268	20	P10343	20	P10406	22
P10113	55	P10178	55	P10243	18	P10269	20	P10343A	20	P10406T	22
P10114	55	P10201	16	P10244	18	P10270A	20	P10343A1	20	P10407	22
P10115	54	P10201A	16	P10245	18	P10270A1	20	P10344	20	P10407T	22
P10116	55	P10202	16	P10246	18	P10271	20	P10344A	20	P10408	22

Code	Page No.	Code	Page No.	Code	Page No.	Code	Page No.	Code	Page No.	Code	Page No.
P10408T	22	P10528	23	P10908	88	P10990	91	P11043	65	P11131	127
P10409	24	P10601	79	P10909	88	P10991	91	P11044	65	P11132	127
P10410	24	P10602	79	P10910	88	P10992	91	P11045	65	P11133	127
P10411	24	P10603	79	P10911	89	P10995	91	P11046	65	P11134	127
P10412	24	P10604	79	P10912	89	P10996	91	P11047	63	P11135	127
P10413	24	P10605	79	P10913	89	P11001	62	P11048	63	P11136	127
P10414	24	P10606	79	P10914	89	P11002	62	P11049	62	P11137	127
P10415	24	P10607	79	P10915	89	P11003	62	P11050	65	P11138	127
P10416	24	P10608	79	P10916	89	P11004	62	P11051	65	P11141	127
P10417	24	P10609	79	P10917	89	P11005	62	P11052	65	P11142	127
P10418	24	P10610	79	P10918	89	P11006	62	P11053	65	P11143	127
P10419	22	P10611	79	P10919	89	P11007	62	P11054	65	P11144	127
P10421	22	P10612	79	P10920	89	P11008	62	P11055	65	P11145	127
P10423	23	P10620	82	P10921	89	P11009	62	P11056	65	P11146	127
P10424	23	P10701	101	P10922	89	P11010	62	P11057	65	P11147	127
P10425	24	P10702	101	P10923	89	P11011	62	P11058	65	P11148	127
P10426	24	P10706	101	P10924	89	P11012	62	P11060	66	P11151	127
P10427	24	P10708	101	P10925	89	P11013	62	P11061	66	P11151A	128
P10430	22	P10709	101	P10926	89	P11014	62	P11062	66	P11152	127
P10431	22	P10711	101	P10927	88	P11015	62	P11063	66	P11152A	128
P10432	23	P10713	102	P10928	88	P11016	62	P11064	66	P11153	127
P10441	22	P10714	102	P10931	88	P11017	62	P11065	66	P11153A	128
P10442	22	P10716	102	P10932	88	P11018	62	P11066	66	P11154	127
P10443	22	P10717	102	P10933	88	P11019	62	P11067	66	P11154A	128
P10444	22	P10719	102	P10934	88	P11020	63	P11068	66	P11155	127
P10449	23	P10721	102	P10935	88	P11021	63	P11069	66	P11155A	128
P10450	23	P10722	102	P10936	88	P11022	63	P11070	66	P11156	127
P10451	24	P10723	102	P10937	88	P11023	63	P11071	66	P11156A	128
P10452	24	P10726	101	P10938	88	P11024	63	P11072	66	P11157	127
P10453	24	P10727	101	P10939	88	P11025	63	P11073	66	P11157A	128
P10462	24	P10728	101	P10940	88	P11026	63	P11074	66	P11158	127
P10463	24	P10729	101	P10941	89	P11027	63	P11075	66	P11158A	128
P10465	24	P10730	101	P10942	89	P11028	63	P11076	66	P11160	128
P10480	25	P10731	102	P10943	89	P11029	63	P11077	66	P11161	128
P10481	25	P10732	101	P10944	89	P11030	63	P11078	66	P11162	128
P10482	25	P10733	101	P10970	90	P11031	63	P11079	66	P11163	128
P10483	25	P10801	103	P10977	90	P11032	63	P11080	66	P11164	128
P10484	25	P10802	103	P10978	90	P11033	63	P11081	66	P11170	128
P10485	25	P10803	103	P10979	90	P11034	63	P11101	104	P11171	128
P10486	25	P10804	103	P10980	90	P11035	63	P11103	104	P11172	128
P10487	25	P10901	88	P10981	90	P11036	63	P11104	122	P11173	128
P10488	25	P10902	88	P10982	90	P11037	63	P11105	122	P11174	128
P10501	67	P10903	88	P10985	90	P11038	63	P11106	123	P11180	129
P10503	67	P10904	88	P10986	90	P11039	63	P11107	123	P11180A	129
P10525	23	P10905	88	P10987	90	P11040	65	P11127	128	P11181	129
P10526	23	P10906	88	P10988	90	P11041	65	P11128	128	P11181A	129
P10527	23	P10907	88	P10989	91	P11042	65	P11129	128	P11182	129

Code	Page No.	Code	Page No.	Code	Page No.	Code	Page No.	Code	Page No.
P11182A	129	P20203	26	P20703	124	P21063	97	P22014	95
P11183	129	P20204	26	P20704	124	P21064	97	P22015	95
P11183A	129	P20205	26	P20705	124	P21065	97	P22016	95
P11184	129	P20206	121	P20706	124	P21066	97	P22017	95
P11184A	129	P20206 Assorted	121	P20707	124	P21067	97	P22020	96
P11191	131	P20207	121	P20708	124	P21068	97	P22021	96
P11192	131	P20207 Assorted	121	P20709	124	P21069	97	P22022	96
P11200	131	P20209	120	P20710	124	P21070	97	P22023	96
P11301	132	P20210	121	P20711	124	P21071	97	P22024	96
P11302	132	P20212	27	P20712	124	P21072	97	P22025	96
P11305	132	P20213	27	P20713	124	P21090	99	P22026	96
P11306	132	P20214	27	P20714	124	P21091	99	P30221	18
P11307	132	P20215	27	P20715	124	P21092	99	P30222	18
P11308	132	P20216	27	P20716	125	P21093	99	P30223	18
P11311	132	P20218	27	P20717	125	P21094	99	P30223A	18
P11312	132	P20219	27	P20718	125	P21095	99	P30223A1	18
P11313	132	P20225	28	P20720	125	P21096	99	P30224	18
P11314	132	P20226	28	P20721	125	P21097	99	P30224A	18
P11510	131	P20230	121	P20722	125	P21098	99	P30224A1	18
P11511	131	P20231	121	P20723	125	P21101	99	P30225	18
P11512	131	P20302	140	P20724	125	P21102	99	P30226	18
P11513	131	P20235	24	P20725	125	P21103	99	P30227	18
P11515	130	P20441	124	P20726	125	P21104	99	P30228	18
P11516	130	P20442	124	P20727	125	P21105	99	P30228A	18
P11517	130	P20443	124	P20728	125	P21106	99	P30228A1	18
P11518	130	P20444	124	P20729	125	P21107	99	P30229	18
P11519	130	P20501	140	P21010	95	P21108	99	P30230	18
P11520	130	P20502	140	P21011	95	P21109	99	P30231	18
P11521	130	P20503	140	P21012	95	P21170	98	P30232	18
P11522	131	P20504	140	P21013	95	P21171	98	P30232A	18
P11523	131	P20511	141	P21014	95	P21172	98	P30232A1	18
P11620	137	P20512	141	P21015	95	P21173	98	P30233	18
P11621	137	P20601	39	P21016	95	P21174	98	P30234	18
P11622	137	P20601 Assorted	39	P21017	95	P21176	98	P30235	18
P11901	136	P20602	39	P21020	96	P21177	98	P30236	18
P11902	136	P20602 Assorted	39	P21021	96	P21178	98	P30236A	18
P11903	136	P20603	39	P21022	96	P21179	98	P30236A1	18
P11904	136	P20603 Assorted	39	P21023	96	P21180	98	P30237	18
P11905	136	P20604	26	P21024	96	P21181	98	P30238	18
P11907	137	P20605	26	P21025	96	P21182	98	P30239	18
P11908	137	P20606	40	P21026	96	P21183	98	P30240	18
P20101	67	P20607	40	P21030	96	P21184	98	P30240A	18
P20102	67	P20611	39	P21031	96	P21186	98	P30240A1	18
P20104	67	P20612	40	P21032	96	P21187	98	P30241	18
P20103	67	P20613	40	P21033	96	P21188	98	P30242	18
P20105	67	P20614	40	P21040	96	P21189	98	P30243	18
P20106	67	P20615	39	P21041	96	P22010	95	P30244	18
P20107	67	P20616	38	P21060	97	P22011	95	P30245	18
P20201	26	P20701	124	P21061	97	P22012	95	P30246	18
P20202	26	P20702	124	P21062	97	P22013	95	P30247	18

Code	Page No.	Code	Page No.	Code	Page No.	Code	Page No.	Code	Page No.	Code	Page No.
P30248	18	P40235	19	P50228A	19	P50404	135	P60106	38	P70322	139
P30249	18	P40236	19	P50228A1	19	P50405	135	P60106A	38	P70323	139
P30250	18	P40236A	19	P50229	19	P50406	135	P60106A1	38	P70401	153
P30260A	18	P40236A1	19	P50230	19	P50407	135	P60107	38	P70402	154
P30260A1	18	P40237	19	P50231	19	P50408	135	P60107A	38	P70501	137
P30270A	18	P40238	19	P50232	19	P50501	135	P60107A1	38	P70502	137
P30270A1	18	P40239	19	P50232A	19	P50502	135	P60108	37	P70503	137
P30272A	18	P40240	19	P50232A1	19	P50503	135	P60109	37	P70504	137
P30272A1	18	P40240A	19	P50233	19	P50504	135	P60110	37	P70505	137
P30274A	18	P40240A1	19	P50234	19	P50505	135	P60112	37	P70506	137
P30274A1	18	P40241	19	P50235	19	P50506	135	P60113	37	P70601	139
P31201	83	P40242	19	P50236	19	P50507	135	P60114W	38	P70602	139
P31201	83	P40243	19	P50236A	19	P50508	135	P60114B	38	P70707	138
P31201	83	P40244	19	P50236A1	19	P50601	134	P60114R	38	P70708	138
P31201	83	P40245	19	P50237	19	P50602	134	P60114Y	38	P80101	145
P31201	83	P40246	19	P50238	19	P50603	134	P60114G	38	P80102	145
P31201	83	P40247	19	P50239	19	P50604	134	P60115	36	P80103	145
P31201	83	P40248	19	P50241	19	P50605	134	P60116	36	P80104	145
P31201	83	P40249	19	P50242	19	P50606	134	P60117	36	P80105	145
P40101	85	P40250	19	P50243	19	P50607	134	P60118	36	P80106	145
P40102	85	P40260A	19	P50244	19	P50608	134	P60119	38	P80107	145
P40103	85	P40260A1	19	P50245	19	P50701	134	P60119A	38	P80108	145
P40104	85	P40270A	19	P50246	19	P50702	134	P60119A1	38	P80109	145
P40105	85	P40270A1	19	P50247	19	P50703	134	P60122	36	P80110	145
P40106	85	P40272A	19	P50248	19	P50704	134	P60123	36	P80111	145
P40107	85	P40272A1	19	P50249	19	P50705	134	P70101	140	P80112	145
P40111	85	P40274A	19	P50250	19	P50706	134	P70102	140	P80113	145
P40112	85	P40274A1	19	P50250	19	P50707	134	P70104	140	P80114	145
P40113	85	P50111	150	P50250A	19	P50708	134	P70106	150	P80115	146
P40221	19	P50112	150	P50250A1	19	P50802	134	P70107	150	P80116	146
P40222	19	P50113	150	P50250B	19	P50803	134	P70201	49	P80117	146
P40223	19	P50114	150	P50260A	19	P50804	134	P70202	82	P80118	146
P40223A	19	P50201	136	P50260A1	19	P50805	134	P70203	50	P80119	146
P40223A1	19	P50202	136	P50270A	19	P50806	134	P70204	82	P80123	145
P40224	19	P50203	136	P50270A1	19	P50807	134	P70205	81	P80124	145
P40224A	19	P50204	136	P50272A	19	P50808	134	P70211	139	P80125	145
P40224A1	19	P50205	136	P50272A1	19	P50902	134	P70212	139	P80126	145
P40225	19	P50206	136	P50274A	19	P50903	134	P70213	139	P80127	145
P40226	19	P50221	19	P50274A1	19	P50904	134	P70301	152	P80128	146
P40227	19	P50222	19	P50301	135	P50905	134	P70302	152	P80129	146
P40228	19	P50223	19	P50302	135	P50906	134	P70303	152	P80130	147
P40228A	19	P50223A	19	P50303	135	P50907	134	P70311	138	P80131	147
P40228A1	19	P50223A1	19	P50304	135	P50908	134	P70312	138	P80132	147
P40229	19	P50224	19	P50305	135	P60102	35	P70313	139	P80133	147
P40231	19	P50224A	19	P50306	135	P60103	35	P70314	138	P80134	147
P40232	19	P50224A1	19	P50307	135	P60104B	35	P70315	138	P80135	147
P40232A	19	P50225	19	P50308	135	P60104R	35	P70316	138	P80136	145
P40232A1	19	P50226	19	P50401	135	P60104G	35	P70317	138	P80137	145
P40233	19	P50227	19	P50402	135	P60104W	35	P70318	138	P80138	145
P40234	19	P50228	19	P50403	135	P60104Y	35	P70321	139	P80139	145

Code	Page No.	Code	Page No.	Code	Page No.	Code	Page No.
P80140	145	P90101	144	U20316	41	U40111	149
P80141	145	P90102	144	U20317	41	U40112	149
P80142	145	P90103	144	U20318	41	U40113	149
P80143	145	P90104	144	U20319	41	U40114	149
P80144	145	P90105	144	U20320	41	U40120	149
P80145	145	P90106	144	U20321	41		
P80146	145	P90107	144	U20322	41		
P80147	145	P90108	144	U20323	41		
P80148	145	P90109	144	U20324	41		
P80149	145	P90110	144	U20325	41		
P80150	145	P90115	141	U20326	41		
P80151	146	P90116	141	U20327	41		
P80152	146	U10201	155	U20328	41		
P80153	146	U10202	155	U20329	41		
P80154	145	U10301	155	U20330	41		
P80155	146	U10302	155	U20331	40		
P80156	146	U10303	155	U20332	40		
P80157	146	U10304	155	U20333	40		
P80158	146	U10401	155	U20334	40		
P80159	146	U10402	155	U20341	40		
P80160	146	U10501	155	U20342	40		
P80161	146	U10601	156	U20343	40		
P80162	146	U10701 B	156	U20344	40		
P80163	146	U10701 G	156	U20345	40		
P80164	146	U10701 O	156	U20346	40		
P80165	146	U10701 W	156	U20407	153		
P80166	146	U10701 Y	156	U20408	153		
P80167	146	U10901 C	156	U20409	152		
P80168	146	U10901 B	156	U20410	152		
P80169	146	U10901 R	156	U20413	153		
P80170	146	U10901 W	156	U20414	153		
P80171	146	U10901 Y	156	U20415	153		
P80172	146	U20101 C	154	U20417A	151		
P80173	146	U20101 W	154	U20501	156		
P80174	146	U20101 B	154	U20603	157		
P80175	146	U20301	152	U20610	154		
P80176	146	U20302	152	U20702	157		
P80177	146	U20303	152	U20802	157		
P80178	146	U20304	152	U30101	153		
P80179	146	U20305	152	U30102	153		
P80180	146	U20306	152	U40101	150		
P80181	146	U20307	41	U40102	150		
P80182	147	U20308	41	U40103	149		
P80183	147	U20309	41	U40104	149		
P80184	147	U20310	41	U40105	149		
P80185	147	U20311	41	U40106	149		
P80186	147	U20312	41	U40107	149		
P80187	141	U20313	41	U40108	149		
P80188	141	U20314	41	U40109	149		
P80189	141	U20315	41	U40110	149		

Product	Page No.	Product	Page No.
A		F	
Abdos DERMA GUARD Blue Nitrile Gloves – 9.5 inches length	151	Filter Pipette Tips – Gen 2, Racked, PP	63
Abdos DERMA GUARD White Latex Gloves – 9.5 inches length	151	Filter Pipette Tips, Bulk in Resealable Bags, PP	62
ABDOS Dual Wavelength UV Transilluminators	118	Filter Pipette Tips, Sterile Gen 2 Racked, PP	63
ABDOS HTP Horizontal Electrophoresis	114	Fixed Premium Pipette, (Non–Autoclavable)	46
ABDOS Midi Horizontal Electrophoresis	112	Floating Rack for Micro Centrifuge Tube, PP	28
ABDOS Midi Large Horizontal Electrophoresis	113	Foldable Space Saving Rack, PP	27
ABDOS Mini EP Horizontal Gel Unit with Inbuilt Power Supply	108	Freezer Thermometer	154
ABDOS Mini Moulded Horizontal Electrophoresis	109	Freezing Cardboard Cryo Boxes, CARDBOARD	40
ABDOS Mini Wide Horizontal Electrophoresis	111	Freezing Tube Coders, HDPE	35
Abdos N95 Respirator Mask	151	Freezing Tubes, PP	35
ABDOS Programmable Power Supplies	117	Frosty Mate™ Colour Change Racks, PP	123
ABDOS Single Wavelength UV Transilluminators	118	Frosty Mate™ Storage Racks, PC	122
ABDOS Vertical Dual Midi Gel System	116	Funnel Holder, PP	138
ABDOS Vertical Dual Mini Gel System	114	Funnel, PP	138
ABDOS Vertical Midi – Gel System	115		
AEROVAC–Oil–Free Vacuum Pumps	182	G	
Amber Narrow Mouth Bottle, HDPE	128	Glove Box Holder, Acrylic	152
Amber Wide Mouth Bottle, HDPE	129		
Animal Cage, PP/SS	140	H	
Aspirator Bottle with Stopcock, PP	130	Handypette Pipette Aid	80
Assorted Workstation storage Bin, ACRYLIC	140	Heavy Duty Wide Mouth Carboy with Stopcock, HDPE	131
Autoclavable Bags, PP	149	Hi/Lo Temperature Tape	157
		High Temperature Indicator Tape	157
		HOTBLOCK – LED Digital Dry Bath	165
B		K	
Beakers With Handle, PP & TPX	134	Kimtech Science Kimwipes Wipers	152
Beakers Without Handle, PP & TPX	134		
Bio Reaction Tubes, PP	97	L	
BIOFILL Bottle Top Filtration System	99	Large Volume Filter Pipette Tips, Bulk in Resealable Bags, PP	62
Biohazard Disposable Bags, PP	149	Large Volume Pipette Tips, Bulk in Resealable Bags, PP	54
Burette Clamp, PP	139	Low Retention Centrifuge Tube Conical Bottom, PP/HDPE	23
		Low Retention Pipette Tips, Bulk in Resealable Bags, PP	58
C		Low Retention Pipette Tips, Gen 2, Racked, PP	58
Carboy Wide Mouth, PP	131	Low Retention Pipette Tips, Refill Pack, PP	59
Carboy with Stopcock, PP	130	Low Retention Pipette Tips, Gen 2, Sterile Racked, PP	59
Carboy, PP	130	Low Retention Filter Pipette Tips, Bulk in Resealable Bags, PP	65
Cell Culture Dish, PS	96	Low Retention Micro Centrifuge Tubes, PP	16
Cell Culture Flasks, PS	95	Low Retention Filter Pipette Tips – Gen 2 Racked, PP	66
Cell Scraper, PP/HIPS	96	Low Retention Filter Pipette Tips – Sterile Gen 2 Racked, PP	66
Cell Spreader Gamma Radiated Sterile, PP	99		
Centrifuge Tube Box, PP	26	M	
Centrifuge Tubes Conical Bottom, PP/HDPE	22	Magnetic Retrievers, PTFE/ALNICO V MAGNET	141
Centrifuge Tubes Conical Bottom, PS/HDPE	22	Magnetic Stirrer Bar With Pivot Ring, PTFE/ALNICO V MAGNET	145
Centrifuge Tubes Self Standing, PP/HDPE	23	Trace Metal Free Centrifuge Tubes	25
Click Together Conical Tube Racks, ABS	27	Measuring Cylinder, PP Class “B”	135
Conical Flask, PP	137	Measuring Cylinder, TPX Class “A”	135
Container Seal	154	Measuring Cylinder, TPX Class “B”	135
Coplin Jar	144	Media Bottles , PET & PETG	98
Cross–spin Magnetic Stirrer Bars, PTFE/ALNICO V MAGNET	147	Micro Centrifuge Tubes, PP	16
Cryo Apron	40	Micro Magnetic Stirrer Bar, PTFE/ALNICO V MAGNET	145
Cryo Box, PC	39	Multi Combination Racks, PP	120
Cryo Box, System 100 places, PC	39	Multipurpose Labeling Tape	156
Cryo Coders for External & Internal Threaded Vials, HDPE	38	Multi–Tape Dispenser	156
Cryo Cube Box / Storage Cube Box, PP	40		
Cryo Gloves	41	N	
Cryo Vial External Thread, PP	36	Narrow Mouth Bottle (Carboy Type), PP	128
Cryo Vial Internal Thread, PP	37	Narrow Mouth Bottle, HDPE	128
Cryo–Babies and Cryo–Tags	155	Narrow Mouth Bottle, LDPE	127
Cylindrical Magnetic Stirrer Bar, PTFE/ALNICO V MAGNET	145	Narrow Mouth Bottle, PP	127
		O	
D		Octagonal Magentic Stirrer Bar, PTFE/ALNICO V MAGNET	146
Deep Well Plates Family, PP	103	Oval Magentic Stirrer Bar, PTFE/ALNICO V MAGNET	146
Double Ended Magnetic Stirrer Bars, PTFE/ALNICO V MAGNET	147		
Double Jumbo Test Tube Rack, RPP	124	P	
Dropping Bottle Euro Type, LDPE	132	Parafilm M	153
Dropping Bottle, LDPE	132	Parafilm M Dispenser, ABS	154
Drying Rack, SS	140	Parafilm M Dispenser, ACRYLIC	153
Dual Purpose Scoop, HDPE	137	Pasteur Pipettes, LDPE	83
Duo Loop, HIPS	90	PCR 8 strip clear caps– Flat & Domed, PP	101
		PCR 8 Strip tubes without cap, PP	101
E		PCR 8 Strip tubes and optically clear flat cap, PP	101
Elegant Fully Autoclavable Micropipettes	43	PCR Plates Family, PP	102
Empty Micro Tip Gen 2 Boxes, PP	67	PCR Tubes, PP	101
Expanding Tube Rack, PP	121	PCR workstation rack with lid, PP	104
		PCR Workup Rack, PP	104
		Petri Dish Stand, ACRYLIC	90
		Petri Dish, PS	88
		Petri–Seal	156

Product		Page No.	Product		Page No.
P	Pipette Rack Stand (Carsol Type), PP	50	T	Swirl Mini Plate Centrifuge	33
	Pipette Rack Stand, ACRYLIC	49		Swirl Pro High Speed Micro Centrifuge	30
	Pipette Stand Horizontal, PP	82		Swirlex – Digital Handheld Homogenizer	92
	Pipette Stand Vertical, PP	81		Swirlex – Flapping Homogenizer (Stomaker)	93
	Pipette Storage Rack with Magnet, ABS	82		Swirlex – LCD Digital Overhead Stirrer	169
	Pipette Storage Rack, ABS	82		Swirlex – Microplate Mixer	172
	Pipette Tips, Bulk in Resealable Bags, PP	54		Swirlex – Vortex Shaker	171
	Pipette Tips, Gen 2, Racked, PP	55		Swirlmax –Tube Roller	164
	Pipette Tips, Gen 2, Sterile Racked, PP	55		Swirltop – 7 inch LED Digital Magnetic Stirrer & Hot Plate	162
	Plain and Vacuum Desiccator, PP/CC	142		Swirltop – Digital (LED) Magnetic Stirrer & Hot Plate	160
	Plain Magentic Stirrer Bar, PTFE/ALNICO V MAGNET	146		Swirltop – Ultra Flat & Eco Magnetic Stirrer	159
	Polygrid Test Tube Racks, PP	125		SWIRLTOP- 380°C Digital Magnetic Stirrers & Hotplate	161
	Polywire Racks, Delrin	125			
	Powder Funnel, PP	138			
	Premium Electronic Pipette	50			
	Premium Pipettes Semi-Autoclavable, (Tip cone is Autoclavable)	46			
	Premium Plus 12-Channel Adjustable Multichannel Pipette	49			
	Premium Plus 8-Channel Adjustable Multichannel Pipette	49			
	Premium Plus Pipettes Fully-Autoclavable	47			
	PureRight™ Individually Wrapped Centrifuge Tube Conical Bottom, PP/HDPE	24			
	PureRight™ Pipette Tips, Individually Wrapped, Sterile, PP	54			
	PureRight™ Last Drop Low Retention Filter Pipette Tips, Individually Wrapped, Sterile, PP	65			
	PureRight™ Filter Pipette Tips, Individually Wrapped, Sterile, PP	62			
	PureRight™ Last Drop Low Retention Pipette Tips, Individually Wrapped, Sterile, PP	58			
R	Rack For Micro Centrifuge Tube, PC	26	U	Universal Centrifuge Tube Rack, PP	27
	Rack for Micro Centrifuge Tube, RPP	26		Utility Tray, PP	141
	Racked Centrifuge Tubes Conical Bottom, Paper	24			
	Rave Pipette Controller, PP	80	V	Vacuum Guage Round / Cubic Desiccator	143
	Rave Pipette Filler	81		Volumetric flask. TPX, Class A	136
	Reagent Reservoir, HIPS	67		Volumetric flask. TPX, Class B	136
	Reagent reservoir, PP	103	W		
	Retort Stand, PP/PE Coated Rod	139		Wash Bottle (Comet), LDPE	132
	Reversible Rack with Cover, PP	121		Wash Bottle, LDPE	132
	RIA Vial & Cap / Test Tube & Cap	84		Water Bottle for Animal Species, PP/SS	141
	Roller Bottles, PS	97		Water Proof Cryo Gloves	41
	Rotator Workstation, PP	120		Wavemax – Digital (3D) Dancing Shaker	177
	Rubber Pipette Pump	80		Wavemax – Digital Rocking Shaker	176
S				Wavemax – Heavy Duty LCD Digital Orbital & Linear Shaker	180
				Wavemax – Incu-shaker Mini	181
				Wavemax – LED Digital Orbital Shaker	179
				Wavemax – Orbital Shaker	178
				Wavemax – Orbital Shaker Junior	178
				Wavemax-Digital Incubator	181
	Safety Face Shield	150		Wavex – Classic Rotating Mixer	174
	Safety Goggles Box, ACRYLIC	150		Wavex – Classic Tube Rotator	172
	Safety Goggles, PC	150		Wavex – LCD Tube Rotator	173
	Sample Container, PP/HDPE	85		Wavex-LCD Rotating Mixer	175
	Scoop, HDPE	136		Weighing Boats, PS	137
	Screw Cap Tubes with EPDM O-Ring, PP	17		Wide Mouth Bottle, HDPE	129
	Sealing Films, Aluminium	102		Wide Mouth Bottle, LDPE	129
	Sealing Films, Polyester	102		Wide Mouth Bottle, PP	128
	Sealing Mats, Silicone	102		Wings Magnetic Stirrer Bar, PTFE/ALNICO V MAGNET	147
	Separatory Funnel, PP	139		Wire Sample Container Rack, Epoxy Coated Steel	85
	Separatory Funnel Holder, PP	139		Workstation storage/ Dispenser Bin, ACRYLIC	140
	Serological Pipettes Sterile, PS	79		Wypall L30 Wipers	153
	Sharp Container, PP	150		Wypall X70 Wipers	153
	Single Hand Cryo Holder Rack, PC	38			
	Slide Box, ABS	144			
	Slide Dispenser, PS	144			
	Slide Mailer, PP	144			
	Slide Tray, PS	144			
	Soft Inoculation Loop, HIPS	90			
	Spatula, PP	138			
	Speciality Indicator Tape for Steam Autoclave	157			
	Spray Bottle, LDPE	131			
	Square Sealing Mats for Deep Well Plates Family, Silicone Rubber	103			
	Stepmate Stepper	76			
	Storage Vial, PP	38			
	Supreme Bottle Top Dispenser	77			
	Supreme Duet Bottle Top Dispenser	78			
	Supreme Plus Bottle Top Dispenser	77			
	Swirl Clinical Centrifuge	31			
	Swirl Maxi Micro Centrifuge	29			
	Swirl Micro Plate Centrifuge	32			
	Swirl Mini Micro Centrifuge	28			

Terms & Conditions of Sale

- The Price list includes 'Abdos Life Sciences' Brand products and Products from other manufacturers.
- All prices are at-door delivery basis within India or our consignee.
- Customization for Color, Packaging and Logo is possible with products. The Buyer shall periodically meet and agree on MOQ Component purchases.
- The price for an item of the special requirement will be quoted on request.
- This cancels all our previous price list.
- Our responsibility shall be within the competent courts in Kolkata.
- Goods will be dispatched in standard packaging or multiple thereof.
- Capacity measures are for laboratory use only and not for commercial use.
- The company reserves the rights to change the colour and modify the design.
- The price is effective from 9th May 2023.
- GST will be charged extra as applicable.
- Due to unforeseen conditions beyond control, the company reserves the rights to change the pricing.
- FORCE MAJEURE - Neither ABDOS nor Customer shall be responsible for failure or delay in performing all or any portion of the product Quality/services due to any cause beyond the reasonable control, including but not limited to Acts of God, governmental orders, restrictions or instructions, war, warlike conditions, revolutions, earthquake, fire, flood, or pandemic; provided, however, that the organization/ end-user so affected shall use its best efforts to avoid or remove such causes and shall continue fulfilling the order without delay when such causes are removed. Within fifteen (15) days of the occurrence of the causes, asserting force majeure shall provide written notice to the opposing party of the beginning and, if possible, the ending periods of the foregoing causes and the circumstances thereof.

© April 2023. All rights reserved.

Every effort has been made to ensure the content of this publication is correct. ABDOS Labtech Pvt. Ltd. cannot take responsibility for any errors or omissions.

LASTDROP, FROSTY MATE, DERMA GUARD are registered Trademarks and owned by ABDOS LABTECH Pvt. Ltd.

MaxiRCF, PureRight, Premium Plus, SUPER, SWIRL, SWIRLEX, Swirlmax, Swirltop, BIOFILL, AEROVAC, Wavemax, Wavex, Thermo Mix, HOTBLOCK are Trademarks of ABDOS Labtech Pvt. Ltd.



ABDOS LABTECH PRIVATE LIMITED

Reg. Office: 13A, Govt. Place East, 2nd Floor, Kolkata – 700069, West Bengal – INDIA

Head Office: 319, DLF Tower – A, DDA District Center, Jasola, New Delhi – 110025, INDIA

Europe: Columbusweg 10, 5928 LC Venlo, NETHERLANDS

Work: Shiv Ganga Industrial Estate, Plot No. 1 Lakeshwari, Bhagwanpur, Roorkee – 247667 Uttarakhand, INDIA

Ph: +(91) 11 41081897 **F:** +(91) 11 45644222 **E:** labtech@abdosindia.com **W:** www.abdoslifesciences.com